

Part name	Use for	Capacitance	Tolerance	Temp. Char.	Rated Voltage	Size code	Thickness Max	Feature
CL01Y105MR5NLN	General	1uF	+/-20%	X7S	4Vdc	0306inch_0816mm	0.55mm	Reverse(Low ESL)
CL02A102KP2NNN	General	1nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A102KP2NNW	General	1nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A102KQ2NNN	General	1nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A102KQ2NNW	General	1nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A102MQLHNN	General	1nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	LSC
CL02A103KA2NNW	General	10nF	+/-10%	X5R	25Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A103KP2NNN	General	10nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A103KP2NNW	General	10nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A103KQ2NNN	General	10nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A103KQ2NNW	General	10nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A103MA2NNN	General	10nF	+/-20%	X5R	25Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A104KQ2NNN	General	100nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A104KQ2NNW	General	100nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A104MQ2NNN	General	100nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A104MR2NNN	General	100nF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A104MR2NNW	General	100nF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A105MQ2NQN	General	1uF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.25mm	Features Normal
CL02A105MR2NQN	General	1uF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.25mm	Features Normal
CL02A152KQ2NNN	General	1.5nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A153KQ2NNN	General	15nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A153KR2NNN	General	15nF	+/-10%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A222KP2NNN	General	2.2nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A222KQ2NNN	General	2.2nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A223KQ2NNN	General	22nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A224MQ2N3N	General	220nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A224MQ2NNN	General	220nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A224MR2NNN	General	220nF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A333KQ2NNN	General	33nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A333KR2NNN	General	33nF	+/-10%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A471KP2NNN	General	470pF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A472KP2NNN	General	4.7nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A472KQ2NNN	General	4.7nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A473KQ2NNN	General	47nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A473KR2NNN	General	47nF	+/-10%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A474MQ2NNN	General	470nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A474MQ2NQN	General	470nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.25mm	Features Normal
CL02A510MQLHNN	General	51pF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	LSC
CL02A681KP2NNN	General	680pF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A681MQLHNN	General	680pF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	LSC
CL02A682KQ2NNN	General	6.8nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A683KQ2NNN	General	68nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A683KR2NNN	General	68nF	+/-10%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B101KP2NNN	General	100pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B101KP2NNW	General	100pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B102KP2NNN	General	1nF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B102KP2NNW	General	1nF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B121KP2NNN	General	120pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B121KP2NNW	General	120pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B151KP2NNN	General	150pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B221KP2NNN	General	220pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B221KP2NNW	General	220pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B331KO2NNN	General	330pF	+/-10%	X7R	16Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B331KO2NNW	General	330pF	+/-10%	X7R	16Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B331KP2NNN	General	330pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B471KP2NNN	General	470pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B471KP2NNW	General	470pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B681KP2NNN	General	680pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02C010CA2NNN	General	1pF	+/-0.25pF	C0G	25Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02C100JA2NNN	General	10pF	+/-5%	C0G	25Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02C100JA2NNW	General	10pF	+/-5%	C0G	25Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02C100JB2NNN	General	10pF	+/-5%	C0G	50Vdc	01005inch_0402mm	0.22mm	Features Normal

CL03A473KP3NNN	General	47nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A473KP3NNW	General	47nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A473KQ311N	Infotainment	47nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A473KQ3NNN	General	47nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A473KQ3NNW	General	47nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474KP3NNN	General	470nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474KQ311N	Infotainment	470nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474KQ3NNN	General	470nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474KQ3NNW	General	470nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474KQ3ZNN	General	470nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474MQ3NNN	General	470nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474MQ3NNW	General	470nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A475MQ3CRN	General	4.7uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A475MQ5C65	General	4.7uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.55mm	Features Normal
CL03A475MQ5D65	General	4.7uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.55mm	Features Normal
CL03A495MR5D65	General	4.9uF	+/-20%	X5R	4Vdc	0201inch_0603mm	0.55mm	Features Normal
CL03A681KA3NNW	General	680pF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A682KA3NNN	General	6.8nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A682KP3NNW	General	6.8nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A683KO311N	Infotainment	68nF	+/-10%	X5R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A683KP311N	Infotainment	68nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A683KP3NNW	General	68nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A683KQ311N	Infotainment	68nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A683KQ3NNN	General	68nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A683KQ3NNW	General	68nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A823KQ311N	Infotainment	82nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B101KA3NNW	General	100pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B101KO3NNW	General	100pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102JA3NNN	General	1nF	+/-5%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102JA3NNW	General	1nF	+/-5%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KA3NNN	General	1nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KA3NNW	General	1nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KASVPN	Automotive	1nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B102KO3NNN	General	1nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KO3NNW	General	1nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KOSVPN	Automotive	1nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B102KP3NNN	General	1nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KPSVPN	Automotive	1nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B102KQSVPN	Automotive	1nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B103KA3NNW	General	10nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KASVPN	Automotive	10nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B103KO3NNN	General	10nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KO3NNW	General	10nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KOSVPN	Automotive	10nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B103KP3NNN	General	10nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KP3NNW	General	10nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KPSVPN	Automotive	10nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B103KQ3NNN	General	10nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KQ3NNW	General	10nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KQSVPN	Automotive	10nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B104KP3N4N	General	100nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B104KP3NNN	General	100nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B104KP3NNW	General	100nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B121KA3NNN	General	120pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B121KA3NNW	General	120pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B121KO3NNW	General	120pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B122KP3NNW	General	1.2nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B151KA3NNN	General	150pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B151KA3NNW	General	150pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B151KO3NNN	General	150pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B151KO3NNW	General	150pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B152KA3NNW	General	1.5nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B152KASVPN	Automotive	1.5nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B152KO3NNW	General	1.5nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B152KOSVPN	Automotive	1.5nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.35mm	Features Normal

CL03C2R2BA3GNN	General	2.2pF	+/-0.1pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C2R2BA3GNW	General	2.2pF	+/-0.1pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C2R2CA3GNN	General	2.2pF	+/-0.25pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C2R2CB3NNW	General	2.2pF	+/-0.25pF	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C2R7BA3NNW	General	2.7pF	+/-0.1pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C2R7BB3GNN	General	2.7pF	+/-0.1pF	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C2R7CA3GNN	General	2.7pF	+/-0.25pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C2R7CB3GNN	General	2.7pF	+/-0.25pF	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C300JB3NNW	General	30pF	+/-5%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C330JA3NNN	General	33pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C330JA3NNW	General	33pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C330JB3NNN	General	33pF	+/-5%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C330JB3NNW	General	33pF	+/-5%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C390GB3NNN	General	39pF	+/-2%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C390GB3NNW	General	39pF	+/-2%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C390JA3NNN	General	39pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C390JA3NNW	General	39pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C390JB3NNN	General	39pF	+/-5%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C390JB3NNW	General	39pF	+/-5%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C3R3BB3GNN	General	3.3pF	+/-0.1pF	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C3R9CB3NNW	General	3.9pF	+/-0.25pF	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C470JA3NNN	General	47pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C470JA3NNW	General	47pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C470JB3NNN	General	47pF	+/-5%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C470JB3NNW	General	47pF	+/-5%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C470JC3NNN	General	47pF	+/-5%	COG	100Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C4R7BB3NNW	General	4.7pF	+/-0.1pF	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C4R7CA3GNN	General	4.7pF	+/-0.25pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C560GB3NNN	General	56pF	+/-2%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C560JA3NNN	General	56pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C560JA3NNW	General	56pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C5R6CA3GNN	General	5.6pF	+/-0.25pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C5R6DB3NNW	General	5.6pF	+/-0.5pF	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C680JA3NNN	General	68pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C680JA3NNW	General	68pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C6R8CA3GNN	General	6.8pF	+/-0.25pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C6R8CA3GNW	General	6.8pF	+/-0.25pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C6R8DA3GNN	General	6.8pF	+/-0.5pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C6R8DA3GNW	General	6.8pF	+/-0.5pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C6R8DB3NNW	General	6.8pF	+/-0.5pF	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C820GB3NNN	General	82pF	+/-2%	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C820JA3NNN	General	82pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C820JA3NNW	General	82pF	+/-5%	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C8R2BA3GNN	General	8.2pF	+/-0.1pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03C8R2CB3NNW	General	8.2pF	+/-0.25pF	COG	50Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03CR75BA3NNW	General	0.75pF	+/-0.1pF	COG	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03W225MR3CRN	General	2.2uF	+/-20%	X6T	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03W225MR3CRW	General	2.2uF	+/-20%	X6T	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X102KA31IN	Infotainment	1nF	+/-10%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X102KO31IN	Infotainment	1nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X102KP31IN	Infotainment	1nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X102KQ31IN	Infotainment	1nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X103KA31IN	Infotainment	10nF	+/-10%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X103KO31IN	Infotainment	10nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X103KP31IN	Infotainment	10nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X103KQ31IN	Infotainment	10nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X103MA31IN	Infotainment	10nF	+/-20%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KA31IN	Infotainment	100nF	+/-10%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KA3NNN	General	100nF	+/-10%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KA3NNW	General	100nF	+/-10%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KO31IN	Infotainment	100nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KO3NNW	General	100nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KP31IN	Infotainment	100nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KP3NNW	General	100nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KQ31IN	Infotainment	100nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal

CL03X104KQ3NNN	General	100nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KQ3NNW	General	100nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KR31IN	Infotainment	100nF	+/-10%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MA31IN	Infotainment	100nF	+/-20%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MO31IN	Infotainment	100nF	+/-20%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MP31IN	Infotainment	100nF	+/-20%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MP3NNN	General	100nF	+/-20%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MQ31IN	Infotainment	100nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MQ3NNW	General	100nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MR31IN	Infotainment	100nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MR3NNW	General	100nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X105MP3CRW	General	1uF	+/-20%	X6S	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X105MPR1IN	Infotainment	1uF	+/-20%	X6S	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X105MQ3CRW	General	1uF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X105MQR1IN	Infotainment	1uF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X105MR2LRN	General	1uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.22mm	Features Normal
CL03X105MR3CRW	General	1uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X105MR3CSN	General	1uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03X105MR3NRN	General	1uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X153KQ31IN	Infotainment	15nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X153KQ3NNW	General	15nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X153MR3NNW	General	15nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X222KQ31IN	Infotainment	2.2nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X223KQ31IN	Infotainment	22nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X223KQ3NNW	General	22nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X223MR3NNW	General	22nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KP31IN	Infotainment	220nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KP3NRN	General	220nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X224KP3NRW	General	220nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X224KQ31IN	Infotainment	220nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KQ3N3W	General	220nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KQ3NNN	General	220nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KQ3NNW	General	220nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KR3NRW	General	220nF	+/-10%	X6S	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X224MP31IN	Infotainment	220nF	+/-20%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224MQ31IN	Infotainment	220nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224MQ3NNN	General	220nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224MQ3NNW	General	220nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224MQ3NRW	General	220nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X224MR31IN	Infotainment	220nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X225MR3NRN	General	2.2uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X225MS3NRN	General	2.2uF	+/-20%	X6S	2.5Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X333KQ31IN	Infotainment	33nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X333KQ3NNW	General	33nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X333MR3NNW	General	33nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X334KP3NRW	General	330nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X472KO31IN	Infotainment	4.7nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X472KP31IN	Infotainment	4.7nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X472KQ31IN	Infotainment	4.7nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X473KQ31IN	Infotainment	47nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X473KQ3NNW	General	47nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X473MR3NNW	General	47nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X474KQ31IN	Infotainment	470nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X474KQ3NNN	General	470nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X474MQ31IN	Infotainment	470nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X474MQ3NNW	General	470nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X683KQ31IN	Infotainment	68nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X683KQ3NNW	General	68nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X683KR31IN	Infotainment	68nF	+/-10%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X683MR3NNW	General	68nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KO3NNN	General	100nF	+/-10%	X7S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KO3NNW	General	100nF	+/-10%	X7S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KOS6PN	Automotive	100nF	+/-10%	X7S	16Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y104KP3N4N	General	100nF	+/-10%	X7S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KP3NNN	General	100nF	+/-10%	X7S	10Vdc	0201inch_0603mm	0.33mm	Features Normal

CL03Y104KP3NNW	General	100nF	+/-10%	X7S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KPS6PN	Automotive	100nF	+/-10%	X7S	10Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y104KQ31IN	Infotainment	100nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KQ3NNW	General	100nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KQ3VPN	Automotive	100nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KQS6PN	Automotive	100nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y104KQSVPN	Automotive	100nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y104KRSVPN	Automotive	100nF	+/-10%	X7S	4Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y223KQSVPN	Automotive	22nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y333KQSVPN	Automotive	33nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y473KQSVPN	Automotive	47nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y683KQSVPN	Automotive	68nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Z103KP3NNW	General	10nF	+/-10%	X7T	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Z105MRR6PN	Automotive	1uF	+/-20%	X7T	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03Z105MSR6PN	Automotive	1uF	+/-20%	X7T	2.5Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03Z224KQ3NNN	General	220nF	+/-10%	X7T	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Z224KQ3NNW	General	220nF	+/-10%	X7T	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL05A102KA5NNW	General	1nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A102KB5NNW	General	1nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A102KO5NNW	General	1nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A102KP5NNW	General	1nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A102KQ5NNW	General	1nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A103KA5NNW	General	10nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A103KO5NNW	General	10nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A103KP5NNW	General	10nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A103KQ5NNW	General	10nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104JO5NNN	General	100nF	+/-5%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104JO5NNW	General	100nF	+/-5%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KA5NFN	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KA5NNN	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KA5NNW	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KB5NNN	General	100nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KB5NNW	General	100nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KO5NNN	General	100nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KO5NNW	General	100nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KP5NNN	General	100nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KP5NNW	General	100nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KQ5NNN	General	100nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KQ5NNW	General	100nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104MO5NNN	General	100nF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104MO5NNW	General	100nF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105JQ5NNN	General	1uF	+/-5%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105JQ5NNW	General	1uF	+/-5%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KA5NFQ	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KA5NNN	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KA5NNW	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KA5NQN	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KA5NQW	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KAD1IN	Infotainment	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KL5NRN	General	1uF	+/-10%	X5R	35Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A105KL5NRW	General	1uF	+/-10%	X5R	35Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A105KO51IN	Infotainment	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KO5NFN	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KO5NNN	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KO5NNW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KO5NQW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KO5QNW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KOD1IN	Infotainment	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KP51IN	Infotainment	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KP5NFN	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KP5NNN	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KP5NNW	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KP5NQW	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KQ3LNN	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05A105KQ3LNW	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Features Normal

CL05A105KQ51IN	Infotainment	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KQ5NNN	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KQ5NNW	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MO51IN	Infotainment	1uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MO5NQW	General	1uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105MP51IN	Infotainment	1uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MQ51IN	Infotainment	1uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MQ5NNN	General	1uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MQ5NNW	General	1uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MR5NNW	General	1uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A106MP5C64	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.5mm	Features Normal
CL05A106MP5IUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MP5IUW	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MP5NRN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A106MP5NUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MP5Z64	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A106MP5ZUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MP68UN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05A106MP6NUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05A106MP7NUB	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	T-HMC(Low Acoustic)
CL05A106MP7ZUB	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	T-HMC(Low Acoustic)
CL05A106MP8NUB	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.9mm	T-HMC(Low Acoustic)
CL05A106MP9NUB	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	1mm	T-HMC(Low Acoustic)
CL05A106MQ4L68	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.5mm	Features Normal
CL05A106MQ4N68	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.5mm	Features Normal
CL05A106MQ5N3U	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	1mm	Features Normal
CL05A106MQ5NRN	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A106MQ5NUN	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MQ5NUW	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MQ5ZUN	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MQ8NUB	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.9mm	T-HMC(Low Acoustic)
CL05A106MR5NUN	General	10uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MR5NUW	General	10uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A116MR6DWR	General	11uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	3T(Low ESL)
CL05A153KP5NNW	General	15nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A154KP5NNN	General	150nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A154KP5NNW	General	150nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A154KQ5NNW	General	150nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A155MR5NNW	General	1.5uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A156MQ5Z64	General	15uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A156MR6NWR	General	15uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	3T(Low ESL)
CL05A186MR5DRN	General	18uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A206MR5DRN	General	20uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A222KA5NNW	General	2.2nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A222KB5NNW	General	2.2nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A222KO5NNW	General	2.2nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A222KP5NNW	General	2.2nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A222KQ5NNW	General	2.2nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A223KO5NNW	General	22nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A223KP5NNW	General	22nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A223KQ5NNW	General	22nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KA51IN	Infotainment	220nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KA5NNN	General	220nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KA5NNW	General	220nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KL51IN	Infotainment	220nF	+/-10%	X5R	35Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KO51IN	Infotainment	220nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KO5NNN	General	220nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KO5NNW	General	220nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KP51IN	Infotainment	220nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KP5NNN	General	220nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KP5NNW	General	220nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KQ51IN	Infotainment	220nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KQ5NNN	General	220nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KQ5NNW	General	220nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224MP5NNN	General	220nF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal

CL05A224MP5NNW	General	220nF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224MQLHEC	General	220nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.11mm	LSC
CL05A225KA5NUN	General	2.2uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225KA5NUW	General	2.2uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225KA61IN	Infotainment	2.2uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225KO5NQN	General	2.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A225KO5NQW	General	2.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A225KO61IN	Infotainment	2.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225KP5NNN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225KP5NNW	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225KP5NSN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225KP5QUW	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225KP5ZSN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225KP7NSB	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.8mm	T-HMC(Low Acoustic)
CL05A225KQ5NNN	General	2.2uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225KQ5NNW	General	2.2uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225KQ5NSN	General	2.2uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225MA5JUN	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MA5JUW	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MA5NOB	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A225MA5NUN	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225MA5QOB	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A225MA61IN	Infotainment	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225ML5NUN	General	2.2uF	+/-20%	X5R	35Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225MO5NQN	General	2.2uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A225MO5NQW	General	2.2uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A225MO5ZOB	General	2.2uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A225MO61IN	Infotainment	2.2uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225MP5NNN	General	2.2uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MP5NNW	General	2.2uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MP5NSN	General	2.2uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225MQ3LRN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05A225MQ3LRW	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05A225MQ5NNN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MQ5NNW	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MQ5NSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225MQ5ZSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225MR5NNN	General	2.2uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MR5NNW	General	2.2uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A226MQ5CUN	General	22uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A226MQ5QUN	General	22uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A226MQ6ZUN	General	22uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05A226MR5QUN	General	22uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A226MR5QUW	General	22uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A236MR5DUN	General	23uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A276MR6DUN	General	27uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05A333KB5NNW	General	33nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A333KO5NNW	General	33nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A333KP5NNW	General	33nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334KA5NNN	General	330nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334KA5NNW	General	330nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334KP5NNW	General	330nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334KQ5NNN	General	330nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334KQ5NNW	General	330nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334MQ5NNN	General	330nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334MQ5NNW	General	330nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A425KO5LUN	General	4.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A435MR5NWN	General	4.3uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.5mm	3T(Low ESL)
CL05A472KA5NNW	General	4.7nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A472KB5NNW	General	4.7nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A472KO5NNW	General	4.7nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A472KP5NNW	General	4.7nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A472KQ5NNW	General	4.7nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A473KB5NNW	General	47nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A473KO5NNW	General	47nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal

CL05A473KP5NNW	General	47nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A473KQ5NNW	General	47nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KA5NNN	General	470nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KA5NNW	General	470nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KAD1IN	Infotainment	470nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A474KLD1IN	Infotainment	470nF	+/-10%	X5R	35Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A474KO5NNN	General	470nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KO5NNW	General	470nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KOD1IN	Infotainment	470nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A474KP5NNN	General	470nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KP5NNW	General	470nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KQ5NNN	General	470nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KQ5NNW	General	470nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A475KP5NRN	General	4.7uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475KP5NRW	General	4.7uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475KP5ZRN	General	4.7uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475KQ5NRN	General	4.7uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475KQ5NRW	General	4.7uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MA5NUN	General	4.7uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A475MO5LUN	General	4.7uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A475MO5NUN	General	4.7uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A475MP4Z64	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.5mm	Features Normal
CL05A475MP5NRB	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A475MP5NRN	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MP5NRW	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MP5NUN	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A475MP5NUW	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A475MP5ZRB	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A475MP7NRB	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	T-HMC(Low Acoustic)
CL05A475MPQ1IN	Infotainment	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MQ3JUD	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05A475MQ3LUN	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.35mm	Features Normal
CL05A475MQ3LUW	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.35mm	Features Normal
CL05A475MQ5NQW	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A475MQ5NRN	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MQ5NRW	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MQ5ZRN	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MQD1IN	Infotainment	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A475MQQ1IN	Infotainment	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MR5NQN	General	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A475MR5NQW	General	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A475MR5NRW	General	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MRD1IN	Infotainment	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A475MS5NRW	General	4.7uF	+/-20%	X5R	2.5Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A605MQ5DRN	General	6uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A675MRBNWR	General	6.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.39mm	3T(Low ESL)
CL05A682KO5NNW	General	6.8nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A683KA5NNW	General	68nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A683KB5NNW	General	68nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A683KO5NNW	General	68nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A683KP5NNW	General	68nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A683KQ5NNW	General	68nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A684KP5NNW	General	680nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A684KQ5NNW	General	680nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A684MR5NNW	General	680nF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A905MQ5DRN	General	9uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05B102JA5VPN	Automotive	1nF	+/-5%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102JB5NNN	General	1nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102JB5NNW	General	1nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102JB5VPN	Automotive	1nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102JO5VPN	Automotive	1nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KA5NNW	General	1nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KA5VPN	Automotive	1nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KB54PN	Automotive	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KB56PN	Automotive	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal

CL05C471JB51PN	Automotive	470pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C471JB5NNN	General	470pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C471JB5NNW	General	470pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C471JC51PN	Automotive	470pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C472JB5NRN	General	4.7nF	+/-5%	COG	50Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05C4R3CB5NNW	General	4.3pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C4R7BB51PN	Automotive	4.7pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C4R7BB5NNW	General	4.7pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C4R7BC51PN	Automotive	4.7pF	+/-0.1pF	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C4R7CA5NNW	General	4.7pF	+/-0.25pF	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C4R7CB51IN	Infotainment	4.7pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C4R7CB51PN	Automotive	4.7pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C4R7CB5NNN	General	4.7pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C4R7CB5NNW	General	4.7pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C4R7CC51IN	Infotainment	4.7pF	+/-0.25pF	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C4R7CC51PN	Automotive	4.7pF	+/-0.25pF	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C510JB51PN	Automotive	51pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C510JB5NNW	General	51pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560FB51PN	Automotive	56pF	+/-1%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560FB5NNW	General	56pF	+/-1%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560FC51PN	Automotive	56pF	+/-1%	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560GB51PN	Automotive	56pF	+/-2%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560GC51PN	Automotive	56pF	+/-2%	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560JA51IN	Infotainment	56pF	+/-5%	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560JA5NNN	General	56pF	+/-5%	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560JA5NNW	General	56pF	+/-5%	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560JB51IN	Infotainment	56pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560JB51PN	Automotive	56pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560JB5NNN	General	56pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560JB5NNW	General	56pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560JC51IN	Infotainment	56pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C560JC51PN	Automotive	56pF	+/-5%	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C561FB51PN	Automotive	560pF	+/-1%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C561JA51IN	Infotainment	560pF	+/-5%	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C561JA5NNN	General	560pF	+/-5%	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C561JA5NNW	General	560pF	+/-5%	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C561JB51IN	Infotainment	560pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C561JB51PN	Automotive	560pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C561JB5NNW	General	560pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R1BB51PN	Automotive	5.1pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R1CB51PN	Automotive	5.1pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R1DB51PN	Automotive	5.1pF	+/-0.5pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R3BB51PN	Automotive	5.3pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R3BC51PN	Automotive	5.3pF	+/-0.1pF	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R3CB51PN	Automotive	5.3pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R3CC51PN	Automotive	5.3pF	+/-0.25pF	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6BB51PN	Automotive	5.6pF	+/-0.1pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6BC51PN	Automotive	5.6pF	+/-0.1pF	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6CA5NNW	General	5.6pF	+/-0.25pF	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6CB51IN	Infotainment	5.6pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6CB51PN	Automotive	5.6pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6CB5N4N	General	5.6pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6CB5NNW	General	5.6pF	+/-0.25pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6CC51IN	Infotainment	5.6pF	+/-0.25pF	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6CC51PN	Automotive	5.6pF	+/-0.25pF	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6DB51IN	Infotainment	5.6pF	+/-0.5pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6DB51PN	Automotive	5.6pF	+/-0.5pF	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C5R6DC51IN	Infotainment	5.6pF	+/-0.5pF	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C620FA51IN	Infotainment	62pF	+/-1%	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C620FB51IN	Infotainment	62pF	+/-1%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C620FC51PN	Automotive	62pF	+/-1%	COG	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C620GA51IN	Infotainment	62pF	+/-2%	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C620GB51IN	Infotainment	62pF	+/-2%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C620JA51IN	Infotainment	62pF	+/-5%	COG	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C620JB51IN	Infotainment	62pF	+/-5%	COG	50Vdc	0402inch_1005mm	0.55mm	Features Normal

CL05C820JC51IN	Infotainment	82pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C820JC51PN	Automotive	82pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C820JC5NNN	General	82pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C820JC5NNW	General	82pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C821FB51IN	Infotainment	820pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C821FB51PN	Automotive	820pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C821GB51IN	Infotainment	820pF	+/-2%	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C821JA5NNW	General	820pF	+/-5%	C0G	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C821JB51PN	Automotive	820pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C821JB5N4N	General	820pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C821JB5NNN	General	820pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C821JB5NNW	General	820pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2BB51PN	Automotive	8.2pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2BB5NNW	General	8.2pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2BC51PN	Automotive	8.2pF	+/-0.1pF	C0G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2CA5NNW	General	8.2pF	+/-0.25pF	C0G	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2CB51IN	Infotainment	8.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2CB51PN	Automotive	8.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2CB5NNN	General	8.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2CB5NNW	General	8.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2CC51PN	Automotive	8.2pF	+/-0.25pF	C0G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2DB51IN	Infotainment	8.2pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2DB51PN	Automotive	8.2pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2DC51IN	Infotainment	8.2pF	+/-0.5pF	C0G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C8R2DC51PN	Automotive	8.2pF	+/-0.5pF	C0G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C910JB5NNN	General	91pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C910JB5NNW	General	91pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05C9R1BB5NNW	General	9.1pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05CR75CB5NNW	General	0.75pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E103KA5VPN	Automotive	10nF	+/-10%	X8L	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E104KA5VPN	Automotive	100nF	+/-10%	X8L	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E104KB5VPN	Automotive	100nF	+/-10%	X8L	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E153KO5VPN	Automotive	15nF	+/-10%	X8L	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E333KA54PN	Automotive	33nF	+/-10%	X8L	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E333KO54PN	Automotive	33nF	+/-10%	X8L	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E333KO5VPN	Automotive	33nF	+/-10%	X8L	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E473KA5VPN	Automotive	47nF	+/-10%	X8L	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E473KB5VPN	Automotive	47nF	+/-10%	X8L	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E473KO5VPN	Automotive	47nF	+/-10%	X8L	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F104ZO5NNN	General	100nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F105ZQ5NNN	General	1uF	-20/+80%	Y5V	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F153ZB5NNN	General	15nF	-20/+80%	Y5V	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F223ZA5NNN	General	22nF	-20/+80%	Y5V	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F223ZO5NNN	General	22nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F333ZA5NNN	General	33nF	-20/+80%	Y5V	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F333ZO5NNN	General	33nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F334ZP5NNN	General	330nF	-20/+80%	Y5V	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F473ZO5NNN	General	47nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F474ZP5NNN	General	470nF	-20/+80%	Y5V	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G010CB51PN	Automotive	1pF	+/-0.25pF	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G100FB51PN	Automotive	10pF	+/-1%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G100GB51PN	Automotive	10pF	+/-2%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G100JB51PN	Automotive	10pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G101JB51PN	Automotive	100pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G102JB51PN	Automotive	1nF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G102JC51PN	Automotive	1nF	+/-5%	X8G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G150JB51PN	Automotive	15pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G151JB51PN	Automotive	150pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G160JB51PN	Automotive	16pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G1R5CB51PN	Automotive	1.5pF	+/-0.25pF	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G220JB51PN	Automotive	22pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G221JB51PN	Automotive	220pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G271JB51PN	Automotive	270pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G271JC51PN	Automotive	270pF	+/-5%	X8G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G2R2CB51PN	Automotive	2.2pF	+/-0.25pF	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal

CL05G330JB51PN	Automotive	33pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G3R3CB51PN	Automotive	3.3pF	+/-0.25pF	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G470JB51PN	Automotive	47pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G471JB51PN	Automotive	470pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G471JC51PN	Automotive	470pF	+/-5%	X8G	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G4R7BB51PN	Automotive	4.7pF	+/-0.1pF	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G4R7CB51PN	Automotive	4.7pF	+/-0.25pF	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G5R6BB51PN	Automotive	5.6pF	+/-0.1pF	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G5R6CB51PN	Automotive	5.6pF	+/-0.25pF	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G680JB51PN	Automotive	68pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05G6R8CB51PN	Automotive	6.8pF	+/-0.25pF	X8G	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05J105KP5N3N	General	1uF	+/-10%	JIS-B	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05J224KP5NNN	General	220nF	+/-10%	JIS-B	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05W105MR5NNW	General	1uF	+/-20%	X6T	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05W206MS5CUN	General	20uF	+/-20%	X6T	2.5Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05W225MO5NUW	General	2.2uF	+/-20%	X6T	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05W225MR5NUW	General	2.2uF	+/-20%	X6T	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05W225MS2LUN	General	2.2uF	+/-20%	X6T	2.5Vdc	0402inch_1005mm	0.22mm	Features Normal
CL05W474MR5NNW	General	470nF	+/-20%	X6T	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05W675MSBNWR	General	6.7uF	+/-20%	X6T	2.5Vdc	0402inch_1005mm	0.39mm	3T(Low ESL)
CL05X104KA5NNW	General	100nF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X104MR5NNW	General	100nF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KA5NQN	General	1uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KA5NQW	General	1uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KAD1IN	Infotainment	1uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KO5NQN	General	1uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KO5NQW	General	1uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KOD1IN	Infotainment	1uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KP5NNN	General	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KP5NNW	General	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KP61IN	Infotainment	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X105KPD1IN	Infotainment	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KQ51IN	Infotainment	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KQ5NFN	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KQ5NNN	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KQ5NNW	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KQ5NQW	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KQ61IN	Infotainment	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X105KQD1IN	Infotainment	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KR51IN	Infotainment	1uF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KRD1IN	Infotainment	1uF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105MA5NQW	General	1uF	+/-20%	X6S	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105MP3JQN	General	1uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05X105MP5NNW	General	1uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105MP5NQW	General	1uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105MQ5NNW	General	1uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105MR5NNW	General	1uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X106MQ5IUN	General	10uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X106MQ5NUN	General	10uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X106MQ5NUW	General	10uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X106MQ61IN	Infotainment	10uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X106MR5NUN	General	10uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X106MR5NUW	General	10uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X154KP5NNW	General	150nF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X154KQ5NNW	General	150nF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X154MR5NNW	General	150nF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X206MS6N6B	General	20uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.85mm	T-HMC(Low Acoustic)
CL05X224KA51IN	Infotainment	220nF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KA5NNW	General	220nF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KL51IN	Infotainment	220nF	+/-10%	X6S	35Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KL5NNW	General	220nF	+/-10%	X6S	35Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KO51IN	Infotainment	220nF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KP51IN	Infotainment	220nF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KQ51IN	Infotainment	220nF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KQ5NNW	General	220nF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal

CL05X224KR51IN	Infotainment	220nF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224MR5NNW	General	220nF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X225KA5NUW	General	2.2uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KO5NUW	General	2.2uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KO61IN	Infotainment	2.2uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KP5QUW	General	2.2uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KP61IN	Infotainment	2.2uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KQ51IN	Infotainment	2.2uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X225KQ61IN	Infotainment	2.2uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KR51IN	Infotainment	2.2uF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X225KR61IN	Infotainment	2.2uF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MA5NUN	General	2.2uF	+/-20%	X6S	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MA5NUW	General	2.2uF	+/-20%	X6S	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MO5NUW	General	2.2uF	+/-20%	X6S	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MO61IN	Infotainment	2.2uF	+/-20%	X6S	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MP5QUN	General	2.2uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MP5QUW	General	2.2uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MQ51IN	Infotainment	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X225MQ5NSN	General	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05X225MQ5QUW	General	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MQ61IN	Infotainment	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MR51IN	Infotainment	2.2uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X225MR5QUN	General	2.2uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MR5QUW	General	2.2uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MS5NSN	General	2.2uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05X225MS5QUW	General	2.2uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X226MR6I3W	General	22uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05X226MR6NUN	General	22uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05X226MR6NUW	General	22uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05X226MS6NUW	General	22uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05X334KQ5NNW	General	330nF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X334MR5NNW	General	330nF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X435MS5NWN	General	4.3uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.5mm	3T(Low ESL)
CL05X435MS5NWW	General	4.3uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.5mm	3T(Low ESL)
CL05X474KO51IN	Infotainment	470nF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X474KO5NQW	General	470nF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X474KP51IN	Infotainment	470nF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X474KQ51IN	Infotainment	470nF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X474KQ5NNW	General	470nF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X474KR51IN	Infotainment	470nF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X474MR5NNW	General	470nF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X475MQ5NRW	General	4.7uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05X475MQ5NUN	General	4.7uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X475MQ5NUW	General	4.7uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X475MQQ1IN	Infotainment	4.7uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05X475MR5NUN	General	4.7uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X475MR5NUW	General	4.7uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X475MRQ1IN	Infotainment	4.7uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05X683KA5NNW	General	68nF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X684KR5NNW	General	680nF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y104KB5NNW	General	100nF	+/-10%	X7S	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y105KO5NQW	General	1uF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05Y105KO66PN	Automotive	1uF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y105KP5N4Q	General	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05Y105KP5N4U	General	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y105KP5ZUW	General	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y105KP6VPJ	Automotive	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Soft Termination
CL05Y105KP6VPN	Automotive	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y105KPAVPN	Automotive	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.67mm	Features Normal
CL05Y105KQ5QNW	General	1uF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y105KQ6VPJ	Automotive	1uF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Soft Termination
CL05Y105KQ6VPN	Automotive	1uF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y105MP5NQW	General	1uF	+/-20%	X7S	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05Y105MQ5QNW	General	1uF	+/-20%	X7S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y105MR6VPN	Automotive	1uF	+/-20%	X7S	4Vdc	0402inch_1005mm	0.7mm	Features Normal

CL05Y224KO56PN	Automotive	220nF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y224KO5VPJ	Automotive	220nF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.55mm	Soft Termination
CL05Y224KO5VPN	Automotive	220nF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y224KP5VPN	Automotive	220nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y224KQ5VPN	Automotive	220nF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y225KP564U	General	2.2uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y225KP56UW	General	2.2uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y225KP66PN	Automotive	2.2uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y225KQ56UW	General	2.2uF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y225MQ56UW	General	2.2uF	+/-20%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y333KB5NNW	General	33nF	+/-10%	X7S	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y334KP5VPJ	Automotive	330nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.55mm	Soft Termination
CL05Y334KP5VPN	Automotive	330nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y473KB5NNW	General	47nF	+/-10%	X7S	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y474KP5VPJ	Automotive	470nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.6mm	Soft Termination
CL05Y474KP5VPN	Automotive	470nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05Y474KQ5VPN	Automotive	470nF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05Y683KB5NNW	General	68nF	+/-10%	X7S	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y684KP6VPJ	Automotive	680nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Soft Termination
CL05Y684KP6VPN	Automotive	680nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y684KQ6VPN	Automotive	680nF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Z104KS5NNW	General	100nF	+/-10%	X7T	2.5Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Z106MR5NUN	General	10uF	+/-20%	X7T	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Z106MR5NUW	General	10uF	+/-20%	X7T	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Z224KS5NNW	General	220nF	+/-10%	X7T	2.5Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Z225MO5NUW	General	2.2uF	+/-20%	X7T	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Z225MP5NUW	General	2.2uF	+/-20%	X7T	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL10A104KA8NNN	General	100nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A104KA8NNW	General	100nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KA81IN	Infotainment	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KA8N4N	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KA8NFN	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KA8NNN	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KA8NNW	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KB8NNN	General	1uF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KB8NNW	General	1uF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KL81IN	Infotainment	1uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KL8NNN	General	1uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KL8NNW	General	1uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KO81IN	Infotainment	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KO8N4N	General	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KO8NNN	General	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KO8NNW	General	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KP81IN	Infotainment	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KP8N4N	General	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KP8NNN	General	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KP8NNW	General	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KQ81IN	Infotainment	1uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KQ8NNN	General	1uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KQ8NNW	General	1uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MA81IN	Infotainment	1uF	+/-20%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MB8NNN	General	1uF	+/-20%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MB8NNW	General	1uF	+/-20%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MO81IN	Infotainment	1uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MO8NNN	General	1uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MO8NNW	General	1uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MP81IN	Infotainment	1uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MQ81IN	Infotainment	1uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KO8NQN	General	10uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KO8NQW	General	10uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KOQ1IN	Infotainment	10uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KP8N4Q	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KP8NFN	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KP8NNN	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KP8NNW	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10A106KP8NQW	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KPQ1IN	Infotainment	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KQ8NNN	General	10uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KQ8NNW	General	10uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KQQ1IN	Infotainment	10uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MA8IRN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MA8NRN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MA8NRW	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MA8ZRN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MA91IN	Infotainment	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MAAFZN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	0.65mm	Features Normal
CL10A106MAAIZN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	0.65mm	Features Normal
CL10A106MAEURN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1.2mm	ANSC-B(Low Acoustic)
CL10A106ML8NRN	General	10uF	+/-20%	X5R	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MO8NQN	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MO8NQW	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MO8NRN	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MO8NRW	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MOAFZN	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.65mm	Features Normal
CL10A106MOQ1IN	Infotainment	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MP8NFN	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106MP8NFS	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MP8NNN	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106MP8NNW	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106MP8NQW	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MPNNHB	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1.05mm	T-HMC(Low Acoustic)
CL10A106MPQ1IN	Infotainment	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MQ8NNN	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106MQ8NNW	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106MQ8NQN	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MQ8NQW	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MQ8ZQN	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MQ8ZQW	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MQNNHB	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1.05mm	T-HMC(Low Acoustic)
CL10A106MQQ1IN	Infotainment	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A154KP8NNW	General	150nF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A224KA8NNW	General	220nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A224KB8NNN	General	220nF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A224KB8NNW	General	220nF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A224KO8NNW	General	220nF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A224KP8NNN	General	220nF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A224KP8NNW	General	220nF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KA5LNN	General	2.2uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.5mm	Features Normal
CL10A225KA8NNN	General	2.2uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KA8NNW	General	2.2uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KA91IN	Infotainment	2.2uF	+/-10%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A225KB8NNN	General	2.2uF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KB8NNW	General	2.2uF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KL8NNN	General	2.2uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KL8NNW	General	2.2uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KO5LNN	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.5mm	Features Normal
CL10A225KO5LNW	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.5mm	Features Normal
CL10A225KO8N3N	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KO8NFN	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KO8NNN	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KO8NNW	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KP5LNN	General	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.5mm	Features Normal
CL10A225KP5LNW	General	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.5mm	Features Normal
CL10A225KP8NNN	General	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KP8NNW	General	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KP91IN	Infotainment	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10A225KQ5LNN	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.5mm	Features Normal
CL10A225KQ5LNW	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.5mm	Features Normal
CL10A225KQ8N3N	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225KQ8NNN	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10A225KQ8NNW	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225MO8NNN	General	2.2uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225MP8NNN	General	2.2uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225MP8NNW	General	2.2uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A225MQ8NNW	General	2.2uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A226KQ8NRN	General	22uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226KQ8NRW	General	22uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226MO79ZN	General	22uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.8mm	Features Normal
CL10A226MO7FZN	General	22uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.8mm	Features Normal
CL10A226MO7JZN	General	22uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.8mm	Features Normal
CL10A226MP7LUN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.8mm	Features Normal
CL10A226MP7ZZB	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.8mm	T-HMC(Low Acoustic)
CL10A226MP8NRN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226MP8NRW	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226MP8NUN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1.05mm	Features Normal
CL10A226MP8ZUN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1.05mm	Features Normal
CL10A226MP9NZB	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	T-HMC(Low Acoustic)
CL10A226MPCNUB	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.95mm	T-HMC(Low Acoustic)
CL10A226MPMNUB	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1.25mm	T-HMC(Low Acoustic)
CL10A226MQ6LRN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.6mm	Features Normal
CL10A226MQ7LUN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.8mm	Features Normal
CL10A226MQ7LUW	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.8mm	Features Normal
CL10A226MQ7NRN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A226MQ8N3R	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226MQ8NFR	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226MQ8NRN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226MQ8NRW	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226MQ8NUN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1.05mm	Features Normal
CL10A226MQ8NUW	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1.05mm	Features Normal
CL10A226MQ8QRN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226MQ8QRW	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226MQ91IN	Infotainment	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A226MQCNUB	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	T-HMC(Low Acoustic)
CL10A226MQMNUB	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1.25mm	T-HMC(Low Acoustic)
CL10A226MR8NQN	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A226MR8NQW	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A226MR8NUW	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1.05mm	Features Normal
CL10A226MR8QRW	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10A334KP8NNW	General	330nF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A334KQ8NNW	General	330nF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A335KP8NFN	General	3.3uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A335KP8NNN	General	3.3uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A335KP8NNW	General	3.3uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A474KA8NNN	General	470nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A474KA8NNW	General	470nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A474KB8NNN	General	470nF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A474KB8NNW	General	470nF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A474KO8NNN	General	470nF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A474KO8NNW	General	470nF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A474KP8NNW	General	470nF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A474KQ8NNW	General	470nF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KA8NQN	General	4.7uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A475KA8NQW	General	4.7uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A475KA8NRW	General	4.7uF	+/-10%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A475KA91IN	Infotainment	4.7uF	+/-10%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A475KB86RN	General	4.7uF	+/-10%	X5R	50Vdc	0603inch_1608mm	1mm	Features Normal
CL10A475KL8NRN	General	4.7uF	+/-10%	X5R	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10A475KL8NRW	General	4.7uF	+/-10%	X5R	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10A475KL91IN	Infotainment	4.7uF	+/-10%	X5R	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10A475KLAZFN	General	4.7uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.65mm	Features Normal
CL10A475KO8NFN	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KO8NNN	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KO8NNW	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KO8NQN	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A475KO8NQW	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal

CL10A475KO91IN	Infotainment	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10A475KP5LNN	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.5mm	Features Normal
CL10A475KP8NFN	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KP8NNN	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KP8NNW	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KQ5LNN	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.5mm	Features Normal
CL10A475KQ5LNW	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.5mm	Features Normal
CL10A475KQ81IN	Infotainment	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KQ8N4N	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KQ8NFN	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KQ8NNN	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KQ8NNW	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475KR8NNW	General	4.7uF	+/-10%	X5R	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475MA8NQN	General	4.7uF	+/-20%	X5R	25Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A475MA8NQW	General	4.7uF	+/-20%	X5R	25Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A475ML8NRW	General	4.7uF	+/-20%	X5R	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10A475MO8NNN	General	4.7uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475MO8NNW	General	4.7uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475MQ8N4N	General	4.7uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475MQ8NNN	General	4.7uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475MQ8NNW	General	4.7uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A475MQ8NQW	General	4.7uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A476MQ8I3R	General	47uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A476MQ8I3W	General	47uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A476MQ8QRN	General	47uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10A476MQENRB	General	47uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1.2mm	T-HMC(Low Acoustic)
CL10A476MR8I3R	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10A476MR8NRN	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10A476MR8NRW	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10A476MR8NZN	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1.1mm	Features Normal
CL10A684KA8NNW	General	680nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A684KO8NNW	General	680nF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A684KP8NNW	General	680nF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A684KQ8NNW	General	680nF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B101KB8NFN	General	100pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B101KB8NNW	General	100pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102JB8NFN	General	1nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102JB8NNW	General	1nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KA8PPN	Automotive	1nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KA8WPJ	Automotive	1nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B102KA8WPN	Automotive	1nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KB85PN	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KB8N4N	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8NCN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8NFN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8NNN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8NNW	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8PPN	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KB8SFN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8WPJ	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B102KB8WPN	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KB8Z4N	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B102KC84PE	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B102KC85PN	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KC8NFN	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KC8NNN	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KC8NNW	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KC8WPJ	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B102KC8WPN	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KC8Z4N	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B102MB8NNW	General	1nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103JA8WPN	Automotive	10nF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B103JB8NFN	General	10nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103JB8NNW	General	10nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103JB8WPN	Automotive	10nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open

CL10B103JC8WPN	Automotive	10nF	+/-5%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B103JO8NNW	General	10nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103JO8WPN	Automotive	10nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B103JP8WPN	Automotive	10nF	+/-5%	X7R	10Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KA85PN	Automotive	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KA8NFN	General	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KA8NNN	General	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KA8NNW	General	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KA8WPJ	Automotive	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B103KA8WPN	Automotive	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KB85PN	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KB8N4N	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KB8NFN	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KB8NNN	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KB8NNW	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KB8PPN	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KB8WPJ	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B103KB8WPN	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KB8XPJ	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B103KC84PE	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B103KC85PN	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KC8NNN	General	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KC8NNW	General	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KC8PPN	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KC8WPJ	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B103KC8WPN	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KC8XPJ	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B103KO8NNN	General	10nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KO8NNW	General	10nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KO8WPJ	Automotive	10nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B103KO8WPN	Automotive	10nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B103MB8NCN	General	10nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103MB8NNN	General	10nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103MB8NNW	General	10nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104JA8NNN	General	100nF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104JA8NNW	General	100nF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104JB8NNN	General	100nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104JB8NNW	General	100nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KA85PN	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B104KA8NFN	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KA8NNN	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KA8NNW	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KA8VPJ	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KA8WPN	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B104KA8Z4N	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KB85PN	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B104KB86PN	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8NFN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8NNN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8NNW	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8SFN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8VPJ	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KB8VPN	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8WPN	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B104KB8Z4N	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KB8ZW6	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KC86PN	Automotive	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KC8N3W	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KC8N4N	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KC8NNN	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KC8NNW	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KC8VPJ	Automotive	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KC8VPN	Automotive	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KO85PN	Automotive	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B104KO8NFN	General	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B151KB8WPN	Automotive	150pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B152JB8N4N	General	1.5nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KA8PPN	Automotive	1.5nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KA8WPJ	Automotive	1.5nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B152KA8WPN	Automotive	1.5nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KB85PN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KB8N4N	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KB8NFN	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KB8NNN	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KB8NNW	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KB8PPN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KB8SFN	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KB8WPJ	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B152KB8WPN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KC84PE	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B152KC8NNN	General	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KC8NNW	General	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KC8PPN	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KC8WPJ	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B152KC8WPN	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KA85PN	Automotive	15nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KA8PPN	Automotive	15nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KA8VPJ	Automotive	15nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B153KA8WPN	Automotive	15nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KB85PN	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KB8N4N	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KB8NFN	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KB8NNN	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KB8NNW	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KB8PPN	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KB8SFN	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KB8VPJ	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B153KB8WPN	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KB8XPJ	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B153KC85PN	Automotive	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KC8NNW	General	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KC8VPJ	Automotive	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B153KC8WPN	Automotive	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KC8XPJ	Automotive	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B153KO85PN	Automotive	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KO8NNN	General	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KO8NNW	General	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KO8PPN	Automotive	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KO8VPJ	Automotive	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B153KO8WPN	Automotive	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B154KA8NFN	General	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KA8NNW	General	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KA8VPJ	Automotive	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B154KA8VPN	Automotive	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KB8NNW	General	150nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KB8VPJ	Automotive	150nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B154KB8VPN	Automotive	150nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KO8NFN	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KO8NNN	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KO8NNW	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KO8VPJ	Automotive	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B154KO8VPN	Automotive	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KP8NNW	General	150nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KP8VPJ	Automotive	150nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B182KB8N4N	General	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B182KB8NFN	General	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B182KB8NNW	General	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B182KB8WPN	Automotive	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B183JB8NNN	General	18nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B183JB8NNW	General	18nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B183KA8NNW	General	18nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B183KB8N4N	General	18nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B183KB8NNW	General	18nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B201KB8NNN	General	200pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B201KB8NNW	General	200pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B202KB8NNN	General	2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B202KB8NNW	General	2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B203KB8NNN	General	20nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B203KB8NNW	General	20nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221JB8NNN	General	220pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221JB8NNW	General	220pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221KB8NFN	General	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221KB8NNN	General	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221KB8NNW	General	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221KB8WPN	Automotive	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B221KC85PN	Automotive	220pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B221KC8NNW	General	220pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221KC8WPN	Automotive	220pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B222JB8N4N	General	2.2nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222JB8NNW	General	2.2nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KA8WPJ	Automotive	2.2nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B222KA8WPN	Automotive	2.2nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B222KB85PN	Automotive	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B222KB8N4N	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KB8NFN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KB8NNN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KB8NNW	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KB8SFN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KB8WPJ	Automotive	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B222KB8WPN	Automotive	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B222KC84PE	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B222KC85PN	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B222KC8NNW	General	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KC8WPJ	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B222KC8WPN	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B223JB8NFN	General	22nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223JB8NNW	General	22nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KA85PN	Automotive	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KA8NFN	General	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KA8NNW	General	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KA8PPN	Automotive	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KA8VPJ	Automotive	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B223KA8WPN	Automotive	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KB85PN	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KB8N4N	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KB8NFN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KB8NNN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KB8NNW	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KB8PPN	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KB8SFN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KB8VPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B223KB8WPN	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KB8XPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B223KC8NNW	General	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KC8VPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B223KC8WPN	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KC8XPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B223KO85PN	Automotive	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KO8NNN	General	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KO8NNW	General	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KO8PPN	Automotive	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KO8WPN	Automotive	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B224JO8NNN	General	220nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224JO8NNW	General	220nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224JO8SFN	General	220nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B331JB8NNN	General	330pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331JB8NNW	General	330pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331KB8NFN	General	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331KB8NNN	General	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331KB8NNW	General	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331KB8WPN	Automotive	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B331KC8NNW	General	330pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331KC8WPN	Automotive	330pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B332KA8WPJ	Automotive	3.3nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B332KA8WPN	Automotive	3.3nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B332KB85PN	Automotive	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B332KB8N4N	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KB8NFN	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KB8NNN	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KB8NNW	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KB8WPJ	Automotive	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B332KB8WPN	Automotive	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B332KC84PE	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B332KC85PN	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B332KC8NNN	General	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KC8NNW	General	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KC8WPJ	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B332KC8WPN	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B332MB8NNN	General	3.3nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332MB8NNW	General	3.3nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KA85PN	Automotive	33nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KA8NNW	General	33nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KA8VPJ	Automotive	33nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B333KA8WPN	Automotive	33nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KB85PN	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KB8N4N	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KB8NFN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KB8NNN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KB8NNW	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KB8PPN	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KB8SFN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KB8VPJ	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B333KB8WPN	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KC8VPJ	Automotive	33nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B333KC8WPN	Automotive	33nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KO85PN	Automotive	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KO8NFN	General	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KO8NNW	General	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KO8VPJ	Automotive	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B333KO8WPN	Automotive	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B334KA84PN	Automotive	330nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KA8VPN	Automotive	330nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KB8VPJ	Automotive	330nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B334KB8VPN	Automotive	330nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KL8VPN	Automotive	330nF	+/-10%	X7R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KO84PN	Automotive	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KO8NFN	General	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KO8NNN	General	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KO8NNW	General	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KO8VPJ	Automotive	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B334KO8VPN	Automotive	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KP8NNN	General	330nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KP8NNW	General	330nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KP8VPN	Automotive	330nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B391JA8WPN	Automotive	390pF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B391JB8WPN	Automotive	390pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B391JC8WPN	Automotive	390pF	+/-5%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B391KA8WPN	Automotive	390pF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B391KB8NNN	General	390pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B391KB8NNW	General	390pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B391KB8WPN	Automotive	390pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B391KC8WPN	Automotive	390pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B392KA8WPN	Automotive	3.9nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B392KB8NFN	General	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B392KB8NNN	General	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B392KB8NNW	General	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B392KB8WPJ	Automotive	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B392KB8WPN	Automotive	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B392KO8WPN	Automotive	3.9nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B392KP8WPN	Automotive	3.9nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Open
CL10B393KA8NNW	General	39nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B393KB8NNN	General	39nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B393KB8NNW	General	39nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B393KB8WPN	Automotive	39nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B393KO8NNN	General	39nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B393KO8NNW	General	39nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471JB8NNN	General	470pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471JB8NNW	General	470pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471KB85PN	Automotive	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B471KB8NFN	General	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471KB8NNN	General	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471KB8NNW	General	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471KB8WPN	Automotive	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B471KC85PN	Automotive	470pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B471KC8NNW	General	470pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471KC8WPN	Automotive	470pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B472JB8N4N	General	4.7nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472JB8WPN	Automotive	4.7nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B472KA8NNN	General	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KA8NNW	General	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KA8PPN	Automotive	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B472KA8WPJ	Automotive	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B472KA8WPN	Automotive	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B472KB85PN	Automotive	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B472KB8N4N	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KB8NFN	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KB8NNN	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KB8NNW	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KB8PPN	Automotive	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B472KB8SFN	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KB8WPJ	Automotive	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B472KB8WPN	Automotive	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B472KC84PE	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B472KC85PN	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B472KC8NNN	General	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KC8NNW	General	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KC8PPN	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B472KC8WPJ	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B472KC8WPN	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B473JB8NNN	General	47nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473JB8NNW	General	47nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473JO8NNN	General	47nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473JO8NNW	General	47nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473KA85PN	Automotive	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B473KA8NFN	General	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473KA8NNW	General	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473KA8VPJ	Automotive	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B473KA8WPN	Automotive	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B473KB85PN	Automotive	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B473KB8N4N	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473KB8NFN	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473KB8NNN	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473KB8NNW	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473KB8PPN	Automotive	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B473KB8SFN	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B473KB8VPJ	Automotive	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B473KB8WPN	Automotive	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B473KC8VPJ	Automotive	47nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B473KC8WPN	Automotive	47nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B473KO85PN	Automotive	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B473KO8NFN	General	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473KO8NNN	General	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473KO8NNW	General	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B473KO8VPJ	Automotive	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B473KO8WPN	Automotive	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B474KA84PN	Automotive	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KA8NFN	General	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KA8NNN	General	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KA8NNW	General	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KA8VPJ	Automotive	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B474KA8WPN	Automotive	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KB8VPJ	Automotive	470nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B474KB8WPN	Automotive	470nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KB8ZNW	General	470nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KL8VPN	Automotive	470nF	+/-10%	X7R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KL8ZNW	General	470nF	+/-10%	X7R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KO84PN	Automotive	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KO8NFN	General	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KO8NNN	General	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KO8NNW	General	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KO8VPJ	Automotive	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B474KO8WPN	Automotive	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KP8NNN	General	470nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KP8NNW	General	470nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KP8WPN	Automotive	470nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KQ8NNN	General	470nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B474KQ8NNW	General	470nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B475KQ8NFQ	General	4.7uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B475KQ8NQN	General	4.7uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B475KQ8NQW	General	4.7uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B475MQ8NQN	General	4.7uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B475MQ8NQW	General	4.7uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B511KB8NNN	General	510pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B511KB8NNW	General	510pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B561JA8WPN	Automotive	560pF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B561JB8NNN	General	560pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B561JB8NNW	General	560pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B561JB8WPN	Automotive	560pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B561JC8WPN	Automotive	560pF	+/-5%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B561KA8WPN	Automotive	560pF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B561KB8N4N	General	560pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B561KB8NNW	General	560pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B561KB8WPN	Automotive	560pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B561KC8WPN	Automotive	560pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B562JB8NNN	General	5.6nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562JB8NNW	General	5.6nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KB8N4N	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KB8NFN	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KB8NNN	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KB8NNW	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KB8WPN	Automotive	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B562KC8WPN	Automotive	5.6nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B562KO8NNW	General	5.6nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KP8NNW	General	5.6nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KA8NNN	General	56nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KA8NNW	General	56nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KB8SFN	General	56nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KB8SNW	General	56nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KO8NNN	General	56nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KO8NNW	General	56nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B681JB8NNN	General	680pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B681JB8NNW	General	680pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B681KB8NFN	General	680pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B681KB8NNW	General	680pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B681KB8WPN	Automotive	680pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B681KC8NNW	General	680pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682JB8N4N	General	6.8nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682JB8NNN	General	6.8nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682JB8NNW	General	6.8nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KA8WPJ	Automotive	6.8nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B682KA8WPN	Automotive	6.8nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B682KB85PN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B682KB8N4N	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KB8NFN	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KB8NNN	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KB8NNW	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KB8WPJ	Automotive	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B682KB8WPN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B682KC84PE	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B682KC85PN	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B682KC8NNW	General	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KC8WPJ	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B682KC8WPN	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B683JB8WPN	Automotive	68nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KA8NNN	General	68nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KA8NNW	General	68nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KA8VPJ	Automotive	68nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B683KA8WPN	Automotive	68nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KB85PN	Automotive	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KB8NFN	General	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KB8NNN	General	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KB8NNW	General	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KB8VPJ	Automotive	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B683KB8WPN	Automotive	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KC8VPJ	Automotive	68nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B683KC8WPN	Automotive	68nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KO8NNW	General	68nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KO8PPN	Automotive	68nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KO8VPJ	Automotive	68nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B683KO8WPN	Automotive	68nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B684KA8VPN	Automotive	680nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KO8NFN	General	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KO8NNW	General	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KO8VPJ	Automotive	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B684KO8VPN	Automotive	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KP8NNW	General	680nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KQ8NNN	General	680nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KQ8NNW	General	680nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B821KB8N4N	General	820pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B821KB8NNW	General	820pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B822KA8N4N	General	8.2nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B822KA8NNW	General	8.2nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B822KB8NFN	General	8.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B822KB8NNW	General	8.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B822KB8WPN	Automotive	8.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B823KA8WPN	Automotive	82nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B823KB8NFN	General	82nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B823KB8NNW	General	82nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B823KB8WPN	Automotive	82nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B823KO8NNN	General	82nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B823KO8NNW	General	82nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B823KO8WPN	Automotive	82nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10C010BB8NNW	General	1pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C010BC81PN	Automotive	1pF	+/-0.1pF	C0G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C010CB81IN	Infotainment	1pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10C331JC8NNN	General	330pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C331JC8NNW	General	330pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C331JE81PN	Automotive	330pF	+/-5%	COG	250Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C331KB8N4N	General	330pF	+/-10%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C332JA8NNN	General	3.3nF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C332JA8NNW	General	3.3nF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C332JB81PN	Automotive	3.3nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C332JB8N4N	General	3.3nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C332JB8NFN	General	3.3nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C332JB8NNN	General	3.3nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C332JB8NNW	General	3.3nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C332JC81PE	Automotive	3.3nF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	ESD Protection
CL10C332JC81PN	Automotive	3.3nF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C361JB8NNN	General	360pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C361JB8NNW	General	360pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390FA81IN	Infotainment	39pF	+/-1%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390FB81PN	Automotive	39pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390FC81PN	Automotive	39pF	+/-1%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390GB81PN	Automotive	39pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390JA81IN	Infotainment	39pF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390JB81IN	Infotainment	39pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390JB81PN	Automotive	39pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390JB8NCN	General	39pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390JB8NNW	General	39pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390JC81IN	Infotainment	39pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390JC81PN	Automotive	39pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390JC8NNN	General	39pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C390JC8NNW	General	39pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C391JA81IN	Infotainment	390pF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C391JB81IN	Infotainment	390pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C391JB81PN	Automotive	390pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C391JB8N4N	General	390pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C391JB8NFN	General	390pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C391JB8NNW	General	390pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C391JC81IN	Infotainment	390pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C391JE81PN	Automotive	390pF	+/-5%	COG	250Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C392JA8NNN	General	3.9nF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C392JA8NNW	General	3.9nF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C392JC8NNN	General	3.9nF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C392JC8NNW	General	3.9nF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R3CB81IN	Infotainment	3.3pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R3CB81PN	Automotive	3.3pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R3CB8NNW	General	3.3pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R3CC81IN	Infotainment	3.3pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R3CC81PN	Automotive	3.3pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R3CC8NNW	General	3.3pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R9BB8NNW	General	3.9pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R9CB81IN	Infotainment	3.9pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R9CB81PN	Automotive	3.9pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R9CB8NNW	General	3.9pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R9CC81IN	Infotainment	3.9pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R9CC81PN	Automotive	3.9pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R9CC8NNW	General	3.9pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R9DB81PN	Automotive	3.9pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C3R9DC81PN	Automotive	3.9pF	+/-0.5pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C430JB8NNN	General	43pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C430JB8NNW	General	43pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C431JB8NFN	General	430pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C431JB8NNN	General	430pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C431JB8NNW	General	430pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C470FA81IN	Infotainment	47pF	+/-1%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C470FB81IN	Infotainment	47pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C470FB81PN	Automotive	47pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C470FB8NNW	General	47pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C470FC81PN	Automotive	47pF	+/-1%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10C681JB81IN	Infotainment	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C681JB81PN	Automotive	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C681JB8N4N	General	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C681JB8NFN	General	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C681JB8NNN	General	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C681JB8NNW	General	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C681JC81IN	Infotainment	680pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C681JC81PN	Automotive	680pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C681JE81PN	Automotive	680pF	+/-5%	COG	250Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C682JA8N4N	General	6.8nF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R2CB81PN	Automotive	6.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R2CB8NNW	General	6.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8BB81PN	Automotive	6.8pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8CB81IN	Infotainment	6.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8CB81PN	Automotive	6.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8CB8NNW	General	6.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8CC81IN	Infotainment	6.8pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8CC81PN	Automotive	6.8pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8CC8NNW	General	6.8pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8DB81IN	Infotainment	6.8pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8DB81PN	Automotive	6.8pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8DC81IN	Infotainment	6.8pF	+/-0.5pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C6R8DC81PN	Automotive	6.8pF	+/-0.5pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C750JB81PN	Automotive	75pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C751JB81PN	Automotive	750pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C751JB8NNN	General	750pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C751JB8NNW	General	750pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C7R5BB81PN	Automotive	7.5pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C7R5CB81PN	Automotive	7.5pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C7R5DB81PN	Automotive	7.5pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820FA81IN	Infotainment	82pF	+/-1%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820FB81IN	Infotainment	82pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820FC81PN	Automotive	82pF	+/-1%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820GA81IN	Infotainment	82pF	+/-2%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820GB81IN	Infotainment	82pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820GB8NNW	General	82pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820JA81IN	Infotainment	82pF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820JB81IN	Infotainment	82pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820JB81PN	Automotive	82pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820JB8NFN	General	82pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820JB8NNW	General	82pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820JC81IN	Infotainment	82pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820JC81PN	Automotive	82pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820JC8NNW	General	82pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C820JE81PN	Automotive	82pF	+/-5%	COG	250Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821FB81PN	Automotive	820pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821JA81IN	Infotainment	820pF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821JA8NNN	General	820pF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821JA8NNW	General	820pF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821JB81IN	Infotainment	820pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821JB81PN	Automotive	820pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821JB8N4N	General	820pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821JB8NFN	General	820pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821JB8NNW	General	820pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821JC81IN	Infotainment	820pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C821JE81PN	Automotive	820pF	+/-5%	COG	250Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C8R2BB81PN	Automotive	8.2pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C8R2CB81IN	Infotainment	8.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C8R2CB81PN	Automotive	8.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C8R2CB8NNW	General	8.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C8R2CC81IN	Infotainment	8.2pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C8R2CC8NNW	General	8.2pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C8R2DB81PN	Automotive	8.2pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C8R2DC81PN	Automotive	8.2pF	+/-0.5pF	COG	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C8R5DB81PN	Automotive	8.5pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10C910JB8NCN	General	91pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C910JB8NNN	General	91pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C910JB8NNW	General	91pF	+/-5%	C0G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10C9R4CB81PN	Automotive	9.4pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10D103KB86PJ	Automotive	10nF	+/-10%	X8R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10D103KB86PN	Automotive	10nF	+/-10%	X8R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10D103KC86PJ	Automotive	10nF	+/-10%	X8R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10D103KC86PN	Automotive	10nF	+/-10%	X8R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10D104KB86PJ	Automotive	100nF	+/-10%	X8R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10D104KB86PN	Automotive	100nF	+/-10%	X8R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10D473KB86PN	Automotive	47nF	+/-10%	X8R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10D473KC86PJ	Automotive	47nF	+/-10%	X8R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10E102KB8WPN	Automotive	1nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Open
CL10E103KB8WPN	Automotive	10nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Open
CL10E104KA8VPN	Automotive	100nF	+/-10%	X8L	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E104KB8VPN	Automotive	100nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E104KC8VPN	Automotive	100nF	+/-10%	X8L	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E105KB9VPJ	Automotive	1uF	+/-10%	X8L	50Vdc	0603inch_1608mm	1mm	Soft Termination
CL10E105KB9VPN	Automotive	1uF	+/-10%	X8L	50Vdc	0603inch_1608mm	1mm	Features Normal
CL10E154KO8VPN	Automotive	150nF	+/-10%	X8L	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E222KB8WPN	Automotive	2.2nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Open
CL10E224KA84PN	Automotive	220nF	+/-10%	X8L	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E224KB8VPN	Automotive	220nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E224KO8VPN	Automotive	220nF	+/-10%	X8L	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E332KA8WPN	Automotive	3.3nF	+/-10%	X8L	25Vdc	0603inch_1608mm	0.9mm	Open
CL10E472KB8WPN	Automotive	4.7nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Open
CL10E475KQ96PN	Automotive	4.7uF	+/-10%	X8L	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10F103ZB8NNN	General	10nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F104ZA8NNN	General	100nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F104ZB8NNN	General	100nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F104ZO8NNN	General	100nF	-20/+80%	Y5V	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F154ZA8NNN	General	150nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F223ZB8NNN	General	22nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F225ZP8NNN	General	2.2uF	-20/+80%	Y5V	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F225ZQ8NNN	General	2.2uF	-20/+80%	Y5V	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F333ZB8NNN	General	33nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F334ZA8NNN	General	330nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F334ZO8NNN	General	330nF	-20/+80%	Y5V	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F393ZB8NNN	General	39nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F474ZA8NNN	General	470nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F683ZB8NNN	General	68nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G010CB81PN	Automotive	1pF	+/-0.25pF	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G100JB81PN	Automotive	10pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G100JC81PN	Automotive	10pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G101JB81PN	Automotive	100pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G101JC81PN	Automotive	100pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G102JC81PN	Automotive	1nF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G150JB81PN	Automotive	15pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G150JC81PN	Automotive	15pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G151JB81PN	Automotive	150pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G151JC81PN	Automotive	150pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G1R5CB81PN	Automotive	1.5pF	+/-0.25pF	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G220JB81PN	Automotive	22pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G220JC81PN	Automotive	22pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G221JB81PN	Automotive	220pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G221JC81PN	Automotive	220pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G2R2CB81PN	Automotive	2.2pF	+/-0.25pF	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G330JB81PN	Automotive	33pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G330JC81PN	Automotive	33pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G331JB81PN	Automotive	330pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G331JC81PN	Automotive	330pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G3R3CB81PN	Automotive	3.3pF	+/-0.25pF	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G470JB81PN	Automotive	47pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G470JC81PN	Automotive	47pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G471JB81PN	Automotive	470pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10G471JC81PN	Automotive	470pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G4R7CB81PN	Automotive	4.7pF	+/-0.25pF	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G680JB81PN	Automotive	68pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G680JC81PN	Automotive	68pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G681JB81PN	Automotive	680pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G681JC81PN	Automotive	680pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10G6R8CB81PN	Automotive	6.8pF	+/-0.25pF	X8G	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J104KA8NNN	General	100nF	+/-10%	JIS-B	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J104KO8NNN	General	100nF	+/-10%	JIS-B	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J105KO8N3N	General	1uF	+/-10%	JIS-B	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J105KP8N3N	General	1uF	+/-10%	JIS-B	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J106MQ8N3N	General	10uF	+/-20%	JIS-B	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10J225KO8N3N	General	2.2uF	+/-10%	JIS-B	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J225KP8N3N	General	2.2uF	+/-10%	JIS-B	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J225KQ8N3N	General	2.2uF	+/-10%	JIS-B	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J475KP8N3N	General	4.7uF	+/-10%	JIS-B	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J475KQ8N3N	General	4.7uF	+/-10%	JIS-B	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J475KQ8NNN	General	4.7uF	+/-10%	JIS-B	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10K106MO8NRN	General	10uF	+/-20%	X7R(S)	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10K106MP8NRW	General	10uF	+/-20%	X7R(S)	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10K106MQ8NRW	General	10uF	+/-20%	X7R(S)	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10M105KB9VFN	Automotive	1uF	+/-10%	X8M	50Vdc	0603inch_1608mm	1mm	Features Normal
CL10M475KQ96PN	Automotive	4.7uF	+/-10%	X8M	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X105KA81IN	Infotainment	1uF	+/-10%	X6S	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KA8NNW	General	1uF	+/-10%	X6S	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KB8NNN	General	1uF	+/-10%	X6S	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KB8NNW	General	1uF	+/-10%	X6S	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KL81IN	Infotainment	1uF	+/-10%	X6S	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KO81IN	Infotainment	1uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KO8NNN	General	1uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KO8NNW	General	1uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KQ81IN	Infotainment	1uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KR81IN	Infotainment	1uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MA81IN	Infotainment	1uF	+/-20%	X6S	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105ML81IN	Infotainment	1uF	+/-20%	X6S	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MO81IN	Infotainment	1uF	+/-20%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MP81IN	Infotainment	1uF	+/-20%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MP8NRW	General	1uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X105MQ81IN	Infotainment	1uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MQ8NNW	General	1uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MR8NNW	General	1uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106KR8NNN	General	10uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106KR8NNW	General	10uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106MO8NRN	General	10uF	+/-20%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MO8NRW	General	10uF	+/-20%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MO91IN	Infotainment	10uF	+/-20%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MP8NFR	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MP8NRN	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MP8NRW	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MP91IN	Infotainment	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MQ8NNN	General	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106MQ8NNW	General	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106MQ8NRW	General	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MQ91IN	Infotainment	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MR8NNN	General	10uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106MR8NNW	General	10uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106MR91IN	Infotainment	10uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MS8NNW	General	10uF	+/-20%	X6S	2.5Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KA8NRW	General	2.2uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KA91IN	Infotainment	2.2uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KL8NRN	General	2.2uF	+/-10%	X6S	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KL8NRW	General	2.2uF	+/-10%	X6S	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KL91IN	Infotainment	2.2uF	+/-10%	X6S	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KO81IN	Infotainment	2.2uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KO8NRW	General	2.2uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal

CL10X225KO91IN	Infotainment	2.2uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KP81IN	Infotainment	2.2uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KP8NNN	General	2.2uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KP8NNW	General	2.2uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KP91IN	Infotainment	2.2uF	+/-10%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KQ81IN	Infotainment	2.2uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KQ91IN	Infotainment	2.2uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KR81IN	Infotainment	2.2uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KR91IN	Infotainment	2.2uF	+/-10%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225MO81IN	Infotainment	2.2uF	+/-20%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225MP81IN	Infotainment	2.2uF	+/-20%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225MP8NRW	General	2.2uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225MQ81IN	Infotainment	2.2uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225MR81IN	Infotainment	2.2uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225MR8NNW	General	2.2uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X226MQ8QRN	General	22uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X226MQ8QRW	General	22uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X226MQ91IN	Infotainment	22uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X226MQEURN	General	22uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1.2mm	ANSC-B(Low Acoustic)
CL10X226MR8NUN	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1.05mm	Features Normal
CL10X226MR8NUW	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1.05mm	Features Normal
CL10X226MR8QRN	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X226MR8QRW	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X226MR91IN	Infotainment	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X474KA8NNW	General	470nF	+/-10%	X6S	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X474KO8NNW	General	470nF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KA81RN	General	4.7uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KA8NQN	General	4.7uF	+/-10%	X6S	25Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KA8NRN	General	4.7uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KA8NRW	General	4.7uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KA91IN	Infotainment	4.7uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KO8NFQ	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KO8NQN	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KO8NQW	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KO8NRN	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KO8NRW	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KO91IN	Infotainment	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KOQ1IN	Infotainment	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KP81IN	Infotainment	4.7uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KP8NRW	General	4.7uF	+/-10%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KP91IN	Infotainment	4.7uF	+/-10%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KPQ1IN	Infotainment	4.7uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KQ81IN	Infotainment	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KQ8NNN	General	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KQ8NNW	General	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KQ8NRW	General	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KQ91IN	Infotainment	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KQQ1IN	Infotainment	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KR81IN	Infotainment	4.7uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KR8NNW	General	4.7uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KR91IN	Infotainment	4.7uF	+/-10%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475MOQ1IN	Infotainment	4.7uF	+/-20%	X6S	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475MP81IN	Infotainment	4.7uF	+/-20%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475MPQ1IN	Infotainment	4.7uF	+/-20%	X6S	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475MQ81IN	Infotainment	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475MQ8NNN	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475MQ8NNW	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475MQQ1IN	Infotainment	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475MR81IN	Infotainment	4.7uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475MS8NNW	General	4.7uF	+/-20%	X6S	2.5Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X476MR8I3W	General	47uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X476MR8NRW	General	47uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X476MS8I3W	General	47uF	+/-20%	X6S	2.5Vdc	0603inch_1608mm	1mm	Features Normal
CL10X476MS8NRW	General	47uF	+/-20%	X6S	2.5Vdc	0603inch_1608mm	1mm	Features Normal
CL10X684KA8NNW	General	680nF	+/-10%	X6S	25Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10X684KO8NNW	General	680nF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y105KO8NNW	General	1uF	+/-10%	X7S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y105KO8VFN	Automotive	1uF	+/-10%	X7S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y105KP8NNW	General	1uF	+/-10%	X7S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y105KQ8NNW	General	1uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y106MQ8NFR	General	10uF	+/-20%	X7S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y155KP84PN	Automotive	1.5uF	+/-10%	X7S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y225KA8NRW	General	2.2uF	+/-10%	X7S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225KA96PJ	Automotive	2.2uF	+/-10%	X7S	25Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y225KA96PN	Automotive	2.2uF	+/-10%	X7S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225KO96PJ	Automotive	2.2uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y225KO96PN	Automotive	2.2uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225KP84PN	Automotive	2.2uF	+/-10%	X7S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y225KP96PJ	Automotive	2.2uF	+/-10%	X7S	10Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y225KP96PN	Automotive	2.2uF	+/-10%	X7S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225KQ84PN	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y225KQ86PN	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y225KQ8VPJ	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10Y225KQ8VFN	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y225KQ96PJ	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y225KQ96PN	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225MO96PN	Automotive	2.2uF	+/-20%	X7S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225MR5NJJ	General	2.2uF	+/-20%	X7S	4Vdc	0603inch_1608mm	0.55mm	8T(Low ESL)
CL10Y335KQ96PJ	Automotive	3.3uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y335MQ96PN	Automotive	3.3uF	+/-20%	X7S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KO8N4R	General	4.7uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KO8NRW	General	4.7uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KO96PJ	Automotive	4.7uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y475KO96PN	Automotive	4.7uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KP8N4R	General	4.7uF	+/-10%	X7S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KP96PJ	Automotive	4.7uF	+/-10%	X7S	10Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y475KP96PN	Automotive	4.7uF	+/-10%	X7S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KQ96PJ	Automotive	4.7uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y475KQ96PN	Automotive	4.7uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y684KO8NNW	General	680nF	+/-10%	X7S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y684KO8VFN	Automotive	680nF	+/-10%	X7S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Z105KP8NNW	General	1uF	+/-10%	X7T	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Z106MP8N4R	General	10uF	+/-20%	X7T	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z106MP8NRW	General	10uF	+/-20%	X7T	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z106MQ8N4R	General	10uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z106MQ8NRW	General	10uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z106MQ9VPJ	Automotive	10uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Z106MQ9VFN	Automotive	10uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z106MR9VPJ	Automotive	10uF	+/-20%	X7T	4Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Z106MR9VFN	Automotive	10uF	+/-20%	X7T	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z226MR96PN	Automotive	22uF	+/-20%	X7T	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z226MS96PN	Automotive	22uF	+/-20%	X7T	2.5Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z475KP96PN	Automotive	4.7uF	+/-10%	X7T	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z475KQ8NQW	General	4.7uF	+/-10%	X7T	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10Z475KQ96PJ	Automotive	4.7uF	+/-10%	X7T	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Z475KQ96PN	Automotive	4.7uF	+/-10%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z475MQ96PJ	Automotive	4.7uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Z475MQ96PN	Automotive	4.7uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z475MQ9VFN	Automotive	4.7uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z476MS8NRW	General	47uF	+/-20%	X7T	2.5Vdc	0603inch_1608mm	1mm	Features Normal
CL19A156MRANWN	General	15uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.65mm	3T(Low ESL)
CL19A226MR3NWU	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.55mm	3T(Low ESL)
CL19A226MR5NWU	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.65mm	3T(Low ESL)
CL19A226MR7IWN	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.8mm	3T(Low ESL)
CL19A226MR7IWW	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.8mm	3T(Low ESL)
CL19A226MR7NWN	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.8mm	3T(Low ESL)
CL19A226MRANWN	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.65mm	3T(Low ESL)
CL19X226MS7NWN	General	22uF	+/-20%	X6S	2.5Vdc	05035inch_1209mm	0.8mm	3T(Low ESL)
CL21A105KACLNN	General	1uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A105KACLNW	General	1uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Features Normal

CL21B223KBFWPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B223KBFXPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B223KC65PN	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B223KC6WPN	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B223KCF5PN	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Open
CL21B223KCFNNN	General	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B223KCFNNW	General	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B223KCFWPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B223KCFWPN	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Open
CL21B223KCFXPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B223KDY6PN	Automotive	22nF	+/-10%	X7R	200Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B223KEY64N	General	22nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B223KEY6PN	Automotive	22nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B224JAFNNN	General	220nF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224JAFNNW	General	220nF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KAF4PN	Automotive	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KAFNFN	General	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KAFNNN	General	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KAFNNW	General	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KAFVFN	Automotive	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KBF4PN	Automotive	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KBFNFN	General	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KBFNNN	General	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KBFNNW	General	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KBFVPJ	Automotive	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B224KBFVFN	Automotive	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KCFSFN	General	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KCFSNW	General	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KCFVPJ	Automotive	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B224KCFZ4N	General	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Soft Termination
CL21B224KCQVFN	Automotive	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B224KOCNNW	General	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B224KOF4PN	Automotive	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KOFNNN	General	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KOFNNW	General	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KOFVFN	Automotive	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KPFNNW	General	220nF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224MAFNNN	General	220nF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224MAFNNW	General	220nF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KAFNFN	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KAFNNN	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KAFNNW	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KAFVPJ	Automotive	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KAFVFN	Automotive	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KAFZ4J	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Soft Termination
CL21B225KBYNNW	General	2.2uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B225KBYVPJ	Automotive	2.2uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KBYVFN	Automotive	2.2uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B225KLYVPJ	Automotive	2.2uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KLYVFN	Automotive	2.2uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B225KOFNFN	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KOFNNN	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KOFNNW	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KOFVPJ	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KOFVFN	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KOQVPJ	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B225KOQVFN	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B225KPFNNN	General	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KPFNNW	General	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KPFVPJ	Automotive	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KPFVFN	Automotive	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KQFNNW	General	2.2uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KQFVPJ	Automotive	2.2uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KQFVFN	Automotive	2.2uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225MAFNNN	General	2.2uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal

CL21B474KBFNNN	General	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KBFNNW	General	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KBFVPJ	Automotive	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B474KBFVFN	Automotive	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KCFVPJ	Automotive	470nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B474KCYVFN	Automotive	470nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B474KOF6PN	Automotive	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KOFNFN	General	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KOFNNN	General	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KOFNNW	General	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KOFVPJ	Automotive	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B474KOFVFN	Automotive	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474MAFNNN	General	470nF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474MAFNNW	General	470nF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474MBFNNW	General	470nF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475JAB6PJ	Automotive	4.7uF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475JAB6PN	Automotive	4.7uF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21B475JOQVPJ	Automotive	4.7uF	+/-5%	X7R	16Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475JOQVFN	Automotive	4.7uF	+/-5%	X7R	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B475KAB6PJ	Automotive	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KAB6PN	Automotive	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21B475KAFNFN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KAFNNN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KAFNNW	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KAFZF6	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KAFZFN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KAFZFNW	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KBB6PJ	Automotive	4.7uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KBB6PN	Automotive	4.7uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21B475KLB6PJ	Automotive	4.7uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KLB6PN	Automotive	4.7uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21B475KOFNFN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KOFNNN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KOFNNW	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KOFZFN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KOQVPJ	Automotive	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KOQVFN	Automotive	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B475KPFN3N	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KPFNFN	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KPFNNN	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KPFNNW	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KPQVPJ	Automotive	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KPQVFN	Automotive	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B475KQQVPJ	Automotive	4.7uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KQQVFN	Automotive	4.7uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B475MAFNNN	General	4.7uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475MAFNNW	General	4.7uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B511KBANNN	General	510pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B511KBANNW	General	510pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B561KBANNW	General	560pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B561KBCXPN	Automotive	560pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Series
CL21B562JBANNN	General	5.6nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B562JBANNW	General	5.6nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B562KBANFN	General	5.6nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B562KBANNN	General	5.6nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B562KBANNW	General	5.6nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B563KBCNNN	General	56nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B563KBCNNW	General	56nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B564KBFVFN	Automotive	560nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B681KACWPJ	Automotive	680pF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B681KBANFN	General	680pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B681KBANNW	General	680pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B681KBCWPJ	Automotive	680pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B681KCANNW	General	680pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B682KACWPJ	Automotive	6.8nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Soft Termination

CL21C222JEFNNW	General	2.2nF	+/-5%	COG	250Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C223JBQ1PN	Automotive	22nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21C240FB61PN	Automotive	24pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C240GB61PN	Automotive	24pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C240JBANNN	General	24pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C240JBANNW	General	24pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C240JC61PN	Automotive	24pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C270JB61PN	Automotive	27pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C270JC61PN	Automotive	27pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C270JCANNN	General	27pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C270JCANNW	General	27pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C270JEC3PN	Automotive	27pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Series
CL21C270JHC3PN	Automotive	27pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Series
CL21C271JB61PN	Automotive	270pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C271JBANFN	General	270pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C271JBANNN	General	270pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C271JBANNW	General	270pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C271JC61PN	Automotive	270pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C271JCANNN	General	270pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C271JCANNW	General	270pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C271JEC1PN	Automotive	270pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C271JHC1PN	Automotive	270pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C272JBC1PN	Automotive	2.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C272JBFNNN	General	2.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C272JBFNNW	General	2.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C272JE91PN	Automotive	2.7nF	+/-5%	COG	250Vdc	0805inch_2012mm	1mm	Features Normal
CL21C300JCANNN	General	30pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C300JCANNW	General	30pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C301JBANNN	General	300pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C301JBANNW	General	300pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C330FB61PN	Automotive	33pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C330GB61PN	Automotive	33pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C330JB61PN	Automotive	33pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C330JBANFN	General	33pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C330JBANNW	General	33pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C330JC61PN	Automotive	33pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C330JCANFN	General	33pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C330JCANNW	General	33pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C330JEC3PN	Automotive	33pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Series
CL21C330JHC3PN	Automotive	33pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Series
CL21C331JB61PN	Automotive	330pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C331JBANFN	General	330pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C331JBANNW	General	330pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C331JC61PN	Automotive	330pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C331JCANNN	General	330pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C331JEC1PN	Automotive	330pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C331JHC1PN	Automotive	330pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C332JBF1PN	Automotive	3.3nF	+/-1%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C332FEY1PN	Automotive	3.3nF	+/-1%	COG	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21C332GBF1PN	Automotive	3.3nF	+/-2%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C332JAC1PN	Automotive	3.3nF	+/-5%	COG	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C332JAFNNN	General	3.3nF	+/-5%	COG	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C332JAFNNW	General	3.3nF	+/-5%	COG	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C332JBF1PN	Automotive	3.3nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C332JBFNNW	General	3.3nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C332JCFNNN	General	3.3nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C332JCFNNW	General	3.3nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C332JCY1PN	Automotive	3.3nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21C332JEY1PN	Automotive	3.3nF	+/-5%	COG	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21C333JBQ1PN	Automotive	33nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21C360JBANNN	General	36pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C360JBANNW	General	36pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C361JBANNN	General	360pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C361JBANNW	General	360pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C390JB61PN	Automotive	39pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal

CL21C390JBANFN	General	39pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C390JBANNN	General	39pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C390JBANNW	General	39pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C390JC61PN	Automotive	39pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C390JEC3PN	Automotive	39pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Series
CL21C390JHC3PN	Automotive	39pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Series
CL21C391FCC1PN	Automotive	390pF	+/-1%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C391JBANNN	General	390pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C391JBANNW	General	390pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C391JBC1PN	Automotive	390pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C391JCC1PN	Automotive	390pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C391JCCNNW	General	390pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C391JEC1PN	Automotive	390pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C391JHC1PN	Automotive	390pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C392GEY1PN	Automotive	3.9nF	+/-2%	COG	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21C392JAANNN	General	3.9nF	+/-5%	COG	25Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C392JAANNW	General	3.9nF	+/-5%	COG	25Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C392JBC1PN	Automotive	3.9nF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C392JBF1PN	Automotive	3.9nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C392JBFNNN	General	3.9nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C392JBFNNW	General	3.9nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C392JCFNNN	General	3.9nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C392JCFNNW	General	3.9nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C430JBANNN	General	43pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C430JBANNW	General	43pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C431JBANNN	General	430pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C431JBANNW	General	430pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C470JB61PN	Automotive	47pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C470JBANFN	General	47pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C470JBANNN	General	47pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C470JBANNW	General	47pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C470JC61PN	Automotive	47pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C470JCANNN	General	47pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C470JCANNW	General	47pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C470JEC3PN	Automotive	47pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Series
CL21C470JHC3PN	Automotive	47pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Series
CL21C470JHCNNW	General	47pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C471GBANNN	General	470pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C471JBANFN	General	470pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C471JBANNW	General	470pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C471JBC1PN	Automotive	470pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C471JCC1PN	Automotive	470pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C471JCCNFN	General	470pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C471JCCNNW	General	470pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C471JEC1PN	Automotive	470pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C471JHC1PN	Automotive	470pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C471JHCNNW	General	470pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C472FEY1PN	Automotive	4.7nF	+/-1%	COG	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21C472GAFNNN	General	4.7nF	+/-2%	COG	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C472JAFNNN	General	4.7nF	+/-5%	COG	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C472JAFNNW	General	4.7nF	+/-5%	COG	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C472JBC1PN	Automotive	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C472JBFNCN	General	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C472JBFNFN	General	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C472JBFNNN	General	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C472JBFNNW	General	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C472JCY1PN	Automotive	4.7nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21C472JEY1PN	Automotive	4.7nF	+/-5%	COG	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21C510JBANNN	General	51pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C510JBANNW	General	51pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C560JB61PN	Automotive	56pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C560JC61PN	Automotive	56pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C560JCANNN	General	56pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C560JCANNW	General	56pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C560JEC3PN	Automotive	56pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Series

CL21C560JHC3PN	Automotive	56pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Series
CL21C561JBANFN	General	560pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C561JBANNW	General	560pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C561JBC1PN	Automotive	560pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C561JCC1PN	Automotive	560pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C561JCCNNN	General	560pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C561JCCNNW	General	560pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C561JEF1PN	Automotive	560pF	+/-5%	COG	250Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C561JHF1PN	Automotive	560pF	+/-5%	COG	630Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C562JBC1PN	Automotive	5.6nF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C562JBFNNN	General	5.6nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C562JBFNNW	General	5.6nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C562JEY1PN	Automotive	5.6nF	+/-5%	COG	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21C620JBANNN	General	62pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C620JBANNW	General	62pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C621JBCNNN	General	620pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C621JBCNNW	General	620pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C680JB61PN	Automotive	68pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C680JBANFN	General	68pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C680JBANNW	General	68pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C680JC61PN	Automotive	68pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C680JCANNN	General	68pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C680JCANNW	General	68pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C680JEC3PN	Automotive	68pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Series
CL21C680JHC3PN	Automotive	68pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Series
CL21C681JBANNN	General	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C681JBANNW	General	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C681JBC1PN	Automotive	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C681JBCNFN	General	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C681JBCNNW	General	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C681JCC1PN	Automotive	680pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C681JCCNNN	General	680pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C681JCCNNW	General	680pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C681KBANNW	General	680pF	+/-10%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C682JBF1PN	Automotive	6.8nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C682JBFNNN	General	6.8nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C682JBFNNW	General	6.8nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C682JEY1PN	Automotive	6.8nF	+/-5%	COG	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21C750JBANNN	General	75pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C750JBANNW	General	75pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C820FB61PN	Automotive	82pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C820GB61PN	Automotive	82pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C820JB61PN	Automotive	82pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C820JC61PN	Automotive	82pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.7mm	Features Normal
CL21C820JEC3PN	Automotive	82pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Series
CL21C820JHC3PN	Automotive	82pF	+/-5%	COG	630Vdc	0805inch_2012mm	0.95mm	Series
CL21C821JBC1PN	Automotive	820pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C821JBCNNW	General	820pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C821JBFNNW	General	820pF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C821JCC1PN	Automotive	820pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C821JCFNNW	General	820pF	+/-5%	COG	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C822JAFNNN	General	8.2nF	+/-5%	COG	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C822JAFNNW	General	8.2nF	+/-5%	COG	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C822JBF1PN	Automotive	8.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C822JBFNNN	General	8.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C822JBFNNW	General	8.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21C910JBANNN	General	91pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C910JBANNW	General	91pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21C911JBCNNN	General	910pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21C911JBCNNW	General	910pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21D104KBQPPN	Automotive	100nF	+/-10%	X8R	50Vdc	0805inch_2012mm	1.4mm	Open
CL21D334KBQ6PN	Automotive	330nF	+/-10%	X8R	50Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21D473KBQ6PN	Automotive	47nF	+/-10%	X8R	50Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21E105KAFVPJ	Automotive	1uF	+/-10%	X8L	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21E105KAYVPN	Automotive	1uF	+/-10%	X8L	25Vdc	0805inch_2012mm	1.45mm	Features Normal

CL31A475KOHNW	General	4.7uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475KPHNNW	General	4.7uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475KQHNNW	General	4.7uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475MOHNNN	General	4.7uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475MOHNNW	General	4.7uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476KPH1IN	Infotainment	47uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476KPHNNW	General	47uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476KQHNNN	General	47uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476KQHNNW	General	47uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MOK1IN	Infotainment	47uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A476MPHNFN	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MPHNNN	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MPHNNW	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MPK1IN	Infotainment	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A476MQHNNN	General	47uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MQHNNW	General	47uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MQK1IN	Infotainment	47uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A684KOHNW	General	680nF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A685KOHNW	General	6.8uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B102JIFXPN	Automotive	1nF	+/-5%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Series
CL31B102JHNNN	General	1nF	+/-5%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B102KBCNNN	General	1nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B102KBCNNW	General	1nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B102KCCNNW	General	1nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B102KCFNNW	General	1nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KDCNNN	General	1nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B102KDCNNW	General	1nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B102KGFNFN	General	1nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KGFNNN	General	1nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KGFNNW	General	1nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KHFNFN	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KHFNW	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KHFSFN	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KHFSNW	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KHFSW6	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Soft Termination
CL31B102KHFXPN	Automotive	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Series
CL31B102KIFNFN	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KIFNNN	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KIFNNW	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KIFXPN	Automotive	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Series
CL31B102KIFZW6	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Soft Termination
CL31B102KJHNNN	General	1nF	+/-10%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B102KJHNNW	General	1nF	+/-10%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B102KJHRPN	Automotive	1nF	+/-10%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Series
CL31B103JCCNNW	General	10nF	+/-5%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KBCNFN	General	10nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KBCNNW	General	10nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KCCNFN	General	10nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KCCNNW	General	10nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KCFNNW	General	10nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KDCNFN	General	10nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KDCNNW	General	10nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KDFXPN	Automotive	10nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1.4mm	Series
CL31B103KGFNFN	General	10nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KGFNNW	General	10nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KHFNFN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KHFNW	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KHFSFN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KHFSW6	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Soft Termination
CL31B103KHFXPN	Automotive	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Series
CL31B103KIHXP	Automotive	10nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Series
CL31B103KIHZN	General	10nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Soft Termination
CL31B103KIHZNW	General	10nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B103KIHZW6	General	10nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Soft Termination

CL32X476MOJNNN	General	47uF	+/-20%	X6S	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32X476MOJNNW	General	47uF	+/-20%	X6S	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32X476MPJNNW	General	47uF	+/-20%	X6S	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32X476MQJNNW	General	47uF	+/-20%	X6S	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KBJ4PN	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KBJ6PJ	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y106KBJ6PN	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KBJNNW	General	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KBJVPJ	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y106KBJVPN	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KCJ6PJ	Automotive	10uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y106KCV6NW	General	10uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y106KCV6PN	Automotive	10uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y106KCVZ4N	General	10uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y106KCVZNW	General	10uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y106KLJVPN	Automotive	10uF	+/-10%	X7S	35Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KTJ6PJ	Automotive	10uF	+/-10%	X7S	75Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y106KTV6PN	Automotive	10uF	+/-10%	X7S	75Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y106MCVZ4N	General	10uF	+/-20%	X7S	100Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y107MQVN4N	General	100uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y107MQVNNW	General	100uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y107MRV6PN	Automotive	100uF	+/-20%	X7S	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y107MRVNNW	General	100uF	+/-20%	X7S	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y156KAVVPJ	Automotive	15uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y156KAVVPN	Automotive	15uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y226KAVVPJ	Automotive	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y226KAVVPN	Automotive	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y226KAVZ4N	General	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y226KOVVPJ	Automotive	22uF	+/-10%	X7S	16Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y226KOVVPN	Automotive	22uF	+/-10%	X7S	16Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y226MOVVPN	Automotive	22uF	+/-20%	X7S	16Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y335KCIVPJ	Automotive	3.3uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.3mm	Soft Termination
CL32Y335KCIVPN	Automotive	3.3uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32Y475KCDMNW	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	3.45mm	Molded Frame Capacitor
CL32Y475KCIVPJ	Automotive	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.3mm	Soft Termination
CL32Y475KCIVPN	Automotive	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32Y475KCIZ4N	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Soft Termination
CL32Y475KCIZNW	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32Y475KCJZ4N	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.7mm	Soft Termination
CL32Y475KCJZ4N	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y475MCIVPJ	Automotive	4.7uF	+/-20%	X7S	100Vdc	1210inch_3225mm	2.3mm	Soft Termination
CL32Y475MCIVPN	Automotive	4.7uF	+/-20%	X7S	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32Y476KPVVPJ	Automotive	47uF	+/-10%	X7S	10Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y476KPVVPN	Automotive	47uF	+/-10%	X7S	10Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y476KQVVPJ	Automotive	47uF	+/-10%	X7S	6.3Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y476KQVVPN	Automotive	47uF	+/-10%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y476MPVVPJ	Automotive	47uF	+/-20%	X7S	10Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y476MPVVPN	Automotive	47uF	+/-20%	X7S	10Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y476MQV6PN	Automotive	47uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y476MQVVPJ	Automotive	47uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y476MQVVPN	Automotive	47uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y685KBJVPJ	Automotive	6.8uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y685KBJVPN	Automotive	6.8uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Z107KR6PN	Automotive	100uF	+/-10%	X7T	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MQV6PJ	Automotive	100uF	+/-20%	X7T	6.3Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Z107MQV6PN	Automotive	100uF	+/-20%	X7T	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MQVVPN	Automotive	100uF	+/-20%	X7T	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MRV6PJ	Automotive	100uF	+/-20%	X7T	4Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Z107MRV6PN	Automotive	100uF	+/-20%	X7T	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MRVVPJ	Automotive	100uF	+/-20%	X7T	4Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Z107MRVVPN	Automotive	100uF	+/-20%	X7T	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MSV6PJ	Automotive	100uF	+/-20%	X7T	2.5Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Z107MSV6PN	Automotive	100uF	+/-20%	X7T	2.5Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MSVVPN	Automotive	100uF	+/-20%	X7T	2.5Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z226MQVNNW	General	22uF	+/-20%	X7T	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal

CL32Z227MSV6PN	Automotive	220uF	+/-20%	X7T	2.5Vdc	1210inch_3225mm	2.85mm	Features Normal
CL32Z476KQVVPN	Automotive	47uF	+/-10%	X7T	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL43B222KJRRPJ	Automotive	2.2nF	+/-10%	X7R	2000Vdc	1812inch_4532mm	1.5mm	Soft Termination
CL43B224KGU6NW	General	220nF	+/-10%	X7R	500Vdc	1812inch_4532mm	2mm	Features Normal
CL43B224KHU6PJ	Automotive	220nF	+/-10%	X7R	630Vdc	1812inch_4532mm	2mm	Soft Termination
CL43B473KHU6PJ	Automotive	47nF	+/-10%	X7R	630Vdc	1812inch_4532mm	2mm	Soft Termination
CL43B474KEU6PJ	Automotive	470nF	+/-10%	X7R	250Vdc	1812inch_4532mm	2mm	Soft Termination
CL85A475MQ5Q64	General	4.7uF	+/-20%	X5R	6.3Vdc	0302inch_0805mm	0.55mm	Features Normal
CLL3A223KAWHLN	General	22nF	+/-10%	X5R	25Vdc	0102inch_0306mm	0.2mm	Reverse(Low ESL)
CLL3A223KAWHLW	General	22nF	+/-10%	X5R	25Vdc	0102inch_0306mm	0.2mm	Reverse(Low ESL)
CLL3A333KAYHLN	General	33nF	+/-10%	X5R	25Vdc	0102inch_0306mm	0.235mm	Reverse(Low ESL)
CLL5A224MRJHLC	General	220nF	+/-20%	X5R	4Vdc	0204inch_0510mm	0.1mm	Reverse(Low ESL)
CLL5A554MSJHLC	General	550nF	+/-20%	X5R	2.5Vdc	0204inch_0510mm	0.1mm	Reverse(Low ESL)
CLL5X105MR3NLN	General	1uF	+/-20%	X6S	4Vdc	0204inch_0510mm	0.35mm	Reverse(Low ESL)
CLL5X474MSJHLC	General	470nF	+/-20%	X6S	2.5Vdc	0204inch_0510mm	0.1mm	Reverse(Low ESL)
CLL5Z105MR41PN	Automotive	1uF	+/-20%	X7T	4Vdc	0204inch_0510mm	0.53mm	Reverse(Low ESL)
CLL5Z105MS21PN	Automotive	1uF	+/-20%	X7T	2.5Vdc	0204inch_0510mm	0.22mm	Reverse(Low ESL)
CLL5Z105MS2HLN	General	1uF	+/-20%	X7T	2.5Vdc	0204inch_0510mm	0.22mm	Reverse(Low ESL)
CLR1A102MQ1NNN	General	1nF	+/-20%	X5R	6.3Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1A103MQ1NNN	General	10nF	+/-20%	X5R	6.3Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1A103MQ1NNW	General	10nF	+/-20%	X5R	6.3Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1A152MQ1NNN	General	1.5nF	+/-20%	X5R	6.3Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C010AA1INN	General	1pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C010AA1INW	General	1pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C010BA1INN	General	1pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C010BA1INW	General	1pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C010BO1INN	General	1pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C010BO1INW	General	1pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C010CA1INN	General	1pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C010CA1INW	General	1pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C010CO1INN	General	1pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C010CO1INW	General	1pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C020AA1INN	General	2pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C020AA1INW	General	2pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C020BA1INN	General	2pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C020BA1INW	General	2pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C020BO1INN	General	2pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C020BO1INW	General	2pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C020CA1INN	General	2pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C020CA1INW	General	2pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C020CO1INN	General	2pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C020CO1INW	General	2pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C030AA1INN	General	3pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C030AA1INW	General	3pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C030BA1INN	General	3pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C030BA1INW	General	3pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C030BO1INN	General	3pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C030BO1INW	General	3pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C030CA1INN	General	3pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C030CA1INW	General	3pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C030CO1INN	General	3pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C030CO1INW	General	3pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C040AA1INN	General	4pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C040AA1INW	General	4pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C040BA1INN	General	4pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C040BA1INW	General	4pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C040BO1INN	General	4pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C040BO1INW	General	4pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C040CA1INN	General	4pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C040CA1INW	General	4pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C040CO1INN	General	4pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C040CO1INW	General	4pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C050AA1INN	General	5pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C050AA1INW	General	5pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C050BA1INN	General	5pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal

CLR1C9R7DA1INN	General	9.7pF	+/-0.5pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R7DA1INW	General	9.7pF	+/-0.5pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R7DO1INN	General	9.7pF	+/-0.5pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R7DO1INW	General	9.7pF	+/-0.5pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8AA1INN	General	9.8pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8BA1INN	General	9.8pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8BA1INW	General	9.8pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8BO1INN	General	9.8pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8BO1INW	General	9.8pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8CA1INN	General	9.8pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8CA1INW	General	9.8pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8CO1INN	General	9.8pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8CO1INW	General	9.8pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8DA1INN	General	9.8pF	+/-0.5pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8DA1INW	General	9.8pF	+/-0.5pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8DO1INN	General	9.8pF	+/-0.5pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R8DO1INW	General	9.8pF	+/-0.5pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9AA1INN	General	9.9pF	+/-0.05pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9BA1INN	General	9.9pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9BA1INW	General	9.9pF	+/-0.1pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9BO1INN	General	9.9pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9BO1INW	General	9.9pF	+/-0.1pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9CA1INN	General	9.9pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9CA1INW	General	9.9pF	+/-0.25pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9CO1INN	General	9.9pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9CO1INW	General	9.9pF	+/-0.25pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9DA1INN	General	9.9pF	+/-0.5pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9DA1INW	General	9.9pF	+/-0.5pF	C0G	25Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9DO1INN	General	9.9pF	+/-0.5pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1C9R9DO1INW	General	9.9pF	+/-0.5pF	C0G	16Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR5A105MQ2CNN	General	1uF	+/-20%	X5R	6.3Vdc	015008inch_0502mm	0.275mm	Features Normal