

Part name	Use for	Capacitance	Tolerance	Temp. Char.	Rated Voltage	Size code	Thickness Max	Feature
CL01Y105MR5NLN	General	1uF	+/-20%	X7S	4Vdc	0306inch_0816mm	0.55mm	Reverse(Low ESL)
CL02A102KP2NNN	General	1nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A102KP2NNW	General	1nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A102KQ2NNN	General	1nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A102KQ2NNW	General	1nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A102MQLHNN	General	1nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	LSC
CL02A103KA2NNW	General	10nF	+/-10%	X5R	25Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A103KP2NNN	General	10nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A103KP2NNW	General	10nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A103KQ2NNN	General	10nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A103KQ2NNW	General	10nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A103MA2NNN	General	10nF	+/-20%	X5R	25Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A104KQ2NNN	General	100nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A104KQ2NNW	General	100nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A104MQ2NNN	General	100nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A104MR2NNN	General	100nF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A104MR2NNW	General	100nF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A105MQ2NQN	General	1uF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.25mm	Features Normal
CL02A105MR2NQN	General	1uF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.25mm	Features Normal
CL02A224MQ2N3N	General	220nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A224MQ2NNN	General	220nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A224MR2NNN	General	220nF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A473KQ2NNN	General	47nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A473KR2NNN	General	47nF	+/-10%	X5R	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A474MQ2NNN	General	470nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02A474MQ2NQN	General	470nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.25mm	Features Normal
CL02A510MQLHNN	General	51pF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	LSC
CL02A681MQLHNN	General	680pF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	LSC
CL02B101KP2NNN	General	100pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B101KP2NNW	General	100pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B102KP2NNN	General	1nF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B102KP2NNW	General	1nF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B121KP2NNN	General	120pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B121KP2NNW	General	120pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B221KP2NNN	General	220pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B221KP2NNW	General	220pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B331KO2NNN	General	330pF	+/-10%	X7R	16Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B331KO2NNW	General	330pF	+/-10%	X7R	16Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B331KP2NNN	General	330pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B471KP2NNN	General	470pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B471KP2NNW	General	470pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02B681KP2NNN	General	680pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02X103KQ2NNN	General	10nF	+/-10%	X6S	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02X103KQ2NNW	General	10nF	+/-10%	X6S	6.3Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02X104MR2NNN	General	100nF	+/-20%	X6S	4Vdc	01005inch_0402mm	0.22mm	Features Normal
CL02Z474MS2NQQW	General	470nF	+/-20%	X7T	2.5Vdc	01005inch_0402mm	0.25mm	Features Normal
CL03A102KA3NNW	General	1nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A102KO31IN	Infotainment	1nF	+/-10%	X5R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A102KP31IN	Infotainment	1nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A102KQ31IN	Infotainment	1nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A103KA3NNN	General	10nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A103KA3NNW	General	10nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A103KO3NNW	General	10nF	+/-10%	X5R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A103KP3NNN	General	10nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A103KP3NNW	General	10nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A103KQ3NNW	General	10nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A104KA31IN	Infotainment	100nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A104KA3NNN	General	100nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A104KA3NNW	General	100nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A104KL31IN	Infotainment	100nF	+/-10%	X5R	35Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A104KL3NNN	General	100nF	+/-10%	X5R	35Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A104KL3NNW	General	100nF	+/-10%	X5R	35Vdc	0201inch_0603mm	0.33mm	Features Normal

CL03A225MP3IRN	General	2.2uF	+/-20%	X5R	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A225MQ3CR6	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A225MQ3CRN	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A225MQ3CRW	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A225MQ3CSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03A225MQ3IRN	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A225MQ3IRW	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A225MR3CSN	General	2.2uF	+/-20%	X5R	4Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03A305MQ3CRN	General	3uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A331KA3NNN	General	330pF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A331KA3NNW	General	330pF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A332KA3NNW	General	3.3nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A332KP3NNW	General	3.3nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A333KO3NNN	General	33nF	+/-10%	X5R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A333KP3NNW	General	33nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A333KQ3NNW	General	33nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A334KA3NRN	General	330nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A334KA3ZRN	General	330nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A334KL3NRN	General	330nF	+/-10%	X5R	35Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A334KP3ZRN	General	330nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A375MR3DRN	General	3.7uF	+/-20%	X5R	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A395MQ3CRN	General	3.9uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A472KA3NNN	General	4.7nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A472KA3NNW	General	4.7nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A472KO31IN	Infotainment	4.7nF	+/-10%	X5R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A472KP31IN	Infotainment	4.7nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A472KP3NNN	General	4.7nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A472KP3NNW	General	4.7nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A472KQ31IN	Infotainment	4.7nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A473KP3NNN	General	47nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A473KP3NNW	General	47nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A473KQ3NNN	General	47nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A473KQ3NNW	General	47nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474KP3NNN	General	470nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474KQ31IN	Infotainment	470nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474KQ3NNN	General	470nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474KQ3NNW	General	470nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474KQ3ZNN	General	470nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474MQ3NNN	General	470nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A474MQ3NNW	General	470nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A475MQ3CRN	General	4.7uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03A475MQ5C65	General	4.7uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.55mm	Features Normal
CL03A475MQ5D65	General	4.7uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.55mm	Features Normal
CL03A495MR5D65	General	4.9uF	+/-20%	X5R	4Vdc	0201inch_0603mm	0.55mm	Features Normal
CL03A682KP3NNW	General	6.8nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A683KQ3NNN	General	68nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03A683KQ3NNW	General	68nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102JA3NNN	General	1nF	+/-5%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102JA3NNW	General	1nF	+/-5%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KA3NNN	General	1nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KA3NNW	General	1nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KASVPN	Automotive	1nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B102KO3NNN	General	1nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KO3NNW	General	1nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KOSVPN	Automotive	1nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B102KP3NNN	General	1nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B102KPSVPN	Automotive	1nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B102KQSVPN	Automotive	1nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B103KA3NNW	General	10nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KASVPN	Automotive	10nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B103KO3NNN	General	10nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KO3NNW	General	10nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KOSVPN	Automotive	10nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B103KP3NNN	General	10nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B103KP3NNW	General	10nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal

CL03B682KASVPN	Automotive	6.8nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B682KP3NNN	General	6.8nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B682KP3NNW	General	6.8nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B682KPSVPN	Automotive	6.8nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03B682KQ3NNW	General	6.8nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03B682KQSVPN	Automotive	6.8nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03W225MR3CRN	General	2.2uF	+/-20%	X6T	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03W225MR3CRW	General	2.2uF	+/-20%	X6T	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X102KA31IN	Infotainment	1nF	+/-10%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X102KO31IN	Infotainment	1nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X102KP31IN	Infotainment	1nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X102KQ31IN	Infotainment	1nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X103KA31IN	Infotainment	10nF	+/-10%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X103KO31IN	Infotainment	10nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X103KP31IN	Infotainment	10nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X103KQ31IN	Infotainment	10nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X103MA31IN	Infotainment	10nF	+/-20%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KA31IN	Infotainment	100nF	+/-10%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KA3NNN	General	100nF	+/-10%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KA3NNW	General	100nF	+/-10%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KO31IN	Infotainment	100nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KO3NNW	General	100nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KP31IN	Infotainment	100nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KP3NNW	General	100nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KQ31IN	Infotainment	100nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KQ3NNN	General	100nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KQ3NNW	General	100nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104KR31IN	Infotainment	100nF	+/-10%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MA31IN	Infotainment	100nF	+/-20%	X6S	25Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MO31IN	Infotainment	100nF	+/-20%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MP31IN	Infotainment	100nF	+/-20%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MP3NNN	General	100nF	+/-20%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MQ31IN	Infotainment	100nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MQ3NNW	General	100nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MR31IN	Infotainment	100nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X104MR3NNW	General	100nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X105MP3CRW	General	1uF	+/-20%	X6S	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X105MPR1IN	Infotainment	1uF	+/-20%	X6S	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X105MQ3CRW	General	1uF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X105MQR1IN	Infotainment	1uF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X105MR2LRN	General	1uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.22mm	Features Normal
CL03X105MR3CRW	General	1uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X105MR3CSN	General	1uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03X105MR3NRN	General	1uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X153KQ3NNW	General	15nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X153MR3NNW	General	15nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X223KQ3NNW	General	22nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X223MR3NNW	General	22nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KP31IN	Infotainment	220nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KP3NRN	General	220nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X224KP3NRW	General	220nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X224KQ31IN	Infotainment	220nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KQ3N3W	General	220nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KQ3NNN	General	220nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KQ3NNW	General	220nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224KR3NRW	General	220nF	+/-10%	X6S	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X224MP31IN	Infotainment	220nF	+/-20%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224MQ31IN	Infotainment	220nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224MQ3NNN	General	220nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224MQ3NNW	General	220nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X224MQ3NRW	General	220nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X224MR31IN	Infotainment	220nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X225MR3NRN	General	2.2uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X225MS3NRN	General	2.2uF	+/-20%	X6S	2.5Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X333KQ3NNW	General	33nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal

CL03X333MR3NNW	General	33nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X334KP3NRW	General	330nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03X472KO31IN	Infotainment	4.7nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X472KP31IN	Infotainment	4.7nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X472KQ31IN	Infotainment	4.7nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X473KQ3NNW	General	47nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X473MR3NNW	General	47nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X474KQ31IN	Infotainment	470nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X474KQ3NNN	General	470nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X474MQ31IN	Infotainment	470nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X474MQ3NNW	General	470nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X683KQ3NNW	General	68nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03X683MR3NNW	General	68nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KO3NNN	General	100nF	+/-10%	X7S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KO3NNW	General	100nF	+/-10%	X7S	16Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KOS6PN	Automotive	100nF	+/-10%	X7S	16Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y104KP3N4N	General	100nF	+/-10%	X7S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KP3NNN	General	100nF	+/-10%	X7S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KP3NNW	General	100nF	+/-10%	X7S	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KPS6PN	Automotive	100nF	+/-10%	X7S	10Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y104KQ31IN	Infotainment	100nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KQ3NNW	General	100nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KQ3VPN	Automotive	100nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Y104KQS6PN	Automotive	100nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y104KQSVPN	Automotive	100nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y104KRSVPN	Automotive	100nF	+/-10%	X7S	4Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y223KQSVPN	Automotive	22nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y333KQSVPN	Automotive	33nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y473KQSVPN	Automotive	47nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Y683KQSVPN	Automotive	68nF	+/-10%	X7S	6.3Vdc	0201inch_0603mm	0.35mm	Features Normal
CL03Z103KP3NNW	General	10nF	+/-10%	X7T	10Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Z105MRR6PN	Automotive	1uF	+/-20%	X7T	4Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03Z105MSR6PN	Automotive	1uF	+/-20%	X7T	2.5Vdc	0201inch_0603mm	0.39mm	Features Normal
CL03Z224KQ3NNN	General	220nF	+/-10%	X7T	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL03Z224KQ3NNW	General	220nF	+/-10%	X7T	6.3Vdc	0201inch_0603mm	0.33mm	Features Normal
CL05A104JO5NNN	General	100nF	+/-5%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104JO5NNW	General	100nF	+/-5%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KA5NFN	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KA5NNN	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KA5NNW	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KB5NNN	General	100nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KB5NNW	General	100nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KO5NNN	General	100nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KO5NNW	General	100nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KP5NNN	General	100nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KP5NNW	General	100nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KQ5NNN	General	100nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104KQ5NNW	General	100nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104MO5NNN	General	100nF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A104MO5NNW	General	100nF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105JQ5NNN	General	1uF	+/-5%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105JQ5NNW	General	1uF	+/-5%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KA5NFQ	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KA5NNN	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KA5NNW	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KA5NQN	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KA5NQW	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KAD1IN	Infotainment	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KL5NRN	General	1uF	+/-10%	X5R	35Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A105KL5NRW	General	1uF	+/-10%	X5R	35Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A105KO51IN	Infotainment	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KO5NFN	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KO5NNN	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KO5NNW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KO5NQW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal

CL05A105KO5QNW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KOD1IN	Infotainment	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KP51IN	Infotainment	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KP5NFN	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KP5NNN	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KP5NNW	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KP5NQW	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105KQ3LNN	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05A105KQ3LNW	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05A105KQ51IN	Infotainment	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KQ5NNN	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105KQ5NNW	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MO51IN	Infotainment	1uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MO5NQW	General	1uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A105MP51IN	Infotainment	1uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MQ51IN	Infotainment	1uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MQ5NNN	General	1uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MQ5NNW	General	1uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A105MR5NNW	General	1uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A106MP5C64	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.5mm	Features Normal
CL05A106MP5IUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MP5IUW	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MP5NRN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A106MP5NUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MP5Z64	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A106MP5ZUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MP68UN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05A106MP6NUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05A106MP7NUB	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	T-HMC(Low Acoustic)
CL05A106MP7ZUB	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	T-HMC(Low Acoustic)
CL05A106MP8NUB	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.9mm	T-HMC(Low Acoustic)
CL05A106MP9NUB	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	1mm	T-HMC(Low Acoustic)
CL05A106MQ4L68	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.5mm	Features Normal
CL05A106MQ4N68	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.5mm	Features Normal
CL05A106MQ5N3U	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	1mm	Features Normal
CL05A106MQ5NRN	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A106MQ5NUN	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MQ5NUW	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MQ5ZUN	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MQ8NUB	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.9mm	T-HMC(Low Acoustic)
CL05A106MR5NUN	General	10uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A106MR5NUW	General	10uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A116MR6DWR	General	11uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	3T(Low ESL)
CL05A154KP5NNN	General	150nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A154KP5NNW	General	150nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A154KQ5NNW	General	150nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A156MQ5Z64	General	15uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A156MR6NWR	General	15uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	3T(Low ESL)
CL05A186MR5DRN	General	18uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A206MR5DRN	General	20uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A224KA51IN	Infotainment	220nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KA5NNN	General	220nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KA5NNW	General	220nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KL51IN	Infotainment	220nF	+/-10%	X5R	35Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KO51IN	Infotainment	220nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KO5NNN	General	220nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KO5NNW	General	220nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KP51IN	Infotainment	220nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KP5NNN	General	220nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KP5NNW	General	220nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KQ51IN	Infotainment	220nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KQ5NNN	General	220nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224KQ5NNW	General	220nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224MP5NNN	General	220nF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A224MP5NNW	General	220nF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal

CL05A224MQLHEC	General	220nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.11mm	LSC
CL05A225KA5NUN	General	2.2uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225KA5NUW	General	2.2uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225KA61IN	Infotainment	2.2uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225KO5NQN	General	2.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A225KO5NQW	General	2.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A225KO61IN	Infotainment	2.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225KP5NNN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225KP5NNW	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225KP5NSN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225KP5QUW	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225KP5ZSN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225KP7NSB	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.8mm	T-HMC(Low Acoustic)
CL05A225KQ5NNN	General	2.2uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225KQ5NNW	General	2.2uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225KQ5NSN	General	2.2uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225MA5JUN	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MA5JUW	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MA5NOB	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A225MA5NUN	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225MA5QOB	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A225MA61IN	Infotainment	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225ML5NUN	General	2.2uF	+/-20%	X5R	35Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225MO5NQN	General	2.2uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A225MO5NQW	General	2.2uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A225MO5ZOB	General	2.2uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A225MO61IN	Infotainment	2.2uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A225MP5NNN	General	2.2uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MP5NNW	General	2.2uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MP5NSN	General	2.2uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225MQ3LRN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05A225MQ3LRW	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05A225MQ5NNN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MQ5NNW	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MQ5NSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225MQ5ZSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05A225MR5NNN	General	2.2uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A225MR5NNW	General	2.2uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A226MQ5CUN	General	22uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A226MQ5QUN	General	22uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A226MQ6ZUN	General	22uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05A226MR5QUN	General	22uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A226MR5QUW	General	22uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A236MR5DUN	General	23uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A276MR6DUN	General	27uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05A333KB5NNW	General	33nF	+/-10%	X5R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A333KO5NNW	General	33nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A333KP5NNW	General	33nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334KA5NNN	General	330nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334KA5NNW	General	330nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334KP5NNW	General	330nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334KQ5NNN	General	330nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334KQ5NNW	General	330nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334MQ5NNN	General	330nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A334MQ5NNW	General	330nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A425KO5LUN	General	4.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A435MR5NWN	General	4.3uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.5mm	3T(Low ESL)
CL05A473KP5NNW	General	47nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A473KQ5NNW	General	47nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KA5NNN	General	470nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KA5NNW	General	470nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KAD1IN	Infotainment	470nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A474KLD1IN	Infotainment	470nF	+/-10%	X5R	35Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A474KO5NNN	General	470nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KO5NNW	General	470nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal

CL05A474KOD1IN	Infotainment	470nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A474KP5NNN	General	470nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KP5NNW	General	470nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KQ5NNN	General	470nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A474KQ5NNW	General	470nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A475KP5NRN	General	4.7uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475KP5NRW	General	4.7uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475KP5ZRN	General	4.7uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475KQ5NRN	General	4.7uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475KQ5NRW	General	4.7uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MA5NUN	General	4.7uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A475MO5LUN	General	4.7uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05A475MO5NUN	General	4.7uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A475MP4Z64	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.5mm	Features Normal
CL05A475MP5NRB	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A475MP5NRN	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MP5NRW	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MP5NUN	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A475MP5NUW	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05A475MP5ZRB	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A475MP7NRB	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	T-HMC(Low Acoustic)
CL05A475MPQ1IN	Infotainment	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MQ3JUD	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05A475MQ3LUN	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.35mm	Features Normal
CL05A475MQ3LUW	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.35mm	Features Normal
CL05A475MQ5NQW	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A475MQ5NRN	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MQ5NRW	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MQ5ZRN	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MQD1IN	Infotainment	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A475MQQ1IN	Infotainment	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MR5NQN	General	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A475MR5NQW	General	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A475MR5NRW	General	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A475MRD1IN	Infotainment	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05A475MS5NRW	General	4.7uF	+/-20%	X5R	2.5Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A605MQ5DRN	General	6uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05A675MRBNWR	General	6.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.39mm	3T(Low ESL)
CL05A905MQ5DRN	General	9uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05B102JA5VPN	Automotive	1nF	+/-5%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102JB5NNN	General	1nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102JB5NNW	General	1nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102JB5VPN	Automotive	1nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102JO5VPN	Automotive	1nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KA5NNW	General	1nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KA5VPN	Automotive	1nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KB54PN	Automotive	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KB56PN	Automotive	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KB5NCN	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KB5NFN	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KB5NNN	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KB5NNW	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KB5VPN	Automotive	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KB5Z4N	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Soft Termination
CL05B102KC5VPN	Automotive	1nF	+/-10%	X7R	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KO5NNW	General	1nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KO5VPN	Automotive	1nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KP5VPN	Automotive	1nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B102KQ5VPN	Automotive	1nF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B103JA5NNW	General	10nF	+/-5%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B103JA5VPN	Automotive	10nF	+/-5%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B103JB5VPN	Automotive	10nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B103JO5NNN	General	10nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B103JO5NNW	General	10nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B103KA5NFN	General	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal

CL05B681KB5NNN	General	680pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B681KB5NNW	General	680pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B681KB5VPN	Automotive	680pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B681KC5VPN	Automotive	680pF	+/-10%	X7R	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B681KO5VPN	Automotive	680pF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B681KP5VPN	Automotive	680pF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682JB5NNN	General	6.8nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682JB5NNW	General	6.8nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KA54PN	Automotive	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KA56PN	Automotive	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KA5NNN	General	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KA5NNW	General	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KA5VPN	Automotive	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KB54PN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KB56PN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KB5NNN	General	6.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KB5NNW	General	6.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KB5VPN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KC5VPN	Automotive	6.8nF	+/-10%	X7R	100Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KO56PN	Automotive	6.8nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KO5NNW	General	6.8nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KO5VPN	Automotive	6.8nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B682KP5VPN	Automotive	6.8nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B683KA54PN	Automotive	68nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B683KB54PN	Automotive	68nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B683KO54PN	Automotive	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B683KO5NNN	General	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B683KO5NNW	General	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B683KO5VPJ	Automotive	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Soft Termination
CL05B683KO5VPN	Automotive	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B683KP5NNN	General	68nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B683KP5NNW	General	68nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B683KQ5NNW	General	68nF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B821KB5NNW	General	820pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B821KB5VPN	Automotive	820pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B821KO5NNN	General	820pF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B821KO5NNW	General	820pF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B822KA5NNN	General	8.2nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B822KA5NNW	General	8.2nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B822KA5VPN	Automotive	8.2nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B822KB5NNN	General	8.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B822KB5NNW	General	8.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B822KB5VPN	Automotive	8.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B822KO5NNN	General	8.2nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B822KO5NNW	General	8.2nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B823KO5NNW	General	82nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B823KO5VPN	Automotive	82nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B823KP5NNN	General	82nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05B823KP5NNW	General	82nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E103KA5VPN	Automotive	10nF	+/-10%	X8L	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E104KA5VPN	Automotive	100nF	+/-10%	X8L	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E104KB5VPN	Automotive	100nF	+/-10%	X8L	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E153KO5VPN	Automotive	15nF	+/-10%	X8L	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E333KA54PN	Automotive	33nF	+/-10%	X8L	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E333KO54PN	Automotive	33nF	+/-10%	X8L	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E473KA5VPN	Automotive	47nF	+/-10%	X8L	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E473KB5VPN	Automotive	47nF	+/-10%	X8L	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05E473KO5VPN	Automotive	47nF	+/-10%	X8L	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F104ZO5NNN	General	100nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F105ZQ5NNN	General	1uF	-20/+80%	Y5V	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F153ZB5NNN	General	15nF	-20/+80%	Y5V	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F223ZA5NNN	General	22nF	-20/+80%	Y5V	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F223ZO5NNN	General	22nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F333ZA5NNN	General	33nF	-20/+80%	Y5V	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F333ZO5NNN	General	33nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Features Normal

CL05F334ZP5NNN	General	330nF	-20/+80%	Y5V	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F473ZO5NNN	General	47nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05F474ZP5NNN	General	470nF	-20/+80%	Y5V	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05J105KP5N3N	General	1uF	+/-10%	JIS-B	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05J224KP5NNN	General	220nF	+/-10%	JIS-B	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05W105MR5NNW	General	1uF	+/-20%	X6T	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05W206MS5CUN	General	20uF	+/-20%	X6T	2.5Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05W225MO5NUW	General	2.2uF	+/-20%	X6T	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05W225MR5NUW	General	2.2uF	+/-20%	X6T	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05W225MS2LUN	General	2.2uF	+/-20%	X6T	2.5Vdc	0402inch_1005mm	0.22mm	Features Normal
CL05W474MR5NNW	General	470nF	+/-20%	X6T	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05W675MSBNWR	General	6.7uF	+/-20%	X6T	2.5Vdc	0402inch_1005mm	0.39mm	3T(Low ESL)
CL05X104KA5NNW	General	100nF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KA5NQN	General	1uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KA5NQW	General	1uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KAD1IN	Infotainment	1uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KO5NQN	General	1uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KO5NQW	General	1uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KOD1IN	Infotainment	1uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KP5NNN	General	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KP5NNW	General	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KP61IN	Infotainment	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X105KPD1IN	Infotainment	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KQ51IN	Infotainment	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KQ5NFN	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KQ5NNN	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KQ5NNW	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KQ5NQW	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KQ61IN	Infotainment	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X105KQD1IN	Infotainment	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105KR51IN	Infotainment	1uF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105KRD1IN	Infotainment	1uF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105MA5NQW	General	1uF	+/-20%	X6S	25Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105MP3JQN	General	1uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.33mm	Features Normal
CL05X105MP5NNW	General	1uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105MP5NQW	General	1uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05X105MQ5NNW	General	1uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X105MR5NNW	General	1uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X106MQ5IUN	General	10uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X106MQ5NUN	General	10uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X106MQ5NUW	General	10uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X106MQ61IN	Infotainment	10uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X106MR5NUN	General	10uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X106MR5NUW	General	10uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X206MS6N6B	General	20uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.85mm	T-HMC(Low Acoustic)
CL05X224KA51IN	Infotainment	220nF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KA5NNW	General	220nF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KL51IN	Infotainment	220nF	+/-10%	X6S	35Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KL5NNW	General	220nF	+/-10%	X6S	35Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KO51IN	Infotainment	220nF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KP51IN	Infotainment	220nF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KQ51IN	Infotainment	220nF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X224KR51IN	Infotainment	220nF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X225KA5NUW	General	2.2uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KO5NUW	General	2.2uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KO61IN	Infotainment	2.2uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KP5QUW	General	2.2uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KP61IN	Infotainment	2.2uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KQ51IN	Infotainment	2.2uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X225KQ61IN	Infotainment	2.2uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225KR51IN	Infotainment	2.2uF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X225KR61IN	Infotainment	2.2uF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MA5NUN	General	2.2uF	+/-20%	X6S	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MA5NUW	General	2.2uF	+/-20%	X6S	25Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MO5NUW	General	2.2uF	+/-20%	X6S	16Vdc	0402inch_1005mm	0.7mm	Features Normal

CL05X225MO61IN	Infotainment	2.2uF	+/-20%	X6S	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MP5QUN	General	2.2uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MP5QUW	General	2.2uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MQ51IN	Infotainment	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X225MQ5NSN	General	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05X225MQ5QUW	General	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MQ61IN	Infotainment	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MR51IN	Infotainment	2.2uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X225MR5QUN	General	2.2uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MR5QUW	General	2.2uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X225MS5NSN	General	2.2uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.57mm	Features Normal
CL05X225MS5QUW	General	2.2uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X226MR6I3W	General	22uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05X226MR6NUN	General	22uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05X226MR6NUW	General	22uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05X226MS6NUW	General	22uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.8mm	Features Normal
CL05X435MS5NWN	General	4.3uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.5mm	3T(Low ESL)
CL05X435MS5NWW	General	4.3uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.5mm	3T(Low ESL)
CL05X474KO51IN	Infotainment	470nF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X474KP51IN	Infotainment	470nF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X474KQ51IN	Infotainment	470nF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X474KQ5NNW	General	470nF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X474KR51IN	Infotainment	470nF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X474MR5NNW	General	470nF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05X475MQ5NRW	General	4.7uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05X475MQ5NUN	General	4.7uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X475MQ5NUW	General	4.7uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X475MQQ1IN	Infotainment	4.7uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05X475MR5NUN	General	4.7uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X475MR5NUW	General	4.7uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05X475MRQ1IN	Infotainment	4.7uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.65mm	Features Normal
CL05X684KR5NNW	General	680nF	+/-10%	X6S	4Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y104KB5NNW	General	100nF	+/-10%	X7S	50Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y105KO5NQW	General	1uF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05Y105KO66PN	Automotive	1uF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y105KP5N4Q	General	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05Y105KP5N4U	General	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y105KP5ZUW	General	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y105KP6VPJ	Automotive	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Soft Termination
CL05Y105KP6VPN	Automotive	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y105KPAVPN	Automotive	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.67mm	Features Normal
CL05Y105KQ5QNW	General	1uF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y105KQ6VPJ	Automotive	1uF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Soft Termination
CL05Y105KQ6VPN	Automotive	1uF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y105MP5NQW	General	1uF	+/-20%	X7S	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05Y105MQ5QNW	General	1uF	+/-20%	X7S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y105MR6VPN	Automotive	1uF	+/-20%	X7S	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y224KO56PN	Automotive	220nF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y224KO5VPJ	Automotive	220nF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.55mm	Soft Termination
CL05Y224KO5VPN	Automotive	220nF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y224KP5VPN	Automotive	220nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y224KQ5VPN	Automotive	220nF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y225KP564U	General	2.2uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y225KP56UW	General	2.2uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y225KP66PN	Automotive	2.2uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y225KQ56UW	General	2.2uF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y225MQ56UW	General	2.2uF	+/-20%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y334KP5VPJ	Automotive	330nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.55mm	Soft Termination
CL05Y334KP5VPN	Automotive	330nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Y474KP5VPJ	Automotive	470nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.6mm	Soft Termination
CL05Y474KP5VPN	Automotive	470nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05Y474KQ5VPN	Automotive	470nF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.6mm	Features Normal
CL05Y684KP6VPJ	Automotive	680nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Soft Termination
CL05Y684KP6VPN	Automotive	680nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Y684KQ6VPN	Automotive	680nF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Features Normal

CL05Z104KS5NNW	General	100nF	+/-10%	X7T	2.5Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Z106MR5NUN	General	10uF	+/-20%	X7T	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Z106MR5NUW	General	10uF	+/-20%	X7T	4Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Z224KS5NNW	General	220nF	+/-10%	X7T	2.5Vdc	0402inch_1005mm	0.55mm	Features Normal
CL05Z225MO5NUW	General	2.2uF	+/-20%	X7T	16Vdc	0402inch_1005mm	0.7mm	Features Normal
CL05Z225MP5NUW	General	2.2uF	+/-20%	X7T	10Vdc	0402inch_1005mm	0.7mm	Features Normal
CL10A104KA8NNN	General	100nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A104KA8NNW	General	100nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KA81IN	Infotainment	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KA8N4N	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KA8NFN	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KA8NNN	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KA8NNW	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KB8NNN	General	1uF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KB8NNW	General	1uF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KL81IN	Infotainment	1uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KL8NNN	General	1uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KL8NNW	General	1uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KO81IN	Infotainment	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KO8N4N	General	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KO8NNN	General	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KO8NNW	General	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KP81IN	Infotainment	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KP8N4N	General	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KP8NNN	General	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KP8NNW	General	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KQ81IN	Infotainment	1uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KQ8NNN	General	1uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105KQ8NNW	General	1uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MA81IN	Infotainment	1uF	+/-20%	X5R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MB8NNN	General	1uF	+/-20%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MB8NNW	General	1uF	+/-20%	X5R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MO81IN	Infotainment	1uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MO8NNN	General	1uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MO8NNW	General	1uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MP81IN	Infotainment	1uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A105MQ81IN	Infotainment	1uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KO8NQN	General	10uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KO8NQW	General	10uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KOQ1IN	Infotainment	10uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KP8N4Q	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KP8NFN	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KP8NNN	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KP8NNW	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KP8NQW	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KPQ1IN	Infotainment	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106KQ8NNN	General	10uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KQ8NNW	General	10uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10A106KQQ1IN	Infotainment	10uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MA8IRN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MA8NRN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MA8NRW	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MA8ZRN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MA91IN	Infotainment	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MAAFZN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	0.65mm	Features Normal
CL10A106MAAIZN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	0.65mm	Features Normal
CL10A106MAEURN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1.2mm	ANSC-B(Low Acoustic)
CL10A106ML8NRN	General	10uF	+/-20%	X5R	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MO8NQN	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MO8NQW	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MO8NRN	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MO8NRW	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10A106MOAFZN	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.65mm	Features Normal
CL10A106MOQ1IN	Infotainment	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10A106MP8NFN	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10A476MQENRB	General	47uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1.2mm	T-HMC(Low Acoustic)
CL10A476MR8I3R	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10A476MR8NRN	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10A476MR8NRW	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10A476MR8NZN	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1.1mm	Features Normal
CL10B101KB8NFN	General	100pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B101KB8NNW	General	100pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102JB8NFN	General	1nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102JB8NNW	General	1nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KA8PPN	Automotive	1nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KA8WPJ	Automotive	1nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B102KA8WPN	Automotive	1nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KB85PN	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KB8N4N	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8NCN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8NFN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8NNN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8NNW	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8PPN	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KB8SFN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KB8WPJ	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B102KB8WPN	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KB8Z4N	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B102KC84PE	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B102KC85PN	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KC8NFN	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KC8NNN	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KC8NNW	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B102KC8WPJ	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B102KC8WPN	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B102KC8Z4N	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B102MB8NNW	General	1nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103JA8WPN	Automotive	10nF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B103JB8NFN	General	10nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103JB8NNW	General	10nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103JB8WPN	Automotive	10nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B103JC8WPN	Automotive	10nF	+/-5%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B103JO8NNW	General	10nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103JO8WPN	Automotive	10nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B103JP8WPN	Automotive	10nF	+/-5%	X7R	10Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KA85PN	Automotive	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KA8NFN	General	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KA8NNN	General	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KA8NNW	General	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KA8WPJ	Automotive	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B103KA8WPN	Automotive	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KB85PN	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KB8N4N	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KB8NFN	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KB8NNN	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KB8NNW	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KB8PPN	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KB8WPJ	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B103KB8WPN	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KB8XPJ	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B103KC84PE	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B103KC85PN	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KC8NNN	General	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KC8NNW	General	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KC8PPN	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KC8WPJ	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B103KC8WPN	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B103KC8XPJ	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B103KO8NNN	General	10nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103KO8NNW	General	10nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B103KO8WPJ	Automotive	10nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B103KO8WPN	Automotive	10nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B103MB8NCN	General	10nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103MB8NNN	General	10nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B103MB8NNW	General	10nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104JA8NNN	General	100nF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104JA8NNW	General	100nF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104JB8NNN	General	100nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104JB8NNW	General	100nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KA85PN	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B104KA8NFN	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KA8NNN	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KA8NNW	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KA8VPJ	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KA8WPN	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B104KA8Z4N	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KB85PN	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B104KB86PN	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8NFN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8NNN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8NNW	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8SFN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8VPJ	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KB8VFN	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KB8WPN	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B104KB8Z4N	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KB8ZW6	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KC86PN	Automotive	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KC8N3W	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KC8N4N	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KC8NNN	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KC8NNW	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KC8VPJ	Automotive	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KC8VFN	Automotive	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KO85PN	Automotive	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B104KO8NFN	General	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KO8NNN	General	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KO8NNW	General	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104KO8VPJ	Automotive	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104KO8WPN	Automotive	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B104MA8NNW	General	100nF	+/-20%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104MA8VPJ	Automotive	100nF	+/-20%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B104MA8WPN	Automotive	100nF	+/-20%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B104MB8NFN	General	100nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104MB8NNN	General	100nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B104MB8NNW	General	100nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105JA8VFN	Automotive	1uF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KA86PN	Automotive	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KA8N4N	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KA8NFN	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KA8NNN	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KA8NNW	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KA8VPJ	Automotive	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B105KA8VFN	Automotive	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KA8Z4N	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B105KA8ZFN	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KB8NQN	General	1uF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B105KB8Z4Q	General	1uF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.95mm	Soft Termination
CL10B105KB8ZQW	General	1uF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B105KB9VPJ	Automotive	1uF	+/-10%	X7R	50Vdc	0603inch_1608mm	1mm	Soft Termination
CL10B105KB9VFN	Automotive	1uF	+/-10%	X7R	50Vdc	0603inch_1608mm	1mm	Features Normal
CL10B105KL9VPJ	Automotive	1uF	+/-10%	X7R	35Vdc	0603inch_1608mm	1mm	Soft Termination
CL10B105KL9VFN	Automotive	1uF	+/-10%	X7R	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10B105KO84PN	Automotive	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KO86PN	Automotive	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B105KO8N4N	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KO8NFN	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KO8NNN	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KO8NNW	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KO8SFN	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KO8VPJ	Automotive	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B105KO8VPN	Automotive	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KO8ZFN	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KP86PN	Automotive	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KP8N4N	General	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KP8NFN	General	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KP8NNN	General	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KP8NNW	General	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KP8VPJ	Automotive	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B105KP8VPN	Automotive	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KQ86PN	Automotive	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KQ8NNN	General	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KQ8NNW	General	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105KQ8VPJ	Automotive	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B105KQ8VPN	Automotive	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B105MO8NNW	General	1uF	+/-20%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B106MQ8NFR	General	10uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10B106MQ8NRN	General	10uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10B121KB8NNN	General	120pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B121KB8NNW	General	120pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B122JB8WPN	Automotive	1.2nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B122JO8WPN	Automotive	1.2nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B122KB8N4N	General	1.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B122KB8NFN	General	1.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B122KB8NNN	General	1.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B122KB8NNW	General	1.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B122KB8WPN	Automotive	1.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B123KB8NNN	General	12nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B123KB8NNW	General	12nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B151KB8NNN	General	150pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B151KB8NNW	General	150pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B151KB8WPN	Automotive	150pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B152JB8N4N	General	1.5nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KA8PPN	Automotive	1.5nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KA8WPJ	Automotive	1.5nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B152KA8WPN	Automotive	1.5nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KB85PN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KB8N4N	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KB8NFN	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KB8NNN	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KB8NNW	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KB8PPN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KB8SFN	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KB8WPJ	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B152KB8WPN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KC84PE	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B152KC8NNN	General	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KC8NNW	General	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B152KC8PPN	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B152KC8WPJ	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B152KC8WPN	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KA85PN	Automotive	15nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KA8PPN	Automotive	15nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KA8VPJ	Automotive	15nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B153KA8WPN	Automotive	15nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KB85PN	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KB8N4N	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KB8NFN	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KB8NNN	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KB8NNW	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B153KB8PPN	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KB8SFN	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KB8VPJ	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B153KB8WPN	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KB8XPJ	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B153KC85PN	Automotive	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KC8NNW	General	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KC8VPJ	Automotive	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B153KC8WPN	Automotive	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KC8XPJ	Automotive	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B153KO85PN	Automotive	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KO8NNN	General	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KO8NNW	General	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B153KO8PPN	Automotive	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B153KO8VPJ	Automotive	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B153KO8WPN	Automotive	15nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B154KA8NFN	General	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KA8NNW	General	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KA8VPJ	Automotive	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B154KA8VPN	Automotive	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KB8VPJ	Automotive	150nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B154KB8VPN	Automotive	150nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KO8NFN	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KO8NNN	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KO8NNW	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KO8VPJ	Automotive	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B154KO8VPN	Automotive	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KP8NNW	General	150nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B154KP8VPJ	Automotive	150nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B182KB8N4N	General	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B182KB8NFN	General	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B182KB8NNW	General	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B182KB8WPN	Automotive	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B183JB8NNN	General	18nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B183JB8NNW	General	18nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B183KA8NNW	General	18nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B183KB8N4N	General	18nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B183KB8NNW	General	18nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B201KB8NNN	General	200pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B201KB8NNW	General	200pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B202KB8NNN	General	2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B202KB8NNW	General	2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B203KB8NNN	General	20nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B203KB8NNW	General	20nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221JB8NNN	General	220pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221JB8NNW	General	220pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221KB8NFN	General	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221KB8NNN	General	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221KB8NNW	General	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221KB8WPN	Automotive	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B221KC85PN	Automotive	220pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B221KC8NNW	General	220pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B221KC8WPN	Automotive	220pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B222JB8N4N	General	2.2nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222JB8NNW	General	2.2nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KA8WPJ	Automotive	2.2nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B222KA8WPN	Automotive	2.2nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B222KB85PN	Automotive	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B222KB8N4N	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KB8NFN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KB8NNN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KB8NNW	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KB8SFN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KB8WPJ	Automotive	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B222KB8WPN	Automotive	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open

CL10B222KC84PE	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B222KC85PN	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B222KC8NNW	General	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B222KC8WPJ	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B222KC8WPN	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B223JB8NFN	General	22nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223JB8NNW	General	22nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KA85PN	Automotive	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KA8NFN	General	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KA8NNW	General	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KA8PPN	Automotive	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KA8VPJ	Automotive	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B223KA8WPN	Automotive	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KB85PN	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KB8N4N	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KB8NFN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KB8NNN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KB8NNW	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KB8PPN	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KB8SFN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KB8VPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B223KB8WPN	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KB8XPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B223KC8NNW	General	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KC8VPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B223KC8WPN	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KC8XPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Fail Safe_Soft Termination(5mm)
CL10B223KO85PN	Automotive	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KO8NNN	General	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KO8NNW	General	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B223KO8PPN	Automotive	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B223KO8WPN	Automotive	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B224JO8NNN	General	220nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224JO8NNW	General	220nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224JO8SFN	General	220nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224JP8NNN	General	220nF	+/-5%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224JP8NNW	General	220nF	+/-5%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KA84PN	Automotive	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KA86PN	Automotive	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KA8NFN	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KA8NNN	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KA8NNW	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KA8SFN	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KA8VPJ	Automotive	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KA8VPL	Automotive	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KA8Z4N	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KB86PN	Automotive	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KB8NFN	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KB8NNN	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KB8NNW	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KB8SFN	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KB8VPJ	Automotive	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KB8VPL	Automotive	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KB8VPL	Automotive	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KB8Z4J	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KL8VPL	Automotive	220nF	+/-10%	X7R	35Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KO84PN	Automotive	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KO86PN	Automotive	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KO8NFN	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KO8NNN	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KO8NNW	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KO8SFN	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KO8VPJ	Automotive	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KO8VPL	Automotive	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KP86PN	Automotive	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B224KP8NFN	General	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KP8NNW	General	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KP8VPJ	Automotive	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B224KP8VPN	Automotive	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224KQ8NNW	General	220nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B224MB8VPL	Automotive	220nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B225KP8N3W	General	2.2uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B225KP8N4N	General	2.2uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B225KP8NFN	General	2.2uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B225KP8NNN	General	2.2uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B225KP8NNW	General	2.2uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B225KQ86PN	Automotive	2.2uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B225KQ8N3W	General	2.2uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B225KQ8NFN	General	2.2uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B225KQ8NNN	General	2.2uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B225KQ8NNW	General	2.2uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B271KB8N4N	General	270pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B271KB8WPN	Automotive	270pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B271KC8WPN	Automotive	270pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B272JB8NNN	General	2.7nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B272JB8NNW	General	2.7nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B272KB8N4N	General	2.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B272KB8NFN	General	2.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B272KB8NNN	General	2.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B272KB8NNW	General	2.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B272KB8WPN	Automotive	2.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B273KA8NNN	General	27nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B273KA8NNW	General	27nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B273KB8NNN	General	27nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B273KB8NNW	General	27nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B273KB8WPN	Automotive	27nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B273KO8NNN	General	27nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B273KO8NNW	General	27nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B273KO8WPN	Automotive	27nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B274KO8VPN	Automotive	270nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331JB8NNN	General	330pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331JB8NNW	General	330pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331KB8NFN	General	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331KB8NNN	General	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331KB8NNW	General	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331KB8WPN	Automotive	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B331KC8NNW	General	330pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B331KC8WPN	Automotive	330pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B332KA8WPJ	Automotive	3.3nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B332KA8WPN	Automotive	3.3nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B332KB85PN	Automotive	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B332KB8N4N	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KB8NFN	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KB8NNN	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KB8NNW	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KB8WPJ	Automotive	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B332KB8WPN	Automotive	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B332KC84PE	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B332KC85PN	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B332KC8NNN	General	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KC8NNW	General	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332KC8WPJ	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B332KC8WPN	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B332MB8NNN	General	3.3nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B332MB8NNW	General	3.3nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KA85PN	Automotive	33nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KA8NNW	General	33nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KA8VPJ	Automotive	33nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B333KA8WPN	Automotive	33nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KB85PN	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open

CL10B333KB8N4N	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KB8NFN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KB8NNN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KB8NNW	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KB8PPN	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KB8SFN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KB8VPJ	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B333KB8WPN	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KC8VPJ	Automotive	33nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B333KC8WPN	Automotive	33nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KO85PN	Automotive	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B333KO8NFN	General	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KO8NNW	General	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B333KO8VPJ	Automotive	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B333KO8WPN	Automotive	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B334KA84PN	Automotive	330nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KA8VPN	Automotive	330nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KB8VPJ	Automotive	330nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B334KB8VPN	Automotive	330nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KL8VPN	Automotive	330nF	+/-10%	X7R	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KO84PN	Automotive	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KO8NFN	General	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KO8NNN	General	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KO8NNW	General	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KO8VPJ	Automotive	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B334KO8VPN	Automotive	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KP8NNN	General	330nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KP8NNW	General	330nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B334KP8VPN	Automotive	330nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B391JA8WPN	Automotive	390pF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B391JB8WPN	Automotive	390pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B391JC8WPN	Automotive	390pF	+/-5%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B391KA8WPN	Automotive	390pF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B391KB8NNN	General	390pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B391KB8NNW	General	390pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B391KB8WPN	Automotive	390pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B391KC8WPN	Automotive	390pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B392KA8WPN	Automotive	3.9nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B392KB8NFN	General	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B392KB8NNN	General	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B392KB8NNW	General	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B392KB8WPN	Automotive	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B392KO8WPN	Automotive	3.9nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B392KP8WPN	Automotive	3.9nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Open
CL10B393KA8NNW	General	39nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B393KB8NNN	General	39nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B393KB8NNW	General	39nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B393KB8WPN	Automotive	39nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B393KO8NNN	General	39nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B393KO8NNW	General	39nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471JB8NNN	General	470pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471JB8NNW	General	470pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471KB85PN	Automotive	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B471KB8NFN	General	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471KB8NNN	General	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471KB8NNW	General	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471KB8WPN	Automotive	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B471KC85PN	Automotive	470pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B471KC8NNW	General	470pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B471KC8WPN	Automotive	470pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B472JB8N4N	General	4.7nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472JB8WPN	Automotive	4.7nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B472KA8NNN	General	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KA8NNW	General	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B472KA8PPN	Automotive	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open

CL10B474KQ8NNW	General	470nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B475KQ8NFQ	General	4.7uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B475KQ8NQN	General	4.7uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B475KQ8NQW	General	4.7uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B475MQ8NQN	General	4.7uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B475MQ8NQW	General	4.7uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10B511KB8NNN	General	510pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B511KB8NNW	General	510pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B561JA8WPN	Automotive	560pF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B561JB8NNN	General	560pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B561JB8NNW	General	560pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B561JB8WPN	Automotive	560pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B561JC8WPN	Automotive	560pF	+/-5%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B561KA8WPN	Automotive	560pF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B561KB8N4N	General	560pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B561KB8NNW	General	560pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B561KB8WPN	Automotive	560pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B561KC8WPN	Automotive	560pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B562JB8NNN	General	5.6nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562JB8NNW	General	5.6nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KB8N4N	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KB8NFN	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KB8NNN	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KB8NNW	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KB8WPN	Automotive	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B562KC8WPN	Automotive	5.6nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B562KO8NNW	General	5.6nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B562KP8NNW	General	5.6nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KA8NNN	General	56nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KA8NNW	General	56nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KB8SFN	General	56nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KB8SNW	General	56nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KO8NNN	General	56nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B563KO8NNW	General	56nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B681JB8NNN	General	680pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B681JB8NNW	General	680pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B681KB8NFN	General	680pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B681KB8NNW	General	680pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B681KB8WPN	Automotive	680pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B681KC8NNW	General	680pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682JB8N4N	General	6.8nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682JB8NNN	General	6.8nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682JB8NNW	General	6.8nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KA8WPJ	Automotive	6.8nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B682KA8WPN	Automotive	6.8nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B682KB85PN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B682KB8N4N	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KB8NFN	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KB8NNN	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KB8NNW	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KB8WPJ	Automotive	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B682KB8WPN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B682KC84PE	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B682KC85PN	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B682KC8NNW	General	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B682KC8WPJ	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B682KC8WPN	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B683JB8WPN	Automotive	68nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KA8NNN	General	68nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KA8NNW	General	68nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KA8VPJ	Automotive	68nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B683KA8WPN	Automotive	68nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KB85PN	Automotive	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KB8NFN	General	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KB8NNN	General	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10B683KB8NNW	General	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KB8VPJ	Automotive	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B683KB8WPN	Automotive	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KC8VPJ	Automotive	68nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B683KC8WPN	Automotive	68nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KO8NNW	General	68nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B683KO8PPN	Automotive	68nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B683KO8VPJ	Automotive	68nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B683KO8WPN	Automotive	68nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10B684KA8VPN	Automotive	680nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KO8NFN	General	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KO8NNW	General	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KO8VPJ	Automotive	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10B684KO8VPN	Automotive	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KP8NNW	General	680nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KQ8NNN	General	680nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B684KQ8NNW	General	680nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B821KB8N4N	General	820pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B821KB8NNW	General	820pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B822KA8N4N	General	8.2nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B822KA8NNW	General	8.2nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B822KB8NFN	General	8.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B822KB8NNW	General	8.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B822KB8WPN	Automotive	8.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B823KA8WPN	Automotive	82nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Open
CL10B823KB8NFN	General	82nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B823KB8NNW	General	82nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B823KB8WPN	Automotive	82nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Open
CL10B823KO8NNN	General	82nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B823KO8NNW	General	82nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10B823KO8WPN	Automotive	82nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Open
CL10D103KB86PJ	Automotive	10nF	+/-10%	X8R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10D103KB86PN	Automotive	10nF	+/-10%	X8R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10D103KC86PJ	Automotive	10nF	+/-10%	X8R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10D103KC86PN	Automotive	10nF	+/-10%	X8R	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10D104KB86PJ	Automotive	100nF	+/-10%	X8R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10D104KB86PN	Automotive	100nF	+/-10%	X8R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10D473KB86PN	Automotive	47nF	+/-10%	X8R	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10D473KC86PJ	Automotive	47nF	+/-10%	X8R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10E102KB8WPN	Automotive	1nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Open
CL10E103KB8WPN	Automotive	10nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Open
CL10E104KA8VPN	Automotive	100nF	+/-10%	X8L	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E104KB8VPN	Automotive	100nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E104KC8VPN	Automotive	100nF	+/-10%	X8L	100Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E105KB9VPJ	Automotive	1uF	+/-10%	X8L	50Vdc	0603inch_1608mm	1mm	Soft Termination
CL10E105KB9VPN	Automotive	1uF	+/-10%	X8L	50Vdc	0603inch_1608mm	1mm	Features Normal
CL10E222KB8WPN	Automotive	2.2nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Open
CL10E224KA84PN	Automotive	220nF	+/-10%	X8L	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E224KB8VPN	Automotive	220nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E224KO8VPN	Automotive	220nF	+/-10%	X8L	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10E332KA8WPN	Automotive	3.3nF	+/-10%	X8L	25Vdc	0603inch_1608mm	0.9mm	Open
CL10E472KB8WPN	Automotive	4.7nF	+/-10%	X8L	50Vdc	0603inch_1608mm	0.9mm	Open
CL10E475KQ96PN	Automotive	4.7uF	+/-10%	X8L	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10F103ZB8NNN	General	10nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F104ZA8NNN	General	100nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F104ZB8NNN	General	100nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F104ZO8NNN	General	100nF	-20/+80%	Y5V	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F154ZA8NNN	General	150nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F223ZB8NNN	General	22nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F225ZP8NNN	General	2.2uF	-20/+80%	Y5V	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F225ZQ8NNN	General	2.2uF	-20/+80%	Y5V	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F333ZB8NNN	General	33nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F334ZA8NNN	General	330nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F334ZO8NNN	General	330nF	-20/+80%	Y5V	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F393ZB8NNN	General	39nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10F474ZA8NNN	General	470nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10F683ZB8NNN	General	68nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J104KA8NNN	General	100nF	+/-10%	JIS-B	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J104KO8NNN	General	100nF	+/-10%	JIS-B	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J105KO8N3N	General	1uF	+/-10%	JIS-B	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J105KP8N3N	General	1uF	+/-10%	JIS-B	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J106MQ8N3N	General	10uF	+/-20%	JIS-B	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10J225KO8N3N	General	2.2uF	+/-10%	JIS-B	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J225KP8N3N	General	2.2uF	+/-10%	JIS-B	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J225KQ8N3N	General	2.2uF	+/-10%	JIS-B	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J475KP8N3N	General	4.7uF	+/-10%	JIS-B	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J475KQ8N3N	General	4.7uF	+/-10%	JIS-B	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10J475KQ8NNN	General	4.7uF	+/-10%	JIS-B	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10K106MO8NRN	General	10uF	+/-20%	X7R(S)	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10K106MP8NRW	General	10uF	+/-20%	X7R(S)	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10K106MQ8NRW	General	10uF	+/-20%	X7R(S)	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10M105KB9VFN	Automotive	1uF	+/-10%	X8M	50Vdc	0603inch_1608mm	1mm	Features Normal
CL10M475KQ96PN	Automotive	4.7uF	+/-10%	X8M	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X105KA81IN	Infotainment	1uF	+/-10%	X6S	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KA8NNW	General	1uF	+/-10%	X6S	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KB8NNN	General	1uF	+/-10%	X6S	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KB8NNW	General	1uF	+/-10%	X6S	50Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KL81IN	Infotainment	1uF	+/-10%	X6S	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KO81IN	Infotainment	1uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KO8NNN	General	1uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KO8NNW	General	1uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KQ81IN	Infotainment	1uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105KR81IN	Infotainment	1uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MA81IN	Infotainment	1uF	+/-20%	X6S	25Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105ML81IN	Infotainment	1uF	+/-20%	X6S	35Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MO81IN	Infotainment	1uF	+/-20%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MP81IN	Infotainment	1uF	+/-20%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MQ81IN	Infotainment	1uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X105MQ8NNW	General	1uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106KR8NNN	General	10uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106KR8NNW	General	10uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106MO8NRN	General	10uF	+/-20%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MO8NRW	General	10uF	+/-20%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MO91IN	Infotainment	10uF	+/-20%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MP8NFR	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MP8NRN	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MP8NRW	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MP91IN	Infotainment	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MQ8NNN	General	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106MQ8NNW	General	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106MQ8NRW	General	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MQ91IN	Infotainment	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MR8NNN	General	10uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106MR8NNW	General	10uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X106MR91IN	Infotainment	10uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X106MS8NNW	General	10uF	+/-20%	X6S	2.5Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KA8NRW	General	2.2uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KA91IN	Infotainment	2.2uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KL8NRN	General	2.2uF	+/-10%	X6S	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KL8NRW	General	2.2uF	+/-10%	X6S	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KL91IN	Infotainment	2.2uF	+/-10%	X6S	35Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KO81IN	Infotainment	2.2uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KO91IN	Infotainment	2.2uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KP81IN	Infotainment	2.2uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KP8NNN	General	2.2uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KP8NNW	General	2.2uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KP91IN	Infotainment	2.2uF	+/-10%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KQ81IN	Infotainment	2.2uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225KQ91IN	Infotainment	2.2uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225KR81IN	Infotainment	2.2uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10X225KR91IN	Infotainment	2.2uF	+/-10%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X225MO81IN	Infotainment	2.2uF	+/-20%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225MP81IN	Infotainment	2.2uF	+/-20%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225MQ81IN	Infotainment	2.2uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X225MR81IN	Infotainment	2.2uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X226MQ8QRN	General	22uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X226MQ8QRW	General	22uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X226MQ91IN	Infotainment	22uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X226MQEURN	General	22uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1.2mm	ANSC-B(Low Acoustic)
CL10X226MR8NUN	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1.05mm	Features Normal
CL10X226MR8NUW	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1.05mm	Features Normal
CL10X226MR8QRN	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X226MR8QRW	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X226MR91IN	Infotainment	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X474KO8NNW	General	470nF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KA8IRN	General	4.7uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KA8NQN	General	4.7uF	+/-10%	X6S	25Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KA8NRN	General	4.7uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KA8NRW	General	4.7uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KA91IN	Infotainment	4.7uF	+/-10%	X6S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KO8NFQ	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KO8NQN	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KO8NQW	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KO8NRN	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KO8NRW	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KO91IN	Infotainment	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KOQ1IN	Infotainment	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KP81IN	Infotainment	4.7uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KP8NRW	General	4.7uF	+/-10%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KP91IN	Infotainment	4.7uF	+/-10%	X6S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KPQ1IN	Infotainment	4.7uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KQ81IN	Infotainment	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KQ8NNN	General	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KQ8NNW	General	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KQ8NRW	General	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KQ91IN	Infotainment	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475KQQ1IN	Infotainment	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475KR81IN	Infotainment	4.7uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KR8NNW	General	4.7uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475KR91IN	Infotainment	4.7uF	+/-10%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X475MOQ1IN	Infotainment	4.7uF	+/-20%	X6S	16Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475MP81IN	Infotainment	4.7uF	+/-20%	X6S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475MPQ1IN	Infotainment	4.7uF	+/-20%	X6S	10Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475MQ81IN	Infotainment	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475MQ8NNN	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475MQ8NNW	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475MQQ1IN	Infotainment	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10X475MR81IN	Infotainment	4.7uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X475MS8NNW	General	4.7uF	+/-20%	X6S	2.5Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10X476MR8I3W	General	47uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X476MR8NRW	General	47uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10X476MS8I3W	General	47uF	+/-20%	X6S	2.5Vdc	0603inch_1608mm	1mm	Features Normal
CL10X476MS8NRW	General	47uF	+/-20%	X6S	2.5Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y105KO8NNW	General	1uF	+/-10%	X7S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y105KO8VFN	Automotive	1uF	+/-10%	X7S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y105KP8NNW	General	1uF	+/-10%	X7S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y105KQ8NNW	General	1uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y106MQ8NFR	General	10uF	+/-20%	X7S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y155KP84PN	Automotive	1.5uF	+/-10%	X7S	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y225KA8NRW	General	2.2uF	+/-10%	X7S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225KA96PJ	Automotive	2.2uF	+/-10%	X7S	25Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y225KA96PN	Automotive	2.2uF	+/-10%	X7S	25Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225KO96PJ	Automotive	2.2uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y225KO96PN	Automotive	2.2uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225KP84PN	Automotive	2.2uF	+/-10%	X7S	10Vdc	0603inch_1608mm	0.9mm	Features Normal

CL10Y225KP96PJ	Automotive	2.2uF	+/-10%	X7S	10Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y225KP96PN	Automotive	2.2uF	+/-10%	X7S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225KQ84PN	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y225KQ86PN	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y225KQ8VPJ	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	0.9mm	Soft Termination
CL10Y225KQ8VPN	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Y225KQ96PJ	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y225KQ96PN	Automotive	2.2uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225MO96PN	Automotive	2.2uF	+/-20%	X7S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y225MR5NJN	General	2.2uF	+/-20%	X7S	4Vdc	0603inch_1608mm	0.55mm	8T(Low ESL)
CL10Y335KQ96PJ	Automotive	3.3uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y335MQ96PN	Automotive	3.3uF	+/-20%	X7S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KO8N4R	General	4.7uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KO8NRW	General	4.7uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KO96PJ	Automotive	4.7uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y475KO96PN	Automotive	4.7uF	+/-10%	X7S	16Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KP8N4R	General	4.7uF	+/-10%	X7S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KP96PJ	Automotive	4.7uF	+/-10%	X7S	10Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y475KP96PN	Automotive	4.7uF	+/-10%	X7S	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y475KQ96PJ	Automotive	4.7uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Y475KQ96PN	Automotive	4.7uF	+/-10%	X7S	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Y684KO8VPN	Automotive	680nF	+/-10%	X7S	16Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Z105KP8NNW	General	1uF	+/-10%	X7T	10Vdc	0603inch_1608mm	0.9mm	Features Normal
CL10Z106MP8N4R	General	10uF	+/-20%	X7T	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z106MP8NRW	General	10uF	+/-20%	X7T	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z106MQ8N4R	General	10uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z106MQ8NRW	General	10uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z106MQ9VPJ	Automotive	10uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Z106MQ9VPN	Automotive	10uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z106MR9VPJ	Automotive	10uF	+/-20%	X7T	4Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Z106MR9VPN	Automotive	10uF	+/-20%	X7T	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z226MR96PN	Automotive	22uF	+/-20%	X7T	4Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z226MS96PN	Automotive	22uF	+/-20%	X7T	2.5Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z475KP96PN	Automotive	4.7uF	+/-10%	X7T	10Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z475KQ8NQW	General	4.7uF	+/-10%	X7T	6.3Vdc	0603inch_1608mm	0.95mm	Features Normal
CL10Z475KQ96PJ	Automotive	4.7uF	+/-10%	X7T	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Z475KQ96PN	Automotive	4.7uF	+/-10%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z475MQ96PJ	Automotive	4.7uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Soft Termination
CL10Z475MQ96PN	Automotive	4.7uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z475MQ9VPN	Automotive	4.7uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Features Normal
CL10Z476MS8NRW	General	47uF	+/-20%	X7T	2.5Vdc	0603inch_1608mm	1mm	Features Normal
CL19A156MRANWN	General	15uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.65mm	3T(Low ESL)
CL19A226MR3NWU	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.55mm	3T(Low ESL)
CL19A226MR5NWU	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.65mm	3T(Low ESL)
CL19A226MR7IWN	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.8mm	3T(Low ESL)
CL19A226MR7IWW	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.8mm	3T(Low ESL)
CL19A226MR7NWN	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.8mm	3T(Low ESL)
CL19A226MRANWN	General	22uF	+/-20%	X5R	4Vdc	05035inch_1209mm	0.65mm	3T(Low ESL)
CL19X226MS7NWN	General	22uF	+/-20%	X6S	2.5Vdc	05035inch_1209mm	0.8mm	3T(Low ESL)
CL21A105KACLNN	General	1uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A105KACLNW	General	1uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A105KAF1IN	Infotainment	1uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A105KAFNNW	General	1uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A105KAQ1IN	Infotainment	1uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21A105KBCLNN	General	1uF	+/-10%	X5R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A105KBCLNW	General	1uF	+/-10%	X5R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A105KBF1IN	Infotainment	1uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A105KLF1IN	Infotainment	1uF	+/-10%	X5R	35Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A105KOCLNN	General	1uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A105KOCLNW	General	1uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A105KOF1IN	Infotainment	1uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A105KOFNNW	General	1uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A105KPF1IN	Infotainment	1uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A105KPFNNN	General	1uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A105KPFNNW	General	1uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Features Normal

CL21A475KLCLQW	General	4.7uF	+/-10%	X5R	35Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A475KOCLRN	General	4.7uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A475KOCLRW	General	4.7uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A475KOFNNN	General	4.7uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475KOFNNW	General	4.7uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475KPCLNN	General	4.7uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A475KPCLNW	General	4.7uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A475KPFNNN	General	4.7uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475KPFNNW	General	4.7uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475KQCLNN	General	4.7uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A475KQCLNW	General	4.7uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A475KQFNNN	General	4.7uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475KQFNNW	General	4.7uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475MAFNNN	General	4.7uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475MAFNNW	General	4.7uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475MAQNNN	General	4.7uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21A475MAQNNW	General	4.7uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21A475MBQNNN	General	4.7uF	+/-20%	X5R	50Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21A475MPFNNN	General	4.7uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475MPFNNW	General	4.7uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475MQFNNN	General	4.7uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A475MQFNNW	General	4.7uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21A476MPYNNN	General	47uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21A476MPYNNW	General	47uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21A476MQ7LRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.8mm	Features Normal
CL21A476MQ8LRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.9mm	Features Normal
CL21A476MQ9LRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1mm	Features Normal
CL21A476MQCLRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21A476MQYN3N	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21A476MQYNNN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21A476MQYNNW	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21A476MR9NVN	General	47uF	+/-20%	X5R	4Vdc	0805inch_2012mm	1mm	3T(Low ESL)
CL21A476MRYNNN	General	47uF	+/-20%	X5R	4Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21A476MRYNNW	General	47uF	+/-20%	X5R	4Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B102JB6WPN	Automotive	1nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B102JBANFN	General	1nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102JBANNW	General	1nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102JCANNN	General	1nF	+/-5%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102JCANNW	General	1nF	+/-5%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102JDCNNN	General	1nF	+/-5%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B102JDCNNW	General	1nF	+/-5%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B102KAANFN	General	1nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102KAANNW	General	1nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102KACWPJ	Automotive	1nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B102KB65PN	Automotive	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B102KB6WPN	Automotive	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B102KBANFN	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102KBANNN	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102KBANNW	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102KBCNNN	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B102KBCNNW	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B102KBCWPJ	Automotive	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B102KC65PN	Automotive	1nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B102KC6WPN	Automotive	1nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B102KCANNN	General	1nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102KCANNW	General	1nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B102KCCWPJ	Automotive	1nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B102KDCNFN	General	1nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B102KDCNNW	General	1nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B102KECSFN	General	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B102KECSNN	General	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B102KECSNW	General	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B102KECSW6	General	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B102KECXPN	Automotive	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Series
CL21B103JBCNNN	General	10nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal

CL21B103JBCNNW	General	10nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B103KA65PN	Automotive	10nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.7mm	Open
CL21B103KA6WPN	Automotive	10nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.7mm	Open
CL21B103KAANNN	General	10nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B103KAANNW	General	10nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B103KACWPJ	Automotive	10nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B103KB65PN	Automotive	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B103KB6WPN	Automotive	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B103KBANFN	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B103KBANNN	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B103KBANNW	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B103KBCNNN	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B103KBCNNW	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B103KBCWPJ	Automotive	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B103KBFXPJ	Automotive	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B103KC65PN	Automotive	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B103KC6WPN	Automotive	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B103KC6Z4N	General	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Soft Termination
CL21B103KCANFN	General	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B103KCANNN	General	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B103KCANNW	General	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B103KCCWPJ	Automotive	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B103KCFXPJ	Automotive	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B103KDCNFN	General	10nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B103KDCNNN	General	10nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B103KDCNNW	General	10nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B103KEFNNN	General	10nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B103KEFNW	General	10nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B103KEFXPN	Automotive	10nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.35mm	Series
CL21B103KEFZNW	General	10nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B103MBANNN	General	10nF	+/-20%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B103MBANNW	General	10nF	+/-20%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B103MC6WPN	Automotive	10nF	+/-20%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B104JBCNFN	General	100nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104JBCNNW	General	100nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104JCFWPN	Automotive	100nF	+/-5%	X7R	100Vdc	0805inch_2012mm	1.35mm	Open
CL21B104KAC5PN	Automotive	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Open
CL21B104KACNFN	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104KACNNN	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104KACNNW	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104KACWPN	Automotive	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Open
CL21B104KAFNNN	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104KAFNNW	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104KAFWPJ	Automotive	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B104KBC5PN	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Open
CL21B104KBCNFN	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104KBCNNN	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104KBCNNW	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104KBCSFN	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104KBCWPN	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Open
CL21B104KBF5PN	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Open
CL21B104KBFNNN	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104KBFNNW	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104KBFWPJ	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B104KBFWPN	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Open
CL21B104KBFXPJ	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B104KCC5PN	Automotive	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Open
CL21B104KCCWPN	Automotive	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Open
CL21B104KCF5PN	Automotive	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Open
CL21B104KCFNNN	General	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104KCFNNW	General	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104KCFSFN	General	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104KCFSNW	General	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104KCFWPJ	Automotive	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B104KCFWPN	Automotive	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Open

CL21B104KCFXPJ	Automotive	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B104KCFZ4N	General	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Soft Termination
CL21B104KCFZNW	General	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104KOANNN	General	100nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B104KOANNW	General	100nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B104KOF4PN	Automotive	100nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104MACNNN	General	100nF	+/-20%	X7R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104MACNNW	General	100nF	+/-20%	X7R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B104MBFNNN	General	100nF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B104MBFNNW	General	100nF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KAF4PN	Automotive	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KAFN3N	General	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KAFNFN	General	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KAFNNN	General	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KAFNNW	General	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KAFSFN	General	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KAFVPJ	Automotive	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B105KAFVPN	Automotive	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KAFZ4N	General	1uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Soft Termination
CL21B105KBFN3T	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KBFNFN	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KBFNNN	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KBFNNW	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KBFSFN	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KBFVPJ	Automotive	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B105KBFVPN	Automotive	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KBFZFN	General	1uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KCYVPN	Automotive	1uF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B105KLFVPJ	Automotive	1uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B105KLFVPN	Automotive	1uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KOF4PN	Automotive	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KOFNFN	General	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KOFNNN	General	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KOFNNW	General	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KOFSFN	General	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KOFVPJ	Automotive	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B105KOFVPN	Automotive	1uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KPFNNN	General	1uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KPFNNW	General	1uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105KPFVPN	Automotive	1uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105MAFNNN	General	1uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105MAFNNW	General	1uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105MBFNNN	General	1uF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105MBFNNW	General	1uF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105MOFNNN	General	1uF	+/-20%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105MOFNNW	General	1uF	+/-20%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105MPFNNN	General	1uF	+/-20%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B105MPFNNW	General	1uF	+/-20%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B106KOQNFN	General	10uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B106KOQNNN	General	10uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B106KOQNNW	General	10uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B106KOYN4N	General	10uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B106KOYNNW	General	10uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B106KPQNFN	General	10uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B106KPQNNN	General	10uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B106KPQNNW	General	10uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B106KPY6PJ	Automotive	10uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B106KPY6PN	Automotive	10uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B106KQQNFN	General	10uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B106KQQNNN	General	10uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B106KQQNNW	General	10uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B106KQY6PJ	Automotive	10uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B106KQY6PN	Automotive	10uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B122KBANNN	General	1.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B122KBANNW	General	1.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal

CL21B124JACNNN	General	120nF	+/-5%	X7R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B124JACNNW	General	120nF	+/-5%	X7R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B124KACNNN	General	120nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B124KACNNW	General	120nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B124KBFNNN	General	120nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B124KBFNNW	General	120nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B152JC6WPN	Automotive	1.5nF	+/-5%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B152KACWPJ	Automotive	1.5nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B152KB65PN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B152KB6WPN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B152KBCWPJ	Automotive	1.5nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B152KC6WPN	Automotive	1.5nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B152KCANNN	General	1.5nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B152KCANNW	General	1.5nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B152KCCWPJ	Automotive	1.5nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B152KECXPJ	Automotive	1.5nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Series
CL21B153JBANNN	General	15nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B153JBANNW	General	15nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B153KAFWPJ	Automotive	15nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B153KBANFN	General	15nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B153KBANNW	General	15nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B153KBFWPJ	Automotive	15nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B153KBFXPJ	Automotive	15nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B153KC6WPN	Automotive	15nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B153KCCNNN	General	15nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B153KCCNNW	General	15nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B153KCFWPJ	Automotive	15nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B153KCFXPJ	Automotive	15nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B153KEFXPN	Automotive	15nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.35mm	Series
CL21B154KAFNNW	General	150nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B154KAFVFN	Automotive	150nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B154KBF4PN	Automotive	150nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B154KBFNFN	General	150nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B154KBFNNN	General	150nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B154KBFNNW	General	150nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B154KBFVFN	Automotive	150nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B154KBFVFN	Automotive	150nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B154KCFVFN	Automotive	150nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B154KCFVFN	Automotive	150nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B154KOFNNW	General	150nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B155KAFNFN	General	1.5uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B155KAFNNW	General	1.5uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B155KAFVFN	Automotive	1.5uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B155KAFVFN	Automotive	1.5uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B155KBYVFN	Automotive	1.5uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B155KLYVFN	Automotive	1.5uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B155KOFVFN	Automotive	1.5uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B155KOFVFN	Automotive	1.5uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B155KPFVFN	Automotive	1.5uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B155KPFVFN	Automotive	1.5uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B155KQFVFN	Automotive	1.5uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B155KQFVFN	Automotive	1.5uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B181KBANNN	General	180pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B181KBANNW	General	180pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B182KBANNW	General	1.8nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B182KC6WPN	Automotive	1.8nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B183KBANNN	General	18nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B183KBANNW	General	18nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B184KBFVFN	Automotive	180nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B184KOANNN	General	180nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B184KOANNW	General	180nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B185KOFVFN	Automotive	1.8uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B201KBANNN	General	200pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B201KBANNW	General	200pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B202KBANNN	General	2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal

CL21B202KBANNW	General	2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B203KBANNN	General	20nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B203KBANNW	General	20nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B221KBANFN	General	220pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B221KBANNW	General	220pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B221KCANFN	General	220pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B221KANNW	General	220pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B221KDCNFN	General	220pF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B221KDCNNW	General	220pF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B221KECXPN	Automotive	220pF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Series
CL21B222JBANNN	General	2.2nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B222JBANNW	General	2.2nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B222JECXPN	Automotive	2.2nF	+/-5%	X7R	250Vdc	0805inch_2012mm	0.95mm	Series
CL21B222KACWPJ	Automotive	2.2nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B222KB6WPN	Automotive	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B222KBANFN	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B222KBANNN	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B222KBANNW	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B222KBCNNN	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B222KBCNNW	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B222KBCWPJ	Automotive	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B222KC6WPN	Automotive	2.2nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B222KCANFN	General	2.2nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B222KANNW	General	2.2nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B222KCCWPJ	Automotive	2.2nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B222KDCNFN	General	2.2nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B222KDCNNW	General	2.2nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B222KECXPN	Automotive	2.2nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Series
CL21B222MBCWPJ	Automotive	2.2nF	+/-20%	X7R	50Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B223JBANNN	General	22nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B223JBANNW	General	22nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B223KAFWPJ	Automotive	22nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B223KAFXPJ	Automotive	22nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B223KB65PN	Automotive	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B223KB6WPN	Automotive	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B223KBANFN	General	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B223KBANNN	General	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B223KBANNW	General	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B223KBFWPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B223KBFXPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B223KC65PN	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B223KC6WPN	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B223KCF5PN	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Open
CL21B223KCFNNN	General	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B223KCFNNW	General	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B223KCFWPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B223KCFWPN	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Open
CL21B223KCFXPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B223KDY6PN	Automotive	22nF	+/-10%	X7R	200Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B223KEY64N	General	22nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B223KEY6PN	Automotive	22nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B224JAFNNN	General	220nF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224JAFNNW	General	220nF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KAF4PN	Automotive	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KAFNFN	General	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KAFNNN	General	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KAFNNW	General	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KAFVPN	Automotive	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KBF4PN	Automotive	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KBFNFN	General	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KBFNNN	General	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KBFNNW	General	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KBFVPJ	Automotive	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B224KBFVPN	Automotive	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KCF5FN	General	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal

CL21B224KCFSNW	General	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KCFVPJ	Automotive	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B224KCFZ4N	General	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Soft Termination
CL21B224KCQVFN	Automotive	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B224KOCNNW	General	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B224KOF4PN	Automotive	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KOFNNN	General	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KOFNNW	General	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KOFVFN	Automotive	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224KPFNNW	General	220nF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224MAFNNN	General	220nF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B224MAFNNW	General	220nF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KAFNFN	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KAFNNN	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KAFNNW	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KAFVPJ	Automotive	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KAFVFN	Automotive	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KAFZ4J	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Soft Termination
CL21B225KBYNNW	General	2.2uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B225KBYVPJ	Automotive	2.2uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KBYVFN	Automotive	2.2uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B225KLYVPJ	Automotive	2.2uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KLYVFN	Automotive	2.2uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B225KOFNFN	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KOFNNN	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KOFNNW	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KOFVPJ	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KOFVFN	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KOQVPJ	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B225KOQVFN	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B225KPFNNN	General	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KPFNNW	General	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KPFVPJ	Automotive	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KPFVFN	Automotive	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KQFNNW	General	2.2uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225KQFVPJ	Automotive	2.2uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B225KQFVFN	Automotive	2.2uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225MAFNNN	General	2.2uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B225MAFNNW	General	2.2uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B271KCANNN	General	270pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B271KCANNW	General	270pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B272KBANNN	General	2.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B272KBANNW	General	2.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B272KECPN	Automotive	2.7nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Series
CL21B273KBANNN	General	27nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B273KBANNW	General	27nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B301KBANNN	General	300pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B301KBANNW	General	300pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B331JBANNN	General	330pF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B331JBANNW	General	330pF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B331KBANNW	General	330pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B331KCANNN	General	330pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B331KCANNW	General	330pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B332JBANNN	General	3.3nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B332JBANNW	General	3.3nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B332KACWPJ	Automotive	3.3nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B332KB6WPN	Automotive	3.3nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B332KBANNW	General	3.3nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B332KBCWPJ	Automotive	3.3nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B332KC6WPN	Automotive	3.3nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B332KCANNW	General	3.3nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B332KCCWPJ	Automotive	3.3nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B332KECPN	Automotive	3.3nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Series
CL21B333KAFWPJ	Automotive	33nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B333KBANFN	General	33nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal

CL21B333KBANNW	General	33nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B333KBC5PN	Automotive	33nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Open
CL21B333KBFWPJ	Automotive	33nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B333KBFXPJ	Automotive	33nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B333KCFNNN	General	33nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B333KCFNNW	General	33nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B333KCFWPJ	Automotive	33nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B333KCFWPN	Automotive	33nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Open
CL21B333KCFXPJ	Automotive	33nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B334KAFNNW	General	330nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334KAFVPJ	Automotive	330nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B334KBF4PN	Automotive	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334KBFNFN	General	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334KBFNNN	General	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334KBFNNW	General	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334KBFVPJ	Automotive	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B334KBFVPN	Automotive	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334KOCNNN	General	330nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B334KOCNNW	General	330nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B334KOF4PN	Automotive	330nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334KOFNNW	General	330nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334KOFVPJ	Automotive	330nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B334KOFVPN	Automotive	330nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334KPFNNW	General	330nF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334MBFNNN	General	330nF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B334MBFNNW	General	330nF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B335KAB6PN	Automotive	3.3uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21B335KAFNFN	General	3.3uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B335KAFNNW	General	3.3uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B335KLB6PJ	Automotive	3.3uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B335KLB6PN	Automotive	3.3uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21B335KOQVPJ	Automotive	3.3uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B335KOQVPN	Automotive	3.3uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B335KPFNNN	General	3.3uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B335KPFNNW	General	3.3uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B335KPQVPN	Automotive	3.3uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B392KBANNN	General	3.9nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B392KBANNW	General	3.9nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B393KBANNN	General	39nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B393KBANNW	General	39nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B471JBANNN	General	470pF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B471JBANNW	General	470pF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B471KB6WPN	Automotive	470pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B471KBANFN	General	470pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B471KBANNW	General	470pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B471KC6WPN	Automotive	470pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B471KCANNW	General	470pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B471KDCNFN	General	470pF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B471KDCNNW	General	470pF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B472KACWPJ	Automotive	4.7nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B472KB65PN	Automotive	4.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B472KB6WPN	Automotive	4.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B472KBANFN	General	4.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B472KBANNN	General	4.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B472KBANNW	General	4.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B472KBCWPJ	Automotive	4.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B472KC65PN	Automotive	4.7nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B472KC6WPN	Automotive	4.7nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B472KCANFN	General	4.7nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B472KCANNW	General	4.7nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B472KCCWPJ	Automotive	4.7nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B472KDCNNN	General	4.7nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B472KDCNNW	General	4.7nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B472KDCXPN	Automotive	4.7nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Series
CL21B472KECXPN	Automotive	4.7nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Series

CL21B472KEFN3N	General	4.7nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B472KEFN3W	General	4.7nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B473KAFWPJ	Automotive	47nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B473KBC5PN	Automotive	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Open
CL21B473KBCNFN	General	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B473KBCN3N	General	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B473KBCN3W	General	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B473KBCWPN	Automotive	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Open
CL21B473KBFWPJ	Automotive	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B473KBFXPJ	Automotive	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B473KCC5PN	Automotive	47nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Open
CL21B473KCCWPN	Automotive	47nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Open
CL21B473KCFN3N	General	47nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B473KCFN3W	General	47nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B473KCFWPJ	Automotive	47nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B473KCFWPN	Automotive	47nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Open
CL21B473MBCN3N	General	47nF	+/-20%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B473MBCN3W	General	47nF	+/-20%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B474JAFN3N	General	470nF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474JAFN3W	General	470nF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474JCYV3N	Automotive	470nF	+/-5%	X7R	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B474KAF4PN	Automotive	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KAF6PN	Automotive	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KAFNFN	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KAFN3N	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KAFN3W	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KAFS3N	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KAFS3W	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KAFV3N	Automotive	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B474KAFV3N	Automotive	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KBF4PN	Automotive	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KBF6PN	Automotive	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KBFNFN	General	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KBFN3N	General	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KBFN3W	General	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KBFV3N	Automotive	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B474KBFV3N	Automotive	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KCFV3N	Automotive	470nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B474KCYV3N	Automotive	470nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21B474KOF6PN	Automotive	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KOFNFN	General	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KOFN3N	General	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KOFN3W	General	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474KOFV3N	Automotive	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B474KOFV3N	Automotive	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474MAFN3N	General	470nF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474MAFN3W	General	470nF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B474MBFN3W	General	470nF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475JAB6PJ	Automotive	4.7uF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475JAB6PN	Automotive	4.7uF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21B475JOQVPJ	Automotive	4.7uF	+/-5%	X7R	16Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475JOQV3N	Automotive	4.7uF	+/-5%	X7R	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B475KAB6PJ	Automotive	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KAB6PN	Automotive	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21B475KAFNFN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KAFN3N	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KAFN3W	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KAFZF6	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KAFZFN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KAFZ3W	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KBB6PJ	Automotive	4.7uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KBB6PN	Automotive	4.7uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21B475KLB6PJ	Automotive	4.7uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KLB6PN	Automotive	4.7uF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21B475KOFNFN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal

CL21B475KOFNNN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KOFNNW	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KOFZFN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KOQVPJ	Automotive	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KOQVPN	Automotive	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B475KPFN3N	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KPFNFN	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KPFNNN	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KPFNNW	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475KPQVPJ	Automotive	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KPQVPN	Automotive	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B475KQQVPJ	Automotive	4.7uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21B475KQQVPN	Automotive	4.7uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B475MAFNNN	General	4.7uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B475MAFNNW	General	4.7uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B511KBANNN	General	510pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B511KBANNW	General	510pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B561KBANNW	General	560pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B561KBCXPN	Automotive	560pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Series
CL21B562JBANNN	General	5.6nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B562JBANNW	General	5.6nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B562KBANFN	General	5.6nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B562KBANNN	General	5.6nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B562KBANNW	General	5.6nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B563KBCNNN	General	56nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B563KBCNNW	General	56nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B564KBFVFN	Automotive	560nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B681KBANFN	General	680pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B681KBANNW	General	680pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B681KCANNW	General	680pF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B682KACWPJ	Automotive	6.8nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B682KB6WPN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.7mm	Open
CL21B682KBANFN	General	6.8nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B682KBANNW	General	6.8nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B682KBCWPJ	Automotive	6.8nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B682KC6WPN	Automotive	6.8nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.7mm	Open
CL21B682KCANFN	General	6.8nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B682KCANNN	General	6.8nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B682KCANNW	General	6.8nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B682KCCWPJ	Automotive	6.8nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Soft Termination
CL21B682KCCXPN	Automotive	6.8nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Series
CL21B682KEFXPN	Automotive	6.8nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.35mm	Series
CL21B683JBCNNN	General	68nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B683JBCNNW	General	68nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B683KAFWPJ	Automotive	68nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B683KBC5PN	Automotive	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Open
CL21B683KBCNFN	General	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B683KBCNNW	General	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21B683KBCWPN	Automotive	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Open
CL21B683KBFNNN	General	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B683KBFNNW	General	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B683KBFWPJ	Automotive	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B683KBFXPJ	Automotive	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B683KCCWPN	Automotive	68nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Open
CL21B683KCFNNN	General	68nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B683KCFNNW	General	68nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B683KCFWPJ	Automotive	68nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21B683KCFXPJ	Automotive	68nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Fail Safe_Soft Termination(5mm)
CL21B684JOFNNN	General	680nF	+/-5%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B684JOFNNW	General	680nF	+/-5%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B684KAFNNW	General	680nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B684KAFVFN	Automotive	680nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B684KBFNNN	General	680nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B684KBFNNW	General	680nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B684KBFVFN	Automotive	680nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal

CL21B684KLQVPN	Automotive	680nF	+/-10%	X7R	35Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21B684KOFNFN	General	680nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B684KOFNNW	General	680nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B684KOFVPN	Automotive	680nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B684KPFNNN	General	680nF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B684KPFNNW	General	680nF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B821KBANNW	General	820pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B822KBANNN	General	8.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B822KBANNW	General	8.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21B823KBFNNN	General	82nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21B823KBFNNW	General	82nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21D104KBQPPN	Automotive	100nF	+/-10%	X8R	50Vdc	0805inch_2012mm	1.4mm	Open
CL21D334KBQ6PN	Automotive	330nF	+/-10%	X8R	50Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21D473KBQ6PN	Automotive	47nF	+/-10%	X8R	50Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21E105KAFVPJ	Automotive	1uF	+/-10%	X8L	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21E105KAYVPN	Automotive	1uF	+/-10%	X8L	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21E105KLFVPJ	Automotive	1uF	+/-10%	X8L	35Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21E105KOFVPJ	Automotive	1uF	+/-10%	X8L	16Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21E105KOYVPN	Automotive	1uF	+/-10%	X8L	16Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21E224KBQVPN	Automotive	220nF	+/-10%	X8L	50Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21E225KLBVPN	Automotive	2.2uF	+/-10%	X8L	35Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21E474KAF4PN	Automotive	470nF	+/-10%	X8L	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21E474KAFVPJ	Automotive	470nF	+/-10%	X8L	25Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21E474KAYVPN	Automotive	470nF	+/-10%	X8L	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21E474KBFVPJ	Automotive	470nF	+/-10%	X8L	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21E474KLFVPJ	Automotive	470nF	+/-10%	X8L	35Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21E474KOYVPN	Automotive	470nF	+/-10%	X8L	16Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21E475KABVPN	Automotive	4.7uF	+/-10%	X8L	25Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21E475KLBVPJ	Automotive	4.7uF	+/-10%	X8L	35Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21E475KLBVPN	Automotive	4.7uF	+/-10%	X8L	35Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21F103ZBANNN	General	10nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21F104MBCNNN	General	100nF	+/-20%	Y5V	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21F104ZAANNN	General	100nF	-20/+80%	Y5V	25Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21F104ZBANNN	General	100nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21F105ZBFNNN	General	1uF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21F106ZQFNNN	General	10uF	-20/+80%	Y5V	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21F154ZBCNNN	General	150nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21F223ZBANNN	General	22nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21F224ZBCNNN	General	220nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.95mm	Features Normal
CL21F225ZOFNNN	General	2.2uF	-20/+80%	Y5V	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21F225ZPFNNN	General	2.2uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21F334ZBFNNN	General	330nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21F335ZPFNNN	General	3.3uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21F473ZBANNN	General	47nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.75mm	Features Normal
CL21F475ZPFNNN	General	4.7uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J105KAFN3N	General	1uF	+/-10%	JIS-B	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J105KOFN3N	General	1uF	+/-10%	JIS-B	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J106KOFN3N	General	10uF	+/-10%	JIS-B	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J106KPFN3N	General	10uF	+/-10%	JIS-B	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J106KQFN3N	General	10uF	+/-10%	JIS-B	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J225KAFN3N	General	2.2uF	+/-10%	JIS-B	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J225KPFN3N	General	2.2uF	+/-10%	JIS-B	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J226MQQNNN	General	22uF	+/-20%	JIS-B	6.3Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21J475KAFN3N	General	4.7uF	+/-10%	JIS-B	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J475KOFN3N	General	4.7uF	+/-10%	JIS-B	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J475KPFN3N	General	4.7uF	+/-10%	JIS-B	10Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21J475KQFN3N	General	4.7uF	+/-10%	JIS-B	6.3Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21K106KAY6NN	General	10uF	+/-10%	X7R(S)	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21K106KAY6NW	General	10uF	+/-10%	X7R(S)	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21K106KAYQNN	General	10uF	+/-10%	X7R(S)	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21K226MPYNNW	General	22uF	+/-20%	X7R(S)	10Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21M106KOBVPJ	Automotive	10uF	+/-10%	X8M	16Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21M106KOBVPN	Automotive	10uF	+/-10%	X8M	16Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21W476MRYNNW	General	47uF	+/-20%	X6T	4Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21W476MSYNNW	General	47uF	+/-20%	X6T	2.5Vdc	0805inch_2012mm	1.45mm	Features Normal

CL21X475KAYN4N	General	4.7uF	+/-10%	X6S	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21X475KBYZUW	General	4.7uF	+/-10%	X6S	50Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21X475KOQNNW	General	4.7uF	+/-10%	X6S	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21X475KPQNNW	General	4.7uF	+/-10%	X6S	10Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21X475KQQNNW	General	4.7uF	+/-10%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21X476MQYNNW	General	47uF	+/-20%	X6S	6.3Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21X476MRYN4N	General	47uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21X476MRYNNN	General	47uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21X476MRYNNW	General	47uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21X476MRYNQW	General	47uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.37mm	Features Normal
CL21X476MSYNNW	General	47uF	+/-20%	X6S	2.5Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y105JCYVPN	Automotive	1uF	+/-5%	X7S	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y105KCFVPJ	Automotive	1uF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21Y105KCYVPN	Automotive	1uF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y105KCYZ4N	General	1uF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21Y105KCYZNW	General	1uF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y105KTFVPJ	Automotive	1uF	+/-10%	X7S	75Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21Y106KABVPJ	Automotive	10uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21Y106KABVPN	Automotive	10uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y106KAY6NW	General	10uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y106KOBVPJ	Automotive	10uF	+/-10%	X7S	16Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21Y106KOBVPN	Automotive	10uF	+/-10%	X7S	16Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y106KOQ4PN	Automotive	10uF	+/-10%	X7S	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21Y106KOQ6PN	Automotive	10uF	+/-10%	X7S	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21Y106KOYZUW	General	10uF	+/-10%	X7S	16Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y106KPQVPJ	Automotive	10uF	+/-10%	X7S	10Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21Y106KPQVPN	Automotive	10uF	+/-10%	X7S	10Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21Y106KQQVPJ	Automotive	10uF	+/-10%	X7S	6.3Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21Y106KQQVPN	Automotive	10uF	+/-10%	X7S	6.3Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21Y106MAY6NW	General	10uF	+/-20%	X7S	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y106MOYZ4U	General	10uF	+/-20%	X7S	16Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21Y224KCFSW6	General	220nF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.35mm	Soft Termination
CL21Y225KAFNNW	General	2.2uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21Y225KAYVPN	Automotive	2.2uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y225KBYVPJ	Automotive	2.2uF	+/-10%	X7S	50Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21Y225KBYVPN	Automotive	2.2uF	+/-10%	X7S	50Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y225KLBVPN	Automotive	2.2uF	+/-10%	X7S	35Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y225KLYVPN	Automotive	2.2uF	+/-10%	X7S	35Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y225KPYVPJ	Automotive	2.2uF	+/-10%	X7S	10Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21Y334KCYVPN	Automotive	330nF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y335KABVPN	Automotive	3.3uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y335KBBVPN	Automotive	3.3uF	+/-10%	X7S	50Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y335KLBVPN	Automotive	3.3uF	+/-10%	X7S	35Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y474KCYVPJ	Automotive	470nF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21Y474KCYVPN	Automotive	470nF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y475KABVPJ	Automotive	4.7uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21Y475KABVPN	Automotive	4.7uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y475KAFNNN	General	4.7uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21Y475KAYN4N	General	4.7uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y475KAYNNW	General	4.7uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Y475KBBVPJ	Automotive	4.7uF	+/-10%	X7S	50Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21Y475KBBVPN	Automotive	4.7uF	+/-10%	X7S	50Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y475KLBVPJ	Automotive	4.7uF	+/-10%	X7S	35Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21Y475KLBVPN	Automotive	4.7uF	+/-10%	X7S	35Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y475KOFNNW	General	4.7uF	+/-10%	X7S	16Vdc	0805inch_2012mm	1.35mm	Features Normal
CL21Y475KPBVPJ	Automotive	4.7uF	+/-10%	X7S	10Vdc	0805inch_2012mm	1.5mm	Soft Termination
CL21Y475KPBVPN	Automotive	4.7uF	+/-10%	X7S	10Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y475MLBVPN	Automotive	4.7uF	+/-20%	X7S	35Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y685KABVPN	Automotive	6.8uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.5mm	Features Normal
CL21Y685KOQ4PN	Automotive	6.8uF	+/-10%	X7S	16Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21Y685KPQVPN	Automotive	6.8uF	+/-10%	X7S	10Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21Y685KQQVPN	Automotive	6.8uF	+/-10%	X7S	6.3Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21Z106KAYQFN	General	10uF	+/-10%	X7T	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Z106KAYQNN	General	10uF	+/-10%	X7T	25Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Z225KBYVPN	Automotive	2.2uF	+/-10%	X7T	50Vdc	0805inch_2012mm	1.45mm	Features Normal

CL21Z226MPYNNW	General	22uF	+/-20%	X7T	10Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Z226MQQNNN	General	22uF	+/-20%	X7T	6.3Vdc	0805inch_2012mm	1.4mm	Features Normal
CL21Z226MQYNNW	General	22uF	+/-20%	X7T	6.3Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Z226MQYVPJ	Automotive	22uF	+/-20%	X7T	6.3Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21Z226MQYVPN	Automotive	22uF	+/-20%	X7T	6.3Vdc	0805inch_2012mm	1.45mm	Features Normal
CL21Z226MRYVPJ	Automotive	22uF	+/-20%	X7T	4Vdc	0805inch_2012mm	1.45mm	Soft Termination
CL21Z226MRYVPN	Automotive	22uF	+/-20%	X7T	4Vdc	0805inch_2012mm	1.45mm	Features Normal
CL31A105KAHNNW	General	1uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A105KB9LNN	General	1uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31A105KB9LNW	General	1uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31A105KOHNNW	General	1uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A105KPHNNW	General	1uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KACLNN	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A106KAH1IN	Infotainment	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KAHNFN	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KAHNNN	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KAHNNW	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KBH1IN	Infotainment	10uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KBHNNN	General	10uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KBHNNW	General	10uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KBKZNN	General	10uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A106KLH1IN	Infotainment	10uF	+/-10%	X5R	35Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KOCLNN	General	10uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A106KOCLNW	General	10uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A106KOH1IN	Infotainment	10uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KOHNNN	General	10uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KOHNNW	General	10uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KPH1IN	Infotainment	10uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KPHNNN	General	10uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KPHNNW	General	10uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KPPLNN	General	10uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.25mm	Features Normal
CL31A106KPPLNW	General	10uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.25mm	Features Normal
CL31A106KQH1IN	Infotainment	10uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KQHNNN	General	10uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106KQHNNW	General	10uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MAH1IN	Infotainment	10uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MAHNNN	General	10uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MAHNNW	General	10uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MBHNNN	General	10uF	+/-20%	X5R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MBHNNW	General	10uF	+/-20%	X5R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MBKZNN	General	10uF	+/-20%	X5R	50Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A106MOH1IN	Infotainment	10uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MOHNNN	General	10uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MOHNNW	General	10uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MPH1IN	Infotainment	10uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MQH1IN	Infotainment	10uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MQHNNN	General	10uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A106MQHNNW	General	10uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A107MPKNNW	General	100uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A107MQHNNN	General	100uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A107MQHNNW	General	100uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A107MQKNNN	General	100uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A107MQKNNW	General	100uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A107MRKNNW	General	100uF	+/-20%	X5R	4Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A225KAHNNW	General	2.2uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A225KB9LNN	General	2.2uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31A225KB9LNW	General	2.2uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31A225KC9LNN	General	2.2uF	+/-10%	X5R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31A225KOHNNN	General	2.2uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A225KOHNNW	General	2.2uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A225KPHNNW	General	2.2uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KAH1IN	Infotainment	22uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KAHNNN	General	22uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KAHNNW	General	22uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KOCLFN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Features Normal

CL31A226KOCLNN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A226KOCLNW	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A226KOH1IN	Infotainment	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KOHNFN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KOHNNN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KOHNNW	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KPH1IN	Infotainment	22uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KPHNNN	General	22uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KPHNNW	General	22uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KQH1IN	Infotainment	22uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KQHNNN	General	22uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226KQHNNW	General	22uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MAH1IN	Infotainment	22uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MAHNNN	General	22uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MAHNNW	General	22uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MOCLFN	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A226MOCLNN	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A226MOCLNW	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A226MOH1IN	Infotainment	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MOHNNN	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MOHNNW	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MPH1IN	Infotainment	22uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MPHNNN	General	22uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MPHNNW	General	22uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MQH1IN	Infotainment	22uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MQHNNN	General	22uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A226MQHNNW	General	22uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A335KAHNNN	General	3.3uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A335KAHNNW	General	3.3uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A335KOHNNN	General	3.3uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A335KOHNNW	General	3.3uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A335KPHNNW	General	3.3uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475KACLNN	General	4.7uF	+/-10%	X5R	25Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A475KACLNW	General	4.7uF	+/-10%	X5R	25Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A475KAHNNN	General	4.7uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475KAHNNW	General	4.7uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475KB9LNN	General	4.7uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31A475KB9LNW	General	4.7uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31A475KBHNNN	General	4.7uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475KBHNNW	General	4.7uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475KL9LNN	General	4.7uF	+/-10%	X5R	35Vdc	1206inch_3216mm	1mm	Features Normal
CL31A475KL9LNW	General	4.7uF	+/-10%	X5R	35Vdc	1206inch_3216mm	1mm	Features Normal
CL31A475KOCLNN	General	4.7uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A475KOCLNW	General	4.7uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Features Normal
CL31A475KOHNNN	General	4.7uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475KOHNNW	General	4.7uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475KPHNNW	General	4.7uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475MOHNNN	General	4.7uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A475MOHNNW	General	4.7uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476KPH1IN	Infotainment	47uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476KPHNNW	General	47uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476KQHNNN	General	47uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476KQHNNW	General	47uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MOK1IN	Infotainment	47uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A476MPHNFN	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MPHNNN	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MPHNNW	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MPK1IN	Infotainment	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A476MQHNNN	General	47uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MQHNNW	General	47uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31A476MQK1IN	Infotainment	47uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31A684KOHNNW	General	680nF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B102JIFXPN	Automotive	1nF	+/-5%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Series
CL31B102JJHNNN	General	1nF	+/-5%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B102KBCNNN	General	1nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal

CL31B102KBCNNW	General	1nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B102KCCNNW	General	1nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B102KCFNNW	General	1nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KDCNNN	General	1nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B102KDCNNW	General	1nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B102KGFNFN	General	1nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KGFNNN	General	1nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KGFNNW	General	1nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KHFNFN	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KHFNNW	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KHFSFN	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KHFSNW	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KHFSW6	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Soft Termination
CL31B102KHFXPN	Automotive	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Series
CL31B102KIFNFN	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KIFNNN	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KIFNNW	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B102KIFXP	Automotive	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Series
CL31B102KIFZW6	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Soft Termination
CL31B102KJHNNN	General	1nF	+/-10%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B102KJHNNW	General	1nF	+/-10%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B102KJHRPN	Automotive	1nF	+/-10%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Series
CL31B103JCCNNW	General	10nF	+/-5%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KBCNFN	General	10nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KBCNNW	General	10nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KCCNFN	General	10nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KCCNNW	General	10nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KCFNNW	General	10nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KDCNFN	General	10nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KDCNNW	General	10nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103KDFXP	Automotive	10nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1.4mm	Series
CL31B103KGFNFN	General	10nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KGFNNW	General	10nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KHFNFN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KHFNNN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KHFNNW	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KHFSFN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B103KHFSW6	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Soft Termination
CL31B103KHFXPN	Automotive	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Series
CL31B103KIHXP	Automotive	10nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Series
CL31B103KIHZ4N	General	10nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Soft Termination
CL31B103KIHZNW	General	10nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B103KIHZW6	General	10nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Soft Termination
CL31B103MBCNNN	General	10nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103MBCNNW	General	10nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B103MCCNNW	General	10nF	+/-20%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B104JCFNNN	General	100nF	+/-5%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B104JCFNNW	General	100nF	+/-5%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B104KAHVPJ	Automotive	100nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B104KAPWPN	Automotive	100nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.25mm	Open
CL31B104KBC5PN	Automotive	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Open
CL31B104KBCNFN	General	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B104KBCNNN	General	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B104KBCNNW	General	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B104KBHVPJ	Automotive	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B104KBP5PN	Automotive	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.25mm	Open
CL31B104KBPWPN	Automotive	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.25mm	Open
CL31B104KCFNFN	General	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B104KCFNNN	General	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B104KCFNNW	General	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B104KCHVPJ	Automotive	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B104KCPWPN	Automotive	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.25mm	Open
CL31B104KDHNFN	General	100nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B104KDHNW	General	100nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B104KDHPN	Automotive	100nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1.8mm	Features Normal

CL31B106KLHNNW	General	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KLHSFN	General	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KLHSNN	General	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KLHSNW	General	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KLK6PJ	Automotive	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B106KLK6PN	Automotive	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B106KOHNN3W	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KOHNFN	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KOHNNN	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KOHNNW	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KOHVPJ	Automotive	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B106KOHVFN	Automotive	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KOHZFN	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KOHZFNW	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KOKVFN	Automotive	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B106KPHN3N	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KPHN3W	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KPHNFN	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KPHNNN	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KPHNNW	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KPHVFN	Automotive	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KPHZ4N	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Soft Termination
CL31B106KPKVPJ	Automotive	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B106KPKVFN	Automotive	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B106KQHNFN	General	10uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106KQHNNN	General	10uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106MOHNNN	General	10uF	+/-20%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B106MOHNNW	General	10uF	+/-20%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B152KBCNNN	General	1.5nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B152KBCNNW	General	1.5nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B152KGFNFN	General	1.5nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B152KGFNNN	General	1.5nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B152KGFNNW	General	1.5nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B152KHFNFN	General	1.5nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B152KHFNNW	General	1.5nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B152KHFXPN	Automotive	1.5nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Series
CL31B152KIFNFN	General	1.5nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B152KIFNNW	General	1.5nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B152KIFXPN	Automotive	1.5nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Series
CL31B153KCCNNN	General	15nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B153KCCNNW	General	15nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B153KEFXPN	Automotive	15nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.4mm	Series
CL31B153KHH6PN	Automotive	15nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B154KAHV PJ	Automotive	150nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B154KBCNNN	General	150nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B154KBCNNW	General	150nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B154KBHVPJ	Automotive	150nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B154KBPWPN	Automotive	150nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.25mm	Open
CL31B155JBHVPN	Automotive	1.5uF	+/-5%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B155KAHV PJ	Automotive	1.5uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B155KAHVFN	Automotive	1.5uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B155KBH4PN	Automotive	1.5uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B155KBHVPJ	Automotive	1.5uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B155KBHVFN	Automotive	1.5uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B155KOFNNN	General	1.5uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B155KOFNNW	General	1.5uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B155KOHVPJ	Automotive	1.5uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B156KQKVFN	Automotive	15uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B156KQKZNN	General	15uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B221KCFNNW	General	220pF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B221KGFNNN	General	220pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B221KGFNNW	General	220pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B221KHFXPN	Automotive	220pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Series
CL31B221KIFXPN	Automotive	220pF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Series
CL31B222JIFXPN	Automotive	2.2nF	+/-5%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Series

CL31B222KCCNNN	General	2.2nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B222KCCNNW	General	2.2nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B222KCFNNW	General	2.2nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B222KDCNFN	General	2.2nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B222KDCNNW	General	2.2nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B222KGFNFN	General	2.2nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B222KGFNNW	General	2.2nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B222KHFNFN	General	2.2nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B222KHFNNW	General	2.2nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B222KHFSFN	General	2.2nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B222KHFXPN	Automotive	2.2nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Series
CL31B222KIFNFN	General	2.2nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B222KIFNNN	General	2.2nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B222KIFNNW	General	2.2nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B222KIFXPJ	Automotive	2.2nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Series
CL31B222KIFZW6	General	2.2nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Soft Termination
CL31B222KJHRPN	Automotive	2.2nF	+/-10%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Series
CL31B223KCCNFN	General	22nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B223KCCNNN	General	22nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B223KCCNNW	General	22nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B223KEFXPN	Automotive	22nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.4mm	Series
CL31B223KGHNNN	General	22nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B223KGHNNW	General	22nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B223KGHRPN	Automotive	22nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Series
CL31B223KHH64N	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B223KHH6NW	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B223KHHNFN	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B223KHHNNN	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B223KHHNNW	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B223KHHRPN	Automotive	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Series
CL31B223KHHSFN	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B223KHHSNW	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B223KIHRPN	Automotive	22nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Series
CL31B224KACNFN	General	220nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Features Normal
CL31B224KACNNN	General	220nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Features Normal
CL31B224KACNNW	General	220nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Features Normal
CL31B224KAFNNW	General	220nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B224KAHVPI	Automotive	220nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B224KAPWPN	Automotive	220nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.25mm	Open
CL31B224KBFNFN	General	220nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B224KBFNNN	General	220nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B224KBFNNW	General	220nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B224KBHVPI	Automotive	220nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B224KBP5PN	Automotive	220nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.25mm	Open
CL31B224KBPWPN	Automotive	220nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.25mm	Open
CL31B224KCHVPI	Automotive	220nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B224KCHVPI	Automotive	220nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B224KCPWPN	Automotive	220nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.25mm	Open
CL31B224KOFNNW	General	220nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B224MBFNNN	General	220nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B224MBFNNW	General	220nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B225JCHVPI	Automotive	2.2uF	+/-5%	X7R	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KAH4PN	Automotive	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KAHNFN	General	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KAHNNN	General	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KAHVPI	Automotive	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B225KAHVPI	Automotive	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KBH4PN	Automotive	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KBH6PN	Automotive	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KBHNFN	General	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KBHNNN	General	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KBHNNW	General	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KBHVPI	Automotive	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B225KBHVPI	Automotive	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KCHS3W	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Features Normal

CL31B225KCHSFN	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KCHSNN	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KCHVPJ	Automotive	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B225KCHVPN	Automotive	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KCHZ4N	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Soft Termination
CL31B225KCHZNW	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KOH4PN	Automotive	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KOHNFN	General	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KOHNNN	General	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KOHNNW	General	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KOHVPJ	Automotive	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B225KOHVPN	Automotive	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225KPHNNW	General	2.2uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225MOHNNN	General	2.2uF	+/-20%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B225MOHNNW	General	2.2uF	+/-20%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B226KPHNFN	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B226KPHNNN	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B226KPHNNW	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B226KPK6PN	Automotive	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B226KPKVPJ	Automotive	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B226KPKVPN	Automotive	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B226KPKZ4N	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B226KPKZNW	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B226KQHNNN	General	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B226KQHNNW	General	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B226KQK6PN	Automotive	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B226KQKVPJ	Automotive	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B226KQKVPN	Automotive	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B226KQKZ4N	General	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B226MPHNNN	General	22uF	+/-20%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B226MPHNNW	General	22uF	+/-20%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B226MQKVPJ	Automotive	22uF	+/-20%	X7R	6.3Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B226MQKVPN	Automotive	22uF	+/-20%	X7R	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B331KBCNNN	General	330pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B331KBCNNW	General	330pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B331KCFNNW	General	330pF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B331KHFNNN	General	330pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B331KHFNNW	General	330pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B331KHFXPN	Automotive	330pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Series
CL31B331KIFXPN	Automotive	330pF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Series
CL31B332KBCNNN	General	3.3nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B332KBCNNW	General	3.3nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B332KCCNNN	General	3.3nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B332KCCNNW	General	3.3nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B332KCFNNW	General	3.3nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B332KGFNFN	General	3.3nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B332KGFNNW	General	3.3nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B332KHFNW	General	3.3nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B332KHFSFN	General	3.3nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B332KHHXPN	Automotive	3.3nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Series
CL31B332KHHZW6	General	3.3nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.45mm	Soft Termination
CL31B332KIHXPJ	Automotive	3.3nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Series
CL31B333JBCNNN	General	33nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B333JBCNNW	General	33nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B333JEHXPJ	Automotive	33nF	+/-5%	X7R	250Vdc	1206inch_3216mm	1.8mm	Series
CL31B333KCCNNN	General	33nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B333KCCNNW	General	33nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B333KEHNNN	General	33nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B333KEHNNW	General	33nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B333KEHXPJ	Automotive	33nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Series
CL31B333KGHNFN	General	33nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B333KGHNNN	General	33nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B333KGHNNW	General	33nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B333KHH64N	General	33nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B333KHH6PN	Automotive	33nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal

CL31B333KHHNFN	General	33nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B333KHHNNW	General	33nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B333KHHSFN	General	33nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B333KHHSNW	General	33nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B334JAHWPN	Automotive	330nF	+/-5%	X7R	25Vdc	1206inch_3216mm	1.8mm	Open
CL31B334JBFNNN	General	330nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B334JBFNNW	General	330nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B334JBHWPN	Automotive	330nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1.8mm	Open
CL31B334JCHWPN	Automotive	330nF	+/-5%	X7R	100Vdc	1206inch_3216mm	1.8mm	Open
CL31B334JOHWPN	Automotive	330nF	+/-5%	X7R	16Vdc	1206inch_3216mm	1.8mm	Open
CL31B334KACNNN	General	330nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Features Normal
CL31B334KACNNW	General	330nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Features Normal
CL31B334KAHNNW	General	330nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B334KAHWPN	Automotive	330nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Open
CL31B334KBFNFN	General	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B334KBFNNN	General	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B334KBFNNW	General	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B334KBH5PN	Automotive	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Open
CL31B334KBHVPJ	Automotive	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B334KBHWPN	Automotive	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Open
CL31B334KCHWPN	Automotive	330nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Open
CL31B334KOCNNN	General	330nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Features Normal
CL31B334KOCNNW	General	330nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Features Normal
CL31B334KOHNNW	General	330nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B334KOHWPN	Automotive	330nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Open
CL31B335KAHVPN	Automotive	3.3uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B335KBHVPN	Automotive	3.3uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B335KOHNFN	General	3.3uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B335KOHNNN	General	3.3uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B335KOHNNW	General	3.3uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B335KOHVPN	Automotive	3.3uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B471KCFNNW	General	470pF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B471KDCNNN	General	470pF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B471KDCNNW	General	470pF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Features Normal
CL31B471KGFNNN	General	470pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B471KGFNNW	General	470pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B471KHFNNN	General	470pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B471KHFNNW	General	470pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B472KCFNNW	General	4.7nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B472KGFNFN	General	4.7nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B472KGFNNW	General	4.7nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B472KHFNFN	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B472KHFNNN	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B472KHFNNW	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B472KHFSFN	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B472KHFXPN	Automotive	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Series
CL31B472KHFZW6	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Soft Termination
CL31B472KIHXPN	Automotive	4.7nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Series
CL31B473JBCNNN	General	47nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B473JBCNNW	General	47nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B473KBCNNN	General	47nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B473KBCNNW	General	47nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B473KCCNNW	General	47nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B473KDFNNW	General	47nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B473KEHNNN	General	47nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B473KEHNNW	General	47nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B473KEHSFN	General	47nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B473KEHSNW	General	47nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B473KEHVPN	Automotive	47nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B473KGH6NW	General	47nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B473KHH64N	General	47nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B473KHH6PN	Automotive	47nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B473MCCNNW	General	47nF	+/-20%	X7R	100Vdc	1206inch_3216mm	1mm	Features Normal
CL31B474KAHNNW	General	470nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B474KAHWPN	Automotive	470nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Open

CL31B474KBH5PN	Automotive	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Open
CL31B474KBHNFN	General	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B474KBHNNN	General	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B474KBHNNW	General	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B474KBHV PJ	Automotive	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B474KBHWPN	Automotive	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Open
CL31B474KCHSFN	General	470nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B474KCHSNW	General	470nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B474KCHV PJ	Automotive	470nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B474KCHWPN	Automotive	470nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Open
CL31B474KOCNNN	General	470nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Features Normal
CL31B474KOCNNW	General	470nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Features Normal
CL31B474KOHNNW	General	470nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B474MBHNNN	General	470nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B474MBHNNW	General	470nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KAHNFN	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KAHNNN	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KAHNNW	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KAHV PJ	Automotive	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B475KAHV PN	Automotive	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KAHZW6	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Soft Termination
CL31B475KBHN3N	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KBHN3W	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KBHNFN	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KBHNNN	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KBHNNW	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KBHV PJ	Automotive	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B475KBHV PN	Automotive	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KBHZFN	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KBHZNW	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KBKVPJ	Automotive	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B475KBKV PN	Automotive	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31B475KOHNFN	General	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KOHNNN	General	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KOHNNW	General	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KOHV PJ	Automotive	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B475KOHV PN	Automotive	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KPHNFN	General	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KPHNNN	General	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B475KPHNNW	General	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B561KBCNNN	General	560pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B561KBCNNW	General	560pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B681KBCNNN	General	680pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B681KBCNNW	General	680pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B681KCFNNW	General	680pF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B681KGFNNN	General	680pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B681KGFNNW	General	680pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B681KHFNNN	General	680pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B681KHFNNW	General	680pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B681KIFNNN	General	680pF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B681KIFNNW	General	680pF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B682KBCNNN	General	6.8nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B682KBCNNW	General	6.8nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B682KCFNNW	General	6.8nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B682KGFNNN	General	6.8nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B682KGFNNW	General	6.8nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B682KHFN FN	General	6.8nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B682KHFN NW	General	6.8nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31B682KHFXPN	Automotive	6.8nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Series
CL31B682KHFWZ6	General	6.8nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Soft Termination
CL31B682KIHXPN	Automotive	6.8nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.8mm	Series
CL31B683KBCNNN	General	68nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B683KBCNNW	General	68nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B683KCPWPN	Automotive	68nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.25mm	Open
CL31B683KEHV PN	Automotive	68nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Features Normal

CL31B684KAHNNN	General	680nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B684KAHNNW	General	680nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B684KAPWPN	Automotive	680nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.25mm	Open
CL31B684KBHNNW	General	680nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B684KBHVPJ	Automotive	680nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B684KBHWPN	Automotive	680nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Open
CL31B684KCHVPJ	Automotive	680nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B684KCHVPN	Automotive	680nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B684KOCNNN	General	680nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Features Normal
CL31B684KOCNNW	General	680nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Features Normal
CL31B684KOHNNW	General	680nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B685KAHVPN	Automotive	6.8uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B685KOHVPN	Automotive	6.8uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B685KPHVPN	Automotive	6.8uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31B685KPKVPJ	Automotive	6.8uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31B822KBCNNN	General	8.2nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31B822KBCNNW	General	8.2nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31D105KAH6PN	Automotive	1uF	+/-10%	X8R	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31D105KBH6PN	Automotive	1uF	+/-10%	X8R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31D474KBH6PN	Automotive	470nF	+/-10%	X8R	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31E105KAHVPJ	Automotive	1uF	+/-10%	X8L	25Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31E105KAHVPN	Automotive	1uF	+/-10%	X8L	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31E105KBHVPN	Automotive	1uF	+/-10%	X8L	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31E105KCHVPJ	Automotive	1uF	+/-10%	X8L	100Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31E105KCHVPN	Automotive	1uF	+/-10%	X8L	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31E105KLHVPJ	Automotive	1uF	+/-10%	X8L	35Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31E106KAKVPN	Automotive	10uF	+/-10%	X8L	25Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31E225KAH4PN	Automotive	2.2uF	+/-10%	X8L	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31E225KCHVPN	Automotive	2.2uF	+/-10%	X8L	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31E225KOHVPN	Automotive	2.2uF	+/-10%	X8L	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31E226KPKVPJ	Automotive	22uF	+/-10%	X8L	10Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31E226KPKVPN	Automotive	22uF	+/-10%	X8L	10Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31F104ZBCNNN	General	100nF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31F105ZACNNN	General	1uF	-20/+80%	Y5V	25Vdc	1206inch_3216mm	1mm	Features Normal
CL31F105ZBFNNN	General	1uF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31F105ZOCNNN	General	1uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1mm	Features Normal
CL31F106ZPFNNN	General	10uF	-20/+80%	Y5V	10Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31F106ZPHNNN	General	10uF	-20/+80%	Y5V	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31F224ZBCNNN	General	220nF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31F225ZAFNNN	General	2.2uF	-20/+80%	Y5V	25Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31F225ZOCNNN	General	2.2uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1mm	Features Normal
CL31F334ZBCNNN	General	330nF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31F335ZOFNNN	General	3.3uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31F474ZBCNNN	General	470nF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1mm	Features Normal
CL31F475ZOFNNN	General	4.7uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1.4mm	Features Normal
CL31M106KLKVPN	Automotive	10uF	+/-10%	X8M	35Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31M476MRKVPN	Automotive	47uF	+/-20%	X8M	4Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31W107MQKNNW	General	100uF	+/-20%	X6T	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31W476MRHNNW	General	47uF	+/-20%	X6T	4Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X106KAH1IN	Infotainment	10uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X106KAHNNN	General	10uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X106KAHNNW	General	10uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X106KLH1IN	Infotainment	10uF	+/-10%	X6S	35Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X106KOH1IN	Infotainment	10uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X106KPH1IN	Infotainment	10uF	+/-10%	X6S	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X106KQH1IN	Infotainment	10uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X106MOH1IN	Infotainment	10uF	+/-20%	X6S	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X106MPH1IN	Infotainment	10uF	+/-20%	X6S	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X107MQKN4N	General	100uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31X107MQKNNW	General	100uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31X107MRKNNW	General	100uF	+/-20%	X6S	4Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31X225KBH1IN	Infotainment	2.2uF	+/-10%	X6S	50Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KAHN3N	General	22uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KAHN3W	General	22uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KAHNF3	General	22uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Features Normal

CL31X226KAK6NW	General	22uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31X226KOH1IN	Infotainment	22uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KOH3N	General	22uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KOH3W	General	22uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KOHNNN	General	22uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KOHNNW	General	22uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KOK6NW	General	22uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31X226KPH1IN	Infotainment	22uF	+/-10%	X6S	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KPH3N	General	22uF	+/-10%	X6S	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KPH3W	General	22uF	+/-10%	X6S	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KQH1IN	Infotainment	22uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KQHNNN	General	22uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KQHNNW	General	22uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226KRH1IN	Infotainment	22uF	+/-10%	X6S	4Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226MOHNNW	General	22uF	+/-20%	X6S	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226MPH1IN	Infotainment	22uF	+/-20%	X6S	10Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226MQH1IN	Infotainment	22uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X226MRH1IN	Infotainment	22uF	+/-20%	X6S	4Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X475KOHNNW	General	4.7uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X476KQH1IN	Infotainment	47uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X476KQHNNN	General	47uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X476KQHNNW	General	47uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X476MPKNNW	General	47uF	+/-20%	X6S	10Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31X476MQHNFN	General	47uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X476MQHNNW	General	47uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X476MRHNNN	General	47uF	+/-20%	X6S	4Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31X476MRHNNW	General	47uF	+/-20%	X6S	4Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31Y106KAHNNW	General	10uF	+/-10%	X7S	25Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31Y106KAKVPJ	Automotive	10uF	+/-10%	X7S	25Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31Y106KAKVFN	Automotive	10uF	+/-10%	X7S	25Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y106KBKVPJ	Automotive	10uF	+/-10%	X7S	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31Y106KBKVFN	Automotive	10uF	+/-10%	X7S	50Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y106KLKVPJ	Automotive	10uF	+/-10%	X7S	35Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31Y106KLKVFN	Automotive	10uF	+/-10%	X7S	35Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y106KOKVFN	Automotive	10uF	+/-10%	X7S	16Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y225KCHVPJ	Automotive	2.2uF	+/-10%	X7S	100Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31Y225KCHVFN	Automotive	2.2uF	+/-10%	X7S	100Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31Y225KCHZ4N	General	2.2uF	+/-10%	X7S	100Vdc	1206inch_3216mm	1.8mm	Soft Termination
CL31Y225KTHVPJ	Automotive	2.2uF	+/-10%	X7S	75Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31Y226KOK64N	General	22uF	+/-10%	X7S	16Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y226KOK6PN	Automotive	22uF	+/-10%	X7S	16Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y226KPK6PN	Automotive	22uF	+/-10%	X7S	10Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y226MAK64N	General	22uF	+/-20%	X7S	25Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y226MAK6NW	General	22uF	+/-20%	X7S	25Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y226MOK6NW	General	22uF	+/-20%	X7S	16Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y226MOK6PJ	Automotive	22uF	+/-20%	X7S	16Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31Y226MOK6PN	Automotive	22uF	+/-20%	X7S	16Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y475KBKVPJ	Automotive	4.7uF	+/-10%	X7S	50Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31Y475KBKVFN	Automotive	4.7uF	+/-10%	X7S	50Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y475KCK64N	General	4.7uF	+/-10%	X7S	100Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y475KCK6NW	General	4.7uF	+/-10%	X7S	100Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y475KCK6PN	Automotive	4.7uF	+/-10%	X7S	100Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y475MCK6NW	General	4.7uF	+/-20%	X7S	100Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y476MRHNNW	General	47uF	+/-20%	X7S	4Vdc	1206inch_3216mm	1.8mm	Features Normal
CL31Y476MRKN4N	General	47uF	+/-20%	X7S	4Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y685KBKVFN	Automotive	6.8uF	+/-10%	X7S	50Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Y685KLKVFN	Automotive	6.8uF	+/-10%	X7S	35Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Z106KBKVFN	Automotive	10uF	+/-10%	X7T	50Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Z106KBKZNN	General	10uF	+/-10%	X7T	50Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Z106KLKVPJ	Automotive	10uF	+/-10%	X7T	35Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31Z106KLKVFN	Automotive	10uF	+/-10%	X7T	35Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Z106KLKZNN	General	10uF	+/-10%	X7T	35Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Z106KLKZNW	General	10uF	+/-10%	X7T	35Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Z107MRKN4N	General	100uF	+/-20%	X7T	4Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Z226KAK6NW	General	22uF	+/-10%	X7T	25Vdc	1206inch_3216mm	1.9mm	Features Normal

CL31Z336MRKVPN	Automotive	33uF	+/-20%	X7T	4Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Z476MQKN4N	General	47uF	+/-20%	X7T	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Z476MQKVPJ	Automotive	47uF	+/-20%	X7T	6.3Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31Z476MQKVPN	Automotive	47uF	+/-20%	X7T	6.3Vdc	1206inch_3216mm	1.9mm	Features Normal
CL31Z476MRKVJP	Automotive	47uF	+/-20%	X7T	4Vdc	1206inch_3216mm	1.9mm	Soft Termination
CL31Z476MRKVPN	Automotive	47uF	+/-20%	X7T	4Vdc	1206inch_3216mm	1.9mm	Features Normal
CL32A105MBJNNW	General	1uF	+/-20%	X5R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106KAJNNN	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106KAJNNW	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106KATLNN	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	1.7mm	Features Normal
CL32A106KATLNW	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	1.7mm	Features Normal
CL32A106KAULNN	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2mm	Features Normal
CL32A106KAULNW	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2mm	Features Normal
CL32A106KBJNNN	General	10uF	+/-10%	X5R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106KBJNNW	General	10uF	+/-10%	X5R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106KLULNN	General	10uF	+/-10%	X5R	35Vdc	1210inch_3225mm	2mm	Features Normal
CL32A106KLULNW	General	10uF	+/-10%	X5R	35Vdc	1210inch_3225mm	2mm	Features Normal
CL32A106KOCLNN	General	10uF	+/-10%	X5R	16Vdc	1210inch_3225mm	0.95mm	Features Normal
CL32A106KOCLNW	General	10uF	+/-10%	X5R	16Vdc	1210inch_3225mm	0.95mm	Features Normal
CL32A106KOJNNN	General	10uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106KOJNNW	General	10uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106KOTLNW	General	10uF	+/-10%	X5R	16Vdc	1210inch_3225mm	1.7mm	Features Normal
CL32A106KOULNW	General	10uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2mm	Features Normal
CL32A106KPINNN	General	10uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32A106KPINNW	General	10uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32A106KPJNNW	General	10uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106MBJNNN	General	10uF	+/-20%	X5R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106MBJNNW	General	10uF	+/-20%	X5R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106MOJNNN	General	10uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A106MOJNNW	General	10uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A107MPVNNN	General	100uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32A107MPVNNW	General	100uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32A107MQVNNN	General	100uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32A107MQVNNW	General	100uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32A157MQVNNN	General	150uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32A157MQVNNW	General	150uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32A225KAJNNN	General	2.2uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226KAJNFN	General	22uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226KAJNNN	General	22uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226KAJNNW	General	22uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226KOJNFN	General	22uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226KOJNNN	General	22uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226KOJNNW	General	22uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226KPJNNN	General	22uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226KPJNNW	General	22uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226KQJNNN	General	22uF	+/-10%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226KQJNNW	General	22uF	+/-10%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226MAJNNN	General	22uF	+/-20%	X5R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226MAJNNW	General	22uF	+/-20%	X5R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226MOCLNN	General	22uF	+/-20%	X5R	16Vdc	1210inch_3225mm	0.95mm	Features Normal
CL32A226MOJNNN	General	22uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226MOJNNW	General	22uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226MPJNNN	General	22uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226MPJNNW	General	22uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226MQJNNN	General	22uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A226MQJNNW	General	22uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A227MQVN4S	General	220uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32A227MQVNNN	General	220uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32A227MQVNNW	General	220uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32A475KAULNW	General	4.7uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2mm	Features Normal
CL32A475KLULNN	General	4.7uF	+/-10%	X5R	35Vdc	1210inch_3225mm	2mm	Features Normal
CL32A475KLULNW	General	4.7uF	+/-10%	X5R	35Vdc	1210inch_3225mm	2mm	Features Normal
CL32A475KOULNW	General	4.7uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2mm	Features Normal
CL32A476KOJNNN	General	47uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A476KOJNNW	General	47uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal

CL32A476KPJNNN	General	47uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A476KPJNNW	General	47uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A476KQJNNN	General	47uF	+/-10%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A476KQJNNW	General	47uF	+/-10%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A476MOJNNN	General	47uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A476MOJNNW	General	47uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A476MPJNNW	General	47uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A476MQJNNN	General	47uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32A476MQJNNW	General	47uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B102KFNNW	General	1nF	+/-10%	X7R	2000Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32B103KGFNNN	General	10nF	+/-10%	X7R	500Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32B103KGFNNW	General	10nF	+/-10%	X7R	500Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32B104KEJNNN	General	100nF	+/-10%	X7R	250Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B104KEJNNW	General	100nF	+/-10%	X7R	250Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B104KEU6NW	General	100nF	+/-10%	X7R	250Vdc	1210inch_3225mm	2mm	Features Normal
CL32B104KGU6NW	General	100nF	+/-10%	X7R	500Vdc	1210inch_3225mm	2mm	Features Normal
CL32B104KHU64N	General	100nF	+/-10%	X7R	630Vdc	1210inch_3225mm	2mm	Features Normal
CL32B104KHU6PN	Automotive	100nF	+/-10%	X7R	630Vdc	1210inch_3225mm	2mm	Features Normal
CL32B105KAFNNN	General	1uF	+/-10%	X7R	25Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32B105KAFNNW	General	1uF	+/-10%	X7R	25Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32B105KBHNNN	General	1uF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.8mm	Features Normal
CL32B105KBHNNW	General	1uF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.8mm	Features Normal
CL32B105KBJNNW	General	1uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B105KBJVPJ	Automotive	1uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32B105KBJVPN	Automotive	1uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B105KCJNNN	General	1uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B105KCJNNW	General	1uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B105KCSNN	General	1uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B105KCSNW	General	1uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B105KCJVPJ	Automotive	1uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32B105KCJVPN	Automotive	1uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B105MBHNNN	General	1uF	+/-20%	X7R	50Vdc	1210inch_3225mm	1.8mm	Features Normal
CL32B105MBHNNW	General	1uF	+/-20%	X7R	50Vdc	1210inch_3225mm	1.8mm	Features Normal
CL32B105MBJVPN	Automotive	1uF	+/-20%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KAILNW	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32B106KAJ4PN	Automotive	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KAJ6PN	Automotive	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KAJNFN	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KAJNNN	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KAJNNW	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KAJVPJ	Automotive	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32B106KAJVPN	Automotive	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KAUL3N	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2mm	Features Normal
CL32B106KAULNN	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2mm	Features Normal
CL32B106KAULNW	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2mm	Features Normal
CL32B106KBJN3W	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KBJNFN	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KBJNNN	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KBJNNW	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KBJZW6	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Soft Termination
CL32B106KBVVPL	Automotive	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32B106KBVVPO	Automotive	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B106KBVZ4N	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32B106KBVZNW	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B106KLJNNN	General	10uF	+/-10%	X7R	35Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KLJNNW	General	10uF	+/-10%	X7R	35Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KLULNN	General	10uF	+/-10%	X7R	35Vdc	1210inch_3225mm	2mm	Features Normal
CL32B106KLULNW	General	10uF	+/-10%	X7R	35Vdc	1210inch_3225mm	2mm	Features Normal
CL32B106KOJNNN	General	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KOJNNW	General	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KOJVPN	Automotive	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B106KOULNN	General	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2mm	Features Normal
CL32B106KOULNW	General	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2mm	Features Normal
CL32B106KOVZNW	General	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B106KPINNN	General	10uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.2mm	Features Normal

CL32B106KPINNW	General	10uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32B106KPVZNW	General	10uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B154KBFNNN	General	150nF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32B154KBFNNW	General	150nF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32B156KOJVPN	Automotive	15uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B223KGIZNW	General	22nF	+/-10%	X7R	500Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32B223KIIXPN	Automotive	22nF	+/-10%	X7R	1000Vdc	1210inch_3225mm	2.2mm	Series
CL32B223KIIZ4N	General	22nF	+/-10%	X7R	1000Vdc	1210inch_3225mm	2.2mm	Soft Termination
CL32B223KIIZNW	General	22nF	+/-10%	X7R	1000Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32B224JEU6PN	Automotive	220nF	+/-5%	X7R	250Vdc	1210inch_3225mm	2mm	Features Normal
CL32B224KBFNNW	General	220nF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32B224KCHNNW	General	220nF	+/-10%	X7R	100Vdc	1210inch_3225mm	1.8mm	Features Normal
CL32B224KEU64N	General	220nF	+/-10%	X7R	250Vdc	1210inch_3225mm	2mm	Features Normal
CL32B224KEU6PN	Automotive	220nF	+/-10%	X7R	250Vdc	1210inch_3225mm	2mm	Features Normal
CL32B225KAINNN	General	2.2uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32B225KAINNW	General	2.2uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32B225KAJVPN	Automotive	2.2uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B225KBJ4PN	Automotive	2.2uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B225KBJNNN	General	2.2uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B225KBJNNW	General	2.2uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B225KBJVPJ	Automotive	2.2uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32B225KBJVPN	Automotive	2.2uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B225KCDMNNW	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	3.45mm	Molded Frame Capacitor
CL32B225KCJSFN	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B225KCJSNN	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B225KCJSNW	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B225KCJVPJ	Automotive	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32B225KCJVPN	Automotive	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B225KCJZ4N	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Soft Termination
CL32B225KCJZW6	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Soft Termination
CL32B226KAJNFN	General	22uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226KAJNNN	General	22uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226KAJNNW	General	22uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226KAV6PN	Automotive	22uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B226KAVZNW	General	22uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B226KLV6PJ	Automotive	22uF	+/-10%	X7R	35Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32B226KLV6PN	Automotive	22uF	+/-10%	X7R	35Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B226KOJ6PN	Automotive	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226KOJNFN	General	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226KOJNNN	General	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226KOJNNW	General	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226KOJVPJ	Automotive	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32B226KOJVPN	Automotive	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226KPJNNN	General	22uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226KPJNNW	General	22uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226KPJVPJ	Automotive	22uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32B226KPJVPN	Automotive	22uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226MAJNNW	General	22uF	+/-20%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226MOJNNN	General	22uF	+/-20%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226MOJNNW	General	22uF	+/-20%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B226MOJVPN	Automotive	22uF	+/-20%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B335KAJVPN	Automotive	3.3uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B335KBJ4PN	Automotive	3.3uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B335KBJVPN	Automotive	3.3uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B335KOJVPN	Automotive	3.3uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B473KHINNW	General	47nF	+/-10%	X7R	630Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32B473KHU6W6	General	47nF	+/-10%	X7R	630Vdc	1210inch_3225mm	2mm	Features Normal
CL32B473KHURPN	Automotive	47nF	+/-10%	X7R	630Vdc	1210inch_3225mm	2mm	Series
CL32B474KBFNNN	General	470nF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32B474KBFNNW	General	470nF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32B475KAJVPN	Automotive	4.7uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B475KBJ4PN	Automotive	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B475KBJ6PN	Automotive	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B475KBJN3N	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B475KBJNFN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal

CL32B475KBJNNN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B475KBJNNW	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B475KBJSW6	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Soft Termination
CL32B475KBJVPJ	Automotive	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32B475KBJVPN	Automotive	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B475KBUYFN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2mm	Features Normal
CL32B475KBUYNN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2mm	Features Normal
CL32B475KBUYNW	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2mm	Features Normal
CL32B475KBVZNN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B475KBVZNW	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B475KCI6PJ	Automotive	4.7uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.3mm	Soft Termination
CL32B475KCI6PN	Automotive	4.7uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32B475KCIZNW	General	4.7uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32B475KCJZ4N	General	4.7uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Soft Termination
CL32B475KOJNNW	General	4.7uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B475KOJVPN	Automotive	4.7uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B476KPJN3W	General	47uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B476KPJN4N	General	47uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B476KPJNNN	General	47uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B476KPJNNW	General	47uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B476KQJNNW	General	47uF	+/-10%	X7R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B476KQV6PN	Automotive	47uF	+/-10%	X7R	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B476KQVVPJ	Automotive	47uF	+/-10%	X7R	6.3Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32B476KQVVPN	Automotive	47uF	+/-10%	X7R	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32B476MPJNNN	General	47uF	+/-20%	X7R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B476MPJNNW	General	47uF	+/-20%	X7R	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B476MQJNNN	General	47uF	+/-20%	X7R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B476MQJNNW	General	47uF	+/-20%	X7R	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32B683JHU6PN	Automotive	68nF	+/-5%	X7R	630Vdc	1210inch_3225mm	2mm	Features Normal
CL32B683KHU6PN	Automotive	68nF	+/-10%	X7R	630Vdc	1210inch_3225mm	2mm	Features Normal
CL32E106KBJVPJ	Automotive	10uF	+/-10%	X8L	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32E106KBVVPL	Automotive	10uF	+/-10%	X8L	50Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32E106KBVVPO	Automotive	10uF	+/-10%	X8L	50Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32E106KOVVPL	Automotive	10uF	+/-10%	X8L	16Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32E106KOVVPO	Automotive	10uF	+/-10%	X8L	16Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32E106KPJVPN	Automotive	10uF	+/-10%	X8L	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32E106KPVVPL	Automotive	10uF	+/-10%	X8L	10Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32E106KPVVPO	Automotive	10uF	+/-10%	X8L	10Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32E225KCJVPN	Automotive	2.2uF	+/-10%	X8L	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32E226KAVVPN	Automotive	22uF	+/-10%	X8L	25Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32E475KAIVPJ	Automotive	4.7uF	+/-10%	X8L	25Vdc	1210inch_3225mm	2.3mm	Soft Termination
CL32E475KBIVPJ	Automotive	4.7uF	+/-10%	X8L	50Vdc	1210inch_3225mm	2.3mm	Soft Termination
CL32E475KBIVPN	Automotive	4.7uF	+/-10%	X8L	50Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32E475KCIVPJ	Automotive	4.7uF	+/-10%	X8L	100Vdc	1210inch_3225mm	2.3mm	Soft Termination
CL32E475KCIVPN	Automotive	4.7uF	+/-10%	X8L	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32E475KCJZ4N	General	4.7uF	+/-10%	X8L	100Vdc	1210inch_3225mm	2.7mm	Soft Termination
CL32F105ZBFNNN	General	1uF	-20/+80%	Y5V	50Vdc	1210inch_3225mm	1.45mm	Features Normal
CL32F106ZAHNNN	General	10uF	-20/+80%	Y5V	25Vdc	1210inch_3225mm	1.8mm	Features Normal
CL32F106ZLGNNN	General	10uF	-20/+80%	Y5V	35Vdc	1210inch_3225mm	1.6mm	Features Normal
CL32F106ZLHNNN	General	10uF	-20/+80%	Y5V	35Vdc	1210inch_3225mm	1.8mm	Features Normal
CL32F106ZOHNNN	General	10uF	-20/+80%	Y5V	16Vdc	1210inch_3225mm	1.8mm	Features Normal
CL32X106KAULNW	General	10uF	+/-10%	X6S	25Vdc	1210inch_3225mm	2mm	Features Normal
CL32X106KLVZNW	General	10uF	+/-10%	X6S	35Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32X107MQVNNN	General	100uF	+/-20%	X6S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32X107MQVNNW	General	100uF	+/-20%	X6S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32X107MRVNNW	General	100uF	+/-20%	X6S	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32X226KOJ1IN	Infotainment	22uF	+/-10%	X6S	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32X226MPJNNW	General	22uF	+/-20%	X6S	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32X337MSVN4S	General	330uF	+/-20%	X6S	2.5Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32X476KOVZNW	General	47uF	+/-10%	X6S	16Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32X476KPJNNN	General	47uF	+/-10%	X6S	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32X476KPJNNW	General	47uF	+/-10%	X6S	10Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32X476MOJNNN	General	47uF	+/-20%	X6S	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32X476MOJNNW	General	47uF	+/-20%	X6S	16Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32X476MPJNNW	General	47uF	+/-20%	X6S	10Vdc	1210inch_3225mm	2.7mm	Features Normal

CL32X476MQJNNW	General	47uF	+/-20%	X6S	6.3Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KBJ4PN	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KBJ6PJ	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y106KBJ6PN	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KBJNNW	General	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KBJVPJ	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y106KBJVPN	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KCJ6PJ	Automotive	10uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y106KCV6NW	General	10uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y106KCV6PN	Automotive	10uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y106KCVZ4N	General	10uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y106KCVZNW	General	10uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y106KLJVPN	Automotive	10uF	+/-10%	X7S	35Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y106KTJ6PJ	Automotive	10uF	+/-10%	X7S	75Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y106KTV6PN	Automotive	10uF	+/-10%	X7S	75Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y106MCVZ4N	General	10uF	+/-20%	X7S	100Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y107MQVN4N	General	100uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y107MQVNNW	General	100uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y107MRV6PN	Automotive	100uF	+/-20%	X7S	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y107MRVNNW	General	100uF	+/-20%	X7S	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y156KAVVPJ	Automotive	15uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y156KAVVPN	Automotive	15uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y226KAVVPJ	Automotive	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y226KAVVPN	Automotive	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y226KAVZNW	General	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y226KOVVPJ	Automotive	22uF	+/-10%	X7S	16Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y226KOVVPN	Automotive	22uF	+/-10%	X7S	16Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y226MOVVPN	Automotive	22uF	+/-20%	X7S	16Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y335KCIVPJ	Automotive	3.3uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.3mm	Soft Termination
CL32Y335KCIVPN	Automotive	3.3uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32Y475KCDMNW	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	3.45mm	Molded Frame Capacitor
CL32Y475KCIVPJ	Automotive	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.3mm	Soft Termination
CL32Y475KCIVPN	Automotive	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32Y475KCIZ4N	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Soft Termination
CL32Y475KCIZNW	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32Y475KCJZ4N	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.7mm	Soft Termination
CL32Y475KCJZNW	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Y475MCIVPJ	Automotive	4.7uF	+/-20%	X7S	100Vdc	1210inch_3225mm	2.3mm	Soft Termination
CL32Y475MCIVPN	Automotive	4.7uF	+/-20%	X7S	100Vdc	1210inch_3225mm	2.2mm	Features Normal
CL32Y476KPVVPJ	Automotive	47uF	+/-10%	X7S	10Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y476KPVVPN	Automotive	47uF	+/-10%	X7S	10Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y476KQVVPJ	Automotive	47uF	+/-10%	X7S	6.3Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y476KQVVPN	Automotive	47uF	+/-10%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y476MPVVPJ	Automotive	47uF	+/-20%	X7S	10Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y476MPVVPN	Automotive	47uF	+/-20%	X7S	10Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y476MQV6PN	Automotive	47uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y476MQVVPJ	Automotive	47uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Y476MQVVPN	Automotive	47uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Y685KBJVPJ	Automotive	6.8uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.8mm	Soft Termination
CL32Y685KBJVPN	Automotive	6.8uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Features Normal
CL32Z107KRV6PN	Automotive	100uF	+/-10%	X7T	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MQV6PJ	Automotive	100uF	+/-20%	X7T	6.3Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Z107MQV6PN	Automotive	100uF	+/-20%	X7T	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MQVVPN	Automotive	100uF	+/-20%	X7T	6.3Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MRV6PJ	Automotive	100uF	+/-20%	X7T	4Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Z107MRV6PN	Automotive	100uF	+/-20%	X7T	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MRVVPJ	Automotive	100uF	+/-20%	X7T	4Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Z107MRVVPN	Automotive	100uF	+/-20%	X7T	4Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MSV6PJ	Automotive	100uF	+/-20%	X7T	2.5Vdc	1210inch_3225mm	2.85mm	Soft Termination
CL32Z107MSV6PN	Automotive	100uF	+/-20%	X7T	2.5Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z107MSVVPN	Automotive	100uF	+/-20%	X7T	2.5Vdc	1210inch_3225mm	2.8mm	Features Normal
CL32Z227MSV6PN	Automotive	220uF	+/-20%	X7T	2.5Vdc	1210inch_3225mm	2.85mm	Features Normal
CL85A475MQ5Q64	General	4.7uF	+/-20%	X5R	6.3Vdc	0302inch_0805mm	0.55mm	Features Normal
CLL3A223KAWHLN	General	22nF	+/-10%	X5R	25Vdc	0102inch_0306mm	0.2mm	Reverse(Low ESL)
CLL3A223KAWHLW	General	22nF	+/-10%	X5R	25Vdc	0102inch_0306mm	0.2mm	Reverse(Low ESL)

CLL3A333KAYHLN	General	33nF	+/-10%	X5R	25Vdc	0102inch_0306mm	0.235mm	Reverse(Low ESL)
CLL5A224MRJHLC	General	220nF	+/-20%	X5R	4Vdc	0204inch_0510mm	0.1mm	Reverse(Low ESL)
CLL5A554MSJHLC	General	550nF	+/-20%	X5R	2.5Vdc	0204inch_0510mm	0.1mm	Reverse(Low ESL)
CLL5X105MR3NLN	General	1uF	+/-20%	X6S	4Vdc	0204inch_0510mm	0.35mm	Reverse(Low ESL)
CLL5X474MSJHLC	General	470nF	+/-20%	X6S	2.5Vdc	0204inch_0510mm	0.1mm	Reverse(Low ESL)
CLL5Z105MR41PN	Automotive	1uF	+/-20%	X7T	4Vdc	0204inch_0510mm	0.53mm	Reverse(Low ESL)
CLL5Z105MS21PN	Automotive	1uF	+/-20%	X7T	2.5Vdc	0204inch_0510mm	0.22mm	Reverse(Low ESL)
CLL5Z105MS2HLN	General	1uF	+/-20%	X7T	2.5Vdc	0204inch_0510mm	0.22mm	Reverse(Low ESL)
CLR1A102MQ1NNN	General	1nF	+/-20%	X5R	6.3Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1A103MQ1NNN	General	10nF	+/-20%	X5R	6.3Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR1A103MQ1NNW	General	10nF	+/-20%	X5R	6.3Vdc	008004inch_0201mm	0.138mm	Features Normal
CLR5A105MQ2CNN	General	1uF	+/-20%	X5R	6.3Vdc	015008inch_0502mm	0.275mm	Features Normal